

Office of Science
Basic Energy Sciences

Core Research Activities

February 2002

Office of Basic Energy Sciences

Patricia Dehmer, Director
 **Iran Thomas, Deputy Director**
 Mary Jo Martin, Secretary

Associate Director's Office Staff Contacts

Robert Astheimer
 F. Don Freeburn
 Stanley Staten
 Sharon Long

Materials Sciences and Engineering Division

 **Iran Thomas, Director**
 Christie Ashton, Program Analyst
 Vacant, Secretary

Condensed Matter Physics and Materials Chemistry X-Ray and Neutron Scattering

William Oosterhuis
 Melanie Becker, Proc. Tech.

Experimental Condensed Matter Physics

Jerry Smith
 David Zehner, ORNL

Theoretical Condensed Matter Physics

Manfred Leiser
 Dale Koelling

Materials Chemistry & Biomolecular Materials

Dick Kelley
 Aravinda Kini
 Matesh Varma

Nanoscale Science Research Centers (Construction)

Vacant FTE

Experimental Program to Stimulate Competitive Research (EPSCoR)

Matesh Varma

X-ray and Neutron Scattering

Helen Kerch

X-ray and Neutron Scattering Facilities

Pedro Montano

Spallation Neutron Source (Construction)

Jeffrey Hoy

Metal, Ceramic, and Engineering Sciences

Robert Gottschall
 Tarra Hardeman, Proc. Tech.

Structure and Composition of Materials

Altaf (Tof) Carim
 Robert Hwang, SNL
 John Vetrano, PNNL

Mechanical Behavior of Materials & Radiation Effects

Yok Chen
 Harriet Kung, LANL
 Michael Kassner, OR State
 Robert Hwang, SNL
 John Vetrano, PNNL

Physical Behavior of Materials

Vacant FTE
 Robert Hwang, SNL

Synthesis and Processing Science

Vacant FTE
 Timothy Fitzsimmons
 Bassem Armaly, U. of MO

Engineering Research

Timothy Fitzsimmons
 Bassem Armaly, U. of MO

Chemical Sciences, Geosciences, and Biosciences Division

Vacant, William Kirchhoff, Acting Director
 Karen Talamini, Program Analyst
 Carolyn Dorsey, Secretary

Fundamental Interactions

Allan Laufer
 Sharon Bowser, Proc. Tech.

Atomic, Molecular, and Optical Science

Eric Rohlfing

Chemical Physics

William Kirchhoff
 Frank Tully, SNL

Photochemistry & Radiation Research

Mary Gress
 Walter Stevens

Facility Operations

William Millman
 William Kirchhoff

 Vacant Detailee

Molecular Processes and Geosciences

William Millman
 Diane Matthews, Proc. Tech.

Catalysis and Chemical Transformation

Raul Miranda
 Julie d'Itri, U. Pittsburgh

Separations and Analysis

Paul Maupin
 Vacant FTE
 Henry Shaw, LLNL

Heavy Element Chemistry

 Norman Edelstein, LBNL
 Henry Shaw, LLNL
 Vacant FTE

Chemical Energy and Chemical Engineering

Paul Maupin

Geosciences Research

Nicholas Woodward
 Roger Turpening, MTU

Energy Biosciences Research

Gregory Dilworth
 Patricia Snyder, Proc. Tech.

Plant Sciences

Gregory Dilworth
 James Tavares

Biochemistry and Biophysics

Walter Stevens
 Sharlene Weatherwax

 Dual Capacity
 IPA
 Detailee
 Detailee, 1/4 time, not at HQ

Basic Energy Sciences Core Research Activities

The research portfolio of the Basic Energy Sciences (BES) program consists of the distinct Core Research Activities (CRAs), which align with the BES management and budget structures. Program Managers, who are identified on the organization chart and in the CRAs, are responsible for implementing the budget authorities of the CRAs. The colors of the CRA titles indicate Teams within the Divisions.

Budget Authority (B/A), Dollars in Thousands
(from FY 2001 column of the FY 2003 President's Budget Request)

Materials Sciences and Engineering Division

<u>FY 2001</u>	<u>CRA #</u>	<u>CRA Title</u>
35,837	1	Experimental Condensed Matter Physics
16,124	2	Theoretical Condensed Matter Physics
31,682	3	X-ray and Neutron Scattering
296,067	4	X-ray and Neutron Scattering Facilities
30,808	5	Materials Chemistry
33,767	6	Structure and Composition of Materials
15,286	7	Mechanical Behavior of Materials and Radiation Effects
16,449	8	Physical Behavior of Materials
12,801	9	Synthesis and Processing Science
17,352	10	Engineering Research
7,685	11	EPSCoR
-	21	Nanoscience Centers

Chemical Sciences, Geosciences, and Biosciences Division

<u>FY 2001</u>	<u>CRA #</u>	<u>CRA Title</u>
11,428	12	Atomic, Molecular, and Optical Science
33,338	13	Chemical Physics Research
26,298	14	Photochemistry and Radiation Research
25,464	15	Catalysis and Chemical Transformations
14,393	16	Separations and Analysis
8,154	17	Heavy Element Chemistry
12,679	18	Chemical Energy and Chemical Engineering
21,419	19	Geosciences Research
31,853	20	Energy Biosciences Research

Research Activity: **Experimental Condensed Matter Physics**
Division: Materials Sciences and Engineering
Primary Contact(s): Jerry J. Smith (jerry.smith@science.doe.gov 301-903-4269)
Team Leader: William T. Oosterhuis
Division Director: Iran L. Thomas

Portfolio Description:

The portfolio consists of a broad-based experimental program in condensed matter and materials physics research emphasizing electronic structure, surfaces/interfaces, and new materials. It includes the development and exploitation of advanced experimental techniques and methodology. The objective is to provide the understanding of the physical phenomena and processes underlying the properties and behavior of advanced materials. The portfolio includes specific research thrusts in magnetism, semiconductors, superconductivity, materials synthesis and crystal growth, and photoemission spectroscopy. The portfolio addresses well-recognized scientific needs, including understanding magnetism and superconductivity; the control of electrons and photons in solids; understanding materials at reduced dimensionality, including the nanoscale; the physical properties of large, interacting systems; and the properties of materials under extreme conditions.

Unique Aspects:

The combined projects in superconductivity comprise a concerted and comprehensive energy-related research program. The DOE laboratories anchor the efforts and maintain the integration with the EE developmental efforts. The research on magnetism and magnetic materials has more emphasis and direction than in other federally supported programs. It focuses on hard magnet materials such as those used for permanent magnets and in motors. The Experimental Condensed Matter Physics (ECMP) activity continues to support research on heavy fermion materials, an area that impacts a wide range of other topics including superconductivity, magnetoresistivity, low-dimensional electron systems, and magnetism. The integrated photovoltaics program, consisting of research from this portfolio and technology from EE and EPRI, is both successful and a model for such integration. The LANL thermoacoustics program is unique, both scientifically and technologically. This work led to an R&D-100 award in 1999 and aspects are being developed commercially. This activity has unique thrusts in photovoltaics and in photoemission investigations of superconductors. It is a source of new materials scientists through strong programs at LANL, Ames, ANL, University of Illinois and, now, Stanford. Internationally, the ECMP activity holds a position of world leadership in the areas of magnetism, superconductivity, materials characterization, and nanoscale science. It is dominant in photoemission characterization of cuprate superconductors. New, exciting areas launched within this activity in photonic band gap materials, 2-D electron systems, magnetic superconductors and quasicrystals are now pursued worldwide.

Relationship to Others:

This activity supports the National Academy of Science's Solid State Sciences Committee, which in turn serves as a coordinating mechanism nationally. Within DOE, the activity is coordinated through the Energy Materials Coordinating Committee. The ECMP activity interacts with the BES Condensed Matter Theory and Neutron and X-Ray Scattering activities. Research in photovoltaics is coordinated with the Chemical Sciences, Geosciences and Biosciences Division and with the Photovoltaics Technology Division of EE. The activity also supports projects jointly with DP, FE, EE/RE and EPRI. In the areas of magnetism, superconductivity, and research on the control of electrons and photons in solids, this activity provides more support than the National Science Foundation's Condensed Matter Physics program.

Significant Accomplishments:

The ECMP activity has a long history of accomplishments dating back to the 1950's and the first neutron scattering experiments at the Oak Ridge National Laboratory. Notable accomplishments include the discovery of ion channeling and the development of the field of ion implantation; the discovery of metallic and strained-layer superlattices; the establishment of the field of thermoacoustics and thermoacoustic refrigeration and heating; the invention of Z-contrast scanning transmission electron microscopy; the theoretical and predictive basis for photonic band gap materials; the tandem photovoltaic cell which holds the record for efficiency; the observation of stripes in superconductors; and, just this past year, the invention of a Josephson junction scanning tunneling microscope. In addition, the activity has supported much of the seminal work in the fields of high temperature superconductors and quasicrystals, efforts now pursued worldwide.

Mission Relevance:

This activity provides direct research assistance to the technology programs in EE (photovoltaics, superconductivity, power sources, thermoacoustics), FE (thermoacoustics), and DP (photoemission, positron research, and electronic and optical materials). In addition, it supports, more fundamentally, several DOE technologies and the strategically important information technology and electronics industries through its results in the fields of semiconductor physics, ion implantation and electronics research; the petroleum recovery efforts of FE and the clean-up efforts of EM through research on granular materials and on fluids; the OTT through research on advanced materials and magnets; energy conservation efforts through research on ion implantation, ultra-hard materials, superconductivity, thermoelectrics, and power source component materials; and DP through research on advanced laser crystals and weapons-related materials.

Scientific Challenges:

Among the immediate on-going scientific challenges are: the solution of the mechanism for high temperature superconductivity; the understanding of “stripes” in correlated electron systems; the understanding of novel quantum effects and of “emergent phenomena,” that is, new phenomena that emerge when the complexity of a system grows with the addition of more particles; the development of a very high-magnetic field research program to exploit the 100T and 60T magnets at LANL; research in nanoscale science; low-temperature physics; and the continued development of a materials synthesis and crystal growth capability in this country. High-magnetic-field research coupled with low temperature physics led to the discovery of the quantum Hall effect and to the general area of novel quantum effects. The availability of very high magnetic fields over useable time scales, as will be afforded by the new magnets at LANL, offers the promise of both increasing the fundamental understanding of matter and of observing the effects of very high magnetic fields on materials properties. This will undoubtedly lead to the discovery of new and exciting physics. Similarly, low temperature physics continues to be important for the advancement of physics by providing the experimental conditions necessary to observe phenomena such as BEC, the quantum Hall effect, and superconductivity. Developing and understanding of matter and materials at the nano- and subnanoscale is a critical need because electronic, optical, and magnetic devices continue to shrink in size. Quality materials lie at the heart of quality measurements: a thrust to develop a core competence in the synthesis of new materials and the growth of crystals is underway and it will continue to be a priority.

Funding Summary:

Dollars in Thousands

<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$30,785	\$35,837	\$34,326

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	80.0%
Universities	20.0%

ORNL has the largest single program in the portfolio, comprising approximately 20% of the overall effort. ANL is second at 18%, followed by, in order, LBNL, Ames, and BNL. Of particular note are: (1) the integrated and successful research (this activity) and technology (EE) program in photovoltaics at NREL; (2) LBNL with its world-class collection of “electronics” research, including molecular electronics based upon carbon species; and (3) LANL, where the thermoacoustics effort with joint funding from FE shows promise as a commercial technology, the project on photoemission spectroscopy of actinides has joint funding with DP, and the 100T magnet project. The forty-nine currently active university grants are distributed among forty universities in twenty-seven states and Puerto Rico. Included are one HBCU and one HSI.

Projected Evolution:

The Experimental Condensed Matter Physics activity will include further work at the nanoscale; the development of a very high magnetic field research program; and continued development of the materials synthesis and crystal growth thrust. The portfolio can be expected to continue thrusts in electronic structure, new materials, surfaces/interfaces, and experimental techniques. The subtopics also will be the similar, e.g., magnetism, low dimensional electron systems, and new materials. Low temperature physics and superconductivity both are important. Low temperature physics underlies several other areas of opportunity and presents issues of its own. Superconductivity, specifically high temperature superconductivity, continues to be a potentially revolutionizing technology. The goal for the former is to augment the investment in low temperature physics when possible. In superconductivity, the goal is to identify the most pressing scientific issues and ensure the level of effort is consistent with the priorities.

04 February 2002

Research Activity: **Theoretical Condensed Matter Physics**
Division: Materials Sciences and Engineering
Primary Contact(s): Manfred Leiser (Manfred.Leiser@Science.DOE.gov 301-903-4894)
Team Leader: William Oosterhuis
Division Director: Iran Thomas

Portfolio Description:

The Theoretical Condensed Matter Physics activity provides theoretical support for all parts of the Materials Science and Engineering Division. Research areas include quantum dots, nanotubes and their properties, tribology at the atomic level, superconductivity, magnetism, and optics. A significant part of the portfolio consists of the development of advanced computer simulation algorithms and fast codes to treat many-particle systems. An important component of the portfolio is the Computational Materials Science Network (CMSN), which brings together groups of scientists from DOE laboratories, universities, and (to a lesser extent) industry to solve materials problems requiring collaboration across disciplinary and organizational boundaries.

Unique Aspects:

The rapid advance in technological and computational capabilities makes it possible to perform research in condensed matter theory and materials science at an unprecedented level of sophistication. The resulting complexity of the research requires an increasing diversity of disciplines. Consistent with the increasing acceptance of computational science as a “third way of doing science” the activity includes the Computational Materials Science Network. The CMSN is a unique program that brings together a multi-disciplinary group of scientists from DOE laboratories, universities, and industry to collaborate on computational materials science projects. At present CMSN consists of five sub-projects: Excited State Response Functions (testing the accuracy of current levels of fundamental theory); Microstructural Effects on the Mechanics of Materials (computational study of the fundamental basics of metallurgy); Microstructural Evolution Based on Fundamental Interfacial Properties (a fundamental factor to understand the processing of real materials); Polymers at Interfaces (a study of failure modes since this region is the weakest link in composite materials); Magnetic Materials Bridging Basic and Applied Science (an attempt to interconnect different scales of magnetic behavior from quantum mechanical electronic behavior all the way to continuum micro-mechanical properties). Other projects will be considered including electronic structure techniques tailored specifically to nanoparticles, polymer matrixing, and complex correlation issues.

Relationship to Others:

Within DOE a high level of collaboration exists between MICS and NERSC. Information on university grants is shared with NSF, peer reviews are sometimes shared, and on occasion there is joint funding of grants. On the international level participation in organizing and steering committees is frequent, as are exchanges of experts between foreign and domestic institutions.

Significant Accomplishments:

Consistent with the emphasis on nanoscience enabled by developments in technology and computational techniques, notable achievements in this area have been made within the Condensed Matter Theory Activity.

Research into low dimensional materials has revealed exciting new information and has pointed to new possibilities in creating new tailored materials and devices. Highlights include:

1. The discovery that magnetization around defects in quasi-one dimensional materials greatly influences the phase in which they reside points to the development of sensors highly sensitive to external stimuli.
2. The discovery that loading electrons into quantum dots results in the formation, within the dot, of complexes of holes and electrons. These decay in a theoretically predictable manner, pointing to the possibility of fabricating quantum dots with tailored light emitting properties.
3. The discovery that electrons confined in a thin film segregate into discreet energy levels, in analogy to the discreet energy levels in atoms, points to the possibility of constructing ultra-stable materials by controlling the thickness of the film.

4. Calculations show that the conductance across two crossed carbon nanotubes is very sensitive to the force applied at that junction. While the inter-tube conductance is dramatically increased, the intra-tube conductance is diminished. When this arrangement is realized experimentally, crossed nanotubes can be expected to be excellent sensors for applied forces within nanoscaled devices.

Significant progress has also been made in other areas as illustrated by the following examples.

Dynamic mean-field theory, which is exact for infinite dimensions, has been successfully coupled with three dimensional band theory. The resulting hybrid theory predicts the anomalous properties of highly correlated rare-earth and actinide materials.

When metals solidify they form highly branched patterns called dendrites. These solidification patterns control many aspects of processing and microstructure and hence our ability to use materials. A Collaborative Research Team of the Computational Materials Science Network has devised an entirely new method for extracting the anisotropy of energy and mobility responsible for dendrite formation from supercomputer simulations of the atomic processes occurring during solidification.

Ab initio calculations have been performed for the hysteresis loop and domain wall dynamics of magnets. Long thought to be beyond the scope of *ab initio* calculations because of the large number of atoms involved, it became possible to perform detailed studies of some less demanding materials such as FePt and CoPt, which are technologically important.

Mission Relevance:

The program's ultimate purpose is to understand the properties of existing materials and to create new ones that are more efficient in producing, storing, and using energy. To this end, the programs in this portfolio have the common goal of achieving a basic understanding of matter ranging from the atomic to the bulk scales. The experimental and theoretical programs work in close collaboration with each other, but more independent modes of research also exist. Theorists will try to establish a theoretical basis for experimentally observed results, which almost always suggests further experiments, and thus leads to new results. New science is produced by simulating processes on computers, "computer experiments" which are difficult or impossible to perform in the laboratory. The behavior of the surface layers of materials sliding on each other and a new understanding of the role of lubricants has been obtained in this way. Other examples include investigations into the behavior of electrons flowing in nano wires and nanotubes and in the properties of matter at extreme conditions of temperature and pressure.

Scientific Challenges:

Because of the close relationship between the experimental and theoretical elements, many of these are common to both. Examples of areas common to both are exploring the behavior of complex systems, investigating nano-scale systems, and understanding superconductivity. In theory, the need to develop functionals defined by the Density Functional Theory and needed for its applications is an example as is the need to develop more efficient algorithms for the efficient use of modern computers.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$14,888	\$16,124	\$18,116
<u>Performer</u>	<u>Funding Percentage</u>	
DOE Laboratories	79.0%	
Universities	21.0%	

The program provides funding for 47 university grants supporting about as many students and partially supporting about 50 faculty and senior staff and programs at 9 national laboratories. There are approximately 70 postdocs fully or partially supported by this CRA. Programs at the laboratories are multi-investigator efforts on problems that require extensive participation experimental and theoretical scientists. This program supports research at LBNL, AMES, BNL, ANL, LLNL, MRS, LANL, ORNL, and NREL. Many of the research efforts at national laboratories involve interfaces with the university and industrial communities and user facilities. In addition, about \$1.4M on is provided to projects of the Computational Materials Science Network.

Projected Evolution:

Rapid advancements in computer hardware and software will be exploited to model materials with ever-greater sophistication and realism. The ability to perform experiments at the nanoscale and similar advances in computational technology (software and hardware) has opened a new era in materials science. It is expected that increasing emphasis will be placed on nanoscience studies. For the theory program, this will necessitate an even tighter coupling between theory and experiment.

04 February 2002

Research Activity:**X-ray and Neutron Scattering**

Division:

Materials Sciences and Engineering

Primary Contact(s):

Helen M. Kerch (Helen.Kerch@science.doe.gov; 301-903-2346)

Team Leader:

William Oosterhuis

Division Director:

Iran L. Thomas

Portfolio Description:

This activity supports basic research in condensed matter and materials physics using neutron and x-ray scattering capabilities primarily at major BES-supported user facilities. Research is aimed at achieving a fundamental understanding of the atomic, electronic, and magnetic properties of materials and their relationship to the physical properties of materials. Both ordered and disordered materials are of interest as are strongly correlated electron systems, surface and interface phenomena, and behavior under environmental variables such as temperature, pressure, and magnetic field. Development of neutron and x-ray instrumentation for next generation sources is a major component of the portfolio.

Unique Aspects:

The Department's history and mission has played an important role in BES's current position as the Nation's steward of major neutron and x-ray facilities. Historically, neutron sources descended from the neutron reactors that were constructed in the early 1940s as part of the U.S. Atomic Energy Program. Similarly, synchrotron facilities stemmed from particle accelerators that were developed for high-energy physics research. As part of its stewardship responsibilities, BES maintains strong fundamental research programs in materials and related disciplines that are carried out at these facilities by the laboratory, university, and industrial communities. This activity has evolved from the pioneering, Nobel prize-winning efforts in materials science to the current program that encompasses multiple techniques and disciplines. The activity also supports the research that has motivated the largest BES construction projects in recent years - the ALS, APS, and SNS. BES is a major supporter of both the research and the instrumentation at these and other facilities.

The type of information derived from neutron and x-ray scattering is very diverse with inelastic scattering allowing measurements of elastic, magnetic, and charge excitations (phonons, magnons, crystal field energies) and elastic scattering affording structural information. X-ray scattering allows researchers to "see" where the atoms are as x-ray wavelengths are commensurate with interatomic distances. The dramatic increase in brilliance of synchrotron radiation has directly improved the available photon flux to probe a limited sample volume over a small time domain making in-situ experiments a reality. Neutron scattering can afford information concerning the positions, motions, and magnetic properties of solids. Neutrons possess unique properties such as sensitivity to light elements, which has made the technique invaluable to polymer and biological sciences, and high penetrating ability, which allows property measurements deep within a specimen. Neutrons have magnetic moments and are thus uniquely sensitive probes of magnetic interactions. Taken together, neutron and x-ray scattering cover an enormous range of energies and allow multiple length scales and associated phenomena to be probed.

Relationship to Others:

This activity interacts closely with neutron and x-ray scattering research programs supported at other federal agencies, especially in the funding of beamlines whose cost and complexity require multi-agency support. The activity works in concert with the Instrumentation for Materials Research Program (IMR) at the National Science Foundation and the NIST Center for Neutron Research (NCNR) in the Department of Commerce to develop instruments and capabilities that best serve the national user facility needs of the nation. A coordinated effort between the Department of Energy (DOE) and the National Science Foundation (NSF) is being initiated to facilitate the full utilization of the SNS under the auspices of the Office of Science and Technology Policy's Interagency Working Group on Neutron Science.

Significant Accomplishments:

This activity supported the research of Clifford G. Shull at Oak Ridge National Laboratory that resulted in the 1994 Nobel Prize in Physics for the development of the neutron diffraction technique. Shull's work launched the field of neutron scattering, which has proven to be one of the most important techniques for elucidating the structure and dynamics of solids and fluids. Shull and others produced an impressive list of "firsts": first measurement of neutron

scattering amplitudes of over 60 elements and isotopes; first direct evidence of antiferromagnetism; first use of neutrons to determine the structure of hydrides; and the first measurements of 3d and 4f electronic form factors. This activity has provided major support for the construction and operation at APS for 10 of the 19 Collaborative Access Teams (CATs). The majority of the CATs are now operational, and the resultant myriad tools provide an invaluable resource to the nation's science community.

The neutron scattering program has been a key player in the effort to understand superconductivity. Jorgenson (ANL) was the first to determine the structure of several high-temperature superconductors using neutron diffraction. In attempting to understand the role of stripes, Tranquada (BNL) provided the first direct evidence that holes segregate into stripes separated by insulating regions of antiferromagnetic order. Mook (ORNL) found evidence of fluctuating stripes suggesting stripes and superconductivity are linked.

Recent accomplishments include the first measurement of protein structure via high resolution x-ray powder diffraction by von Dreele (LANL), the discovery via high resolution x-ray powder diffraction of the universal presence of a previously undetected lower symmetry phase in ferroelectrics with unusually large dielectric responses by Noheda and Shirane (BNL), and the development and demonstration of a new class of instrumentation called the 3-D x-ray crystal microscope that provides precise local information about crystal morphology, orientation, elastic strain and plastic deformation with subgrain 3-D spatial resolution by Ice and Larson (ORNL).

Mission Relevance:

To understand the physical properties of any material, one needs to begin with its structure. The fundamental understanding of the structure and behavior of matter contributes to the Nation's science base and underpins DOE's broad energy and environmental mission and responsibilities. X-ray and neutron scattering are the primary tools for characterizing the atomic, electronic and magnetic structures and excitations of materials. The increasing complexity of such energy-relevant materials as superconductors, semiconductors, and magnets requires ever more sophisticated, specific, and sensitive X-ray and neutron scattering techniques to extract new and useful knowledge and develop new theories for the behavior of new materials. The scientific importance of x-ray and neutron science has been broadly recognized as some 15 Nobel Prizes (14 in x-rays; 1 in neutrons) have been based on research utilizing these tools.

Scientific Challenges:

Programmatic Challenges:

The ongoing enhancements at the HFIR and the LANSCE will not only increase the nation's neutron scattering capacity, but, in many cases, will provide instruments with resolution and flux on sample that is equal to or greater than existing benchmark instruments. The SNS will push instrument capacity and performance even further. One challenge for this activity will be to support an increased effort in neutron scattering to take full advantage of the improved sources and to prepare for the SNS. Another includes maintaining the strength at the DOE laboratories that have traditionally been strong in neutron scattering and rebuilding strength in neutron sciences in the academic community. Education and training of the next generation of neutron scientists especially those familiar with instrumentation and performance of TOF methods remains a high priority. Strategies to replace or ameliorate the capabilities lost from the closing of HFBR, especially triple axis instrumentation, continue to be discussed including support from other agencies.

Scientific Challenges:

Correlated Electron Systems: The effects of strong electron-electron interactions give rise to a remarkable range of anomalous behavior in condensed matter systems, producing phenomena as varied as metal-insulator transitions, colossal magnetoresistance, and high temperature superconductivity in heavy fermion metals, insulators and magnets. In particular, high-temperature superconductivity is a singularly spectacular example of the cooperative macroscopic phenomena such as the interplay of charge, spin, and lattice degrees of freedom that can arise from correlated electron behavior. Techniques such as inelastic x-ray scattering and neutron diffraction, among others, have enabled scientists to unravel the crystallographic and microscopic electronic structure of these materials, including stripes. This information will ultimately be used to answer questions such as what is the mechanism for superconductivity, how high can the temperature be for materials to remain superconducting, and will that temperature ever be room temperature.

Matter Under Extreme Conditions: Opportunities in high pressure research address a broad range of new scientific problems involving matter compressed to multimegabar pressures. Highly collimated and intense synchrotron beams provide the ideal source for ultrafine and sensitive x-ray diffraction microprobes necessary to measure concentrated high stresses in a very small area. Extreme pressures provide a fertile ground for the formation of new materials and novel physical phenomena as compression changes the chemical bonds and affinities of otherwise familiar elements and compounds. Likewise, the coupling of magnetic fields during a scattering experiment can be used to study materials during phase transitions (magnetic, structural, superconducting) thus allowing researchers to segregate magnetic field effects or to simulate effects normally observed via doping (for example).

In-situ Studies of Complex Materials: Recent advances in both sources and instrumentation have yielded gains in intensity on sample not just facilitating rapid experiments but also in-situ configurations. Also smaller samples at higher concentrations can be probed. In-situ synchrotron radiation techniques provide real-time observations of atomic arrangements with high spatial sensitivity and precision, which are important features in the development of novel processing techniques and in the search for new exotic materials. In-situ studies of complex materials including those undergoing time-dependent structural or magnetic phase transformations, disordered systems such as alloys and amorphous materials, organic thin films and self-assembled systems, and other condensed matter systems can be probed with a variety of scattering, reflectivity and spectroscopic techniques.

Funding Summary:

Dollars in Thousands

<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$22,076	\$31,682	\$36,293
<u>Performer</u>	<u>Funding Percentage</u>	
DOE Laboratories	70.0%	
Universities	29.0%	
Other	1.0%	

Major DOE laboratory performers include Ames, ANL, BNL, ORNL, LANL, SSRL.

This activity also supports diverse Collaborative Access Teams at the APS including: MRCAT (Materials Research CAT; Notre Dame, U. Florida, ANL), MUCAT (Midwestern Universities CAT; Ames, Missouri, Washington U., etc.), PNCCAT (Pacific Northwest CAT; U. Washington, PNNL, U. Florida), UNICAT (University-National Lab-Industry CAT; Illinois, NIST, UOP, ORNL), HP-CAT (High Pressure CAT; Carnegie Institute, UNLV, LLNL), BESSRC (Basic Energy Sciences Synchrotron Radiation Center; ANL), MHATTCAT (University of Michigan, Howard U., Lucent), CMCCAT (Complex Materials Consortium; Exxon, Princeton, U Penn, BNL, LANL, ORNL, etc.), IMMCAT (IBM, McGill, MIT), and DNDCAT (DuPont, MWU, DOW).

This activity also provides support for the construction of two instruments at the SNS including the High-Resolution Chopper Spectrometer (ARCS) instrument led by Brent Fultz at CalTech and the 10-100 eV Multi-Chopper Spectrometer instrument led by Paul Sokol.

Projected Evolution:

Advances in neutron and x-ray scattering will continue to be driven by the scientific opportunities presented by improved source performance and instrumentation optimized to take advantage of that performance. The x-ray scattering activity will continue in fully developing the capabilities of the third generation sources by providing instrumentation and research support. A continuing theme in the scattering program will be the integration and support of materials preparation (especially single crystals) as this is a core competency that has all but vanished in the US. An example of this integrated program is the high magnetic field/low temperature synchrotron facility at SSRL funded in conjunction with single crystal growth and characterization capabilities at Stanford.

Research Activity:**X-ray and Neutron Scattering Facilities**

Division:

Materials Sciences

Primary Contact:

Pedro A. Montano (pedro.montano@science.doe.gov; 301-903-2347)

Team Leader:

W. Oosterhuis

Division Director:

Iran Thomas

Portfolio Description:

This activity supports the operation of four synchrotron radiation light sources and three neutron scattering facilities. These are: the **Advanced Light Source** (ALS) at Lawrence Berkeley National Laboratory; the **Advanced Photon Source** (APS) at Argonne National Laboratory; the **National Synchrotron Light Source** (NSLS) at Brookhaven National Laboratory; the **Stanford Synchrotron Radiation Laboratory** (SSRL) at Stanford Linear Accelerator Center; the **High Intensity Flux Reactor** (HFIR) at Oak Ridge National Laboratory; the **Intense Pulsed Neutron Source** (IPNS) at Argonne National Laboratory; and the **Manuel Lujan Jr. Neutron Scattering Center** (Lujan Center) at Los Alamos National Laboratory.

Under construction is the **Spallation Neutron Source** (SNS) at Oak Ridge National Laboratory, which is a next-generation short-pulse spallation neutron source that will be significantly more powerful than the best spallation neutron source now in existence -- ISIS at the Rutherford Laboratory in England. On the drawing board is the **Linac Coherent Light Source** (LCLS) at Stanford Linear Accelerator Center, which is a free-electron laser that will provide laser-like radiation in the x-ray region of the spectrum that is 10 orders of magnitude greater in peak power and peak brightness than any existing coherent x-ray light source.

Unique Aspects:

The synchrotron radiation light sources and the neutron scattering facilities are the most advanced facilities of their kind in the world. Together, they serve more than 7,000 users annually from academia, national laboratories, and industry, a number that has more than tripled in the past decade and that can more than double again in the next decade as current facilities and those under construction are fully instrumented. These light sources and neutron scattering sources represent the largest collection of such facilities operated by a single organization in the world. Conception, design, construction, and operation of these facilities, which in current costs are in the hundreds of millions to in excess of a billion dollars, are among the core competencies of the BES program.

Relationship to Others:

This activity has very strong interactions with all BES programmatic research that utilizes synchrotron and neutron sources. This includes research in atomic physics, condensed matter and materials physics, chemical dynamics, catalysis, geosciences, high-pressure science, environmental sciences, engineering, biosciences, and much more. Interaction also exists with other parts of the Office of Science, notably BER, and the Department of Energy, notably DP, EE, and EM. There are frequent contacts with other agencies in order to better coordinate efforts in optimizing beamlines and instruments. This activity participates in a number of OSTP and NSTC interagency activities, e.g., OSTP Interagency Working Groups on macromolecular crystallography at the synchrotron light sources and on neutron sources and instrumentation. Finally, this activity is starting to establish more frequent contacts with international user facilities such as ESRF, SPring-8, ILL, ISIS, and others. The objective is to share experiences and to make optimal use of present facilities.

Significant Accomplishments:

The synchrotron radiation light sources. During the past two decades, BES has been the Nation's major supporter of synchrotron x-ray light sources. BES support pioneered new storage ring lattices for improved beam stability and brightness; developed wiggler and undulator insertion devices that provide 10-12 orders of magnitude greater brightness than the best conventional x-ray sources; and discovered or developed such powerful experimental techniques as magnetic x-ray scattering, microbeam diffraction, x-ray microscopy, photoelectron spectroscopy and holography, inelastic x-ray scattering using nuclear resonances, extended x-ray absorption fine structure (EXAFS), and near-edge absorption fine structure (NEXAFS). The BES light sources are used by over 6,500 researchers annually from academia, government laboratories, and industry for state-of-the-art studies in materials science, physical and chemical science, geoscience, environmental science, bioscience, medical science, and pharmaceutical science. Recent research at the light source facilities, supported by BES, by other agencies, by industry, and by private sponsors includes: high-resolution imaging of precision-fabricated thin films of copper, pointing the way

toward much denser magnetic data storage for computers; imaging of contaminants in a polycrystalline silicon solar cell and their removal by heat treatment -- a step toward more efficient, less costly solar cells; development of a high-pressure "diamond anvil cell" enabling the creation of entirely new classes of materials such as biomaterials, semiconductor phases, and dense polymers; the solution of the structure of HIV (the AIDS virus) laying the groundwork for developing a vaccine; and the determination of the structure of a key (immunoglobulin-E) antibody receptor on immune system cells, opening the way to prevention of allergic reactions.

The neutron scattering sources. Since the late 1940s, BES and its predecessors have been the major supporter of neutron science in the United States -- from the earliest work of Clifford Shull and E. O. Wollan at Oak Ridge National Laboratory's Graphite Reactor in the 1940s to the Nobel Prize in physics shared by Clifford Shull and Bertram Brockhouse in 1994 for their work on neutron scattering. Based on its experience in nuclear reactors and particle accelerators over the years, the Department developed research reactors and spallation sources as high-flux neutron sources for spectroscopy, scattering, and imaging and helped pioneer virtually all the instruments and techniques used at these facilities. Researchers at Oak Ridge, Brookhaven, and Argonne National Laboratories led these pioneering advances. Most of the important techniques used today have been developed at Argonne, Brookhaven and Oak Ridge National Laboratories. Neutron scattering provides important information on the positions, motions, and magnetic properties of solids. Neutrons possess unique properties such as sensitivity to light elements, which has made the technique invaluable to polymer, biological, and pharmaceutical sciences. Neutrons also have magnetic moments and are thus uniquely sensitive probes of magnetic interactions; neutron scattering studies have led to higher strength magnets for more efficient electric generators and motors and to better magnetic materials for magnetic recording tapes and computer hard drives. Finally, the high penetrating power of neutrons allows nondestructive property measurements deep within a specimen and has been used to study automotive gears and brake discs, and defects in airplane wings, engines, and turbine blades.

Mission Relevance:

These facilities were born from the most fundamental of needs, i.e., the need to characterize materials at the atomic and molecular level. In order to understand, predict, and ultimately control materials properties, it is necessary to determine the atomic constituents of materials, the positions of the atoms in materials, and how the materials behave under the influence of external perturbations such as temperature, pressure, chemical attack, and excitation by photons, electrons, and other particles. A large number of experimental and theoretical tools are used to achieve these ends. In the last two decades, the experimental demands has motivated the development of centralized facilities, like the ones in existence for synchrotron radiation and neutron scattering. Such highly sophisticated and expensive tools are by nature centralized and staffed with specialists that provide to the user community expertise in order to optimize the scientific utilization of the facility. The development, construction and operation of these facilities are one of the most important missions and core competencies of BES. The scientific accomplishments of these facilities, as determined by triennial peer review, are reflected in the large number of publications appearing annually in the most important scientific journals, in the thousands.

Scientific Challenges:

The synchrotron radiation light sources. First, completion of SPEAR3 at SSRL will require upgrading the beamlines to make full utilization of the new more powerful radiation source. Second, the concepts of Participating Research Teams (PRTs) used at the NSLS and Collaborative Access Teams (CATs) used at the APS will be revisited; PRTs were extremely useful in the first decades of operation of NSLS as were CATs in the first years of operation of the APS. However, the larger, more diverse, and less experienced user base at all of the light sources may require new paradigms of operation to address new needs. Third, the facilities must be operated optimally, which means optimizing instrument-hours of operation, not just accelerator hours of operation, and making the instruments widely available to the general user community. Fourth, the promise of a coherent, short-wavelength x-ray source from the LCLS will require completely new instrument and experiment concepts.

The neutron scattering sources. First, the upgrades and new instrumentation at HFIR must be completed in a timely way to facilitate a robust user program. Second, the Lujan Center must show reliable, user-friendly operation with its robust suite of new and upgraded instruments.

Funding Summary:

Dollars in Thousands

Operations Funding	FY 2000	FY 2001	FY 2002
Advanced Light Source	30,652	35,605	37,605
Advanced Photon Source	84,783	90,314	90,314
National Synchrotron Light Source	30,955	34,470	34,720
Stanford Synchrotron Radiation Laboratory	22,493	21,696	21,446
High Flux Beam Reactor	18,878	15,341	0
High Flux Isotope Reactor	37,734	37,197	38,485
Intense Pulsed Neutron Source	12,739	13,833	16,080
Manuel Lujan, Jr. Neutron Scattering Center	6,968	9,190	9,190
Spallation Neutron Source	17,900	19,059	15,100
REDC	6,809	6,512	6,712
Total, Operations Funding	269,911	283,217	269,652
Construction and MIE Funding			
Spallation Neutron Source			
Beamline (ALS)	750	1,800	1,950
Instruments (Lujan Center)	3,500		
SPEAR3 Upgrade (SSRL)		10000	9000
HB-2 Beam Tube Extension (HFIR)	1,600	1,150	
Neutron Scattering Instruments (HFIR)		0	2,000
Total, MIE's	5,850	12,950	12,950
Total	275,761	296,167	282,602

Projected Program Evolution:

X-ray and neutron scattering will continue to play a central role in the growth of BES programmatic science. The facilities will need continuous growth in terms of beamline upgrades, new neutron scattering instruments, and increase in availability of user time. The set of instruments associated with these facilities provides unique scientific and technical capabilities, rarely available in other parts of the world. One needs to keep these facilities in an optimal operational mode in order to maintain and increase the tremendous scientific achievements they have facilitated.

One needs to foresee the instrumentation and scientific needs required by the future operation of the SNS at ORNL. The SNS will be for years to come the most important neutron spallation source in the world. It is important to be prepared for full utilization and judicious increases in the capabilities of SNS as recommended by all advisory committees to the Department.

Finally, the proposed LCLS will have properties vastly exceeding those of current x-ray sources in three key areas: peak brightness, coherence, and ultrashort pulses. The peak brightness of the LCLS is 10 orders of magnitude greater than current synchrotrons; the light is coherent or "laser like" enabling many new types of experiments; and the pulses are short (230 femtoseconds with planned improvements that will further reduce the pulse length) enabling studies of fast chemical and physical processes. These characteristics open new realms of scientific applications in the chemical, material, and biological sciences including fundamental studies of the interaction of intense x-ray pulses with simple atomic systems, structural studies on single nanoscale particles and biomolecules,

ultrafast dynamics in chemistry and solid-state physics, studies of nanoscale structure and dynamics in condensed matter, and use of the LCLS to create plasmas.

04 February 2002

Research Activity:

Division:

Primary Contact(s):

Team Leader:

Division Director:

Materials Chemistry

Materials Sciences and Engineering

Richard D. Kelley (Richard.Kelley@science.doe.gov 301-903-6051)Aravinda M. Kini (Aravinda.Kini@science.doe.gov 301-903-3565)

William T. Oosterhuis

Iran L. Thomas

Portfolio Description:

This activity supports basic research on the synthesis, characterization, and chemical properties of materials to understand the effects of chemical reactivity on the synthesis and behavior of novel materials and structures. The portfolio emphasizes surface and interfacial chemistry, nanoscience, solid state chemistry, polymers, and organic materials that underpin many energy-related areas such as batteries and fuel cells, catalysis, friction and lubrication, membranes, electronics and environmental chemistry. It includes investigations of novel materials including low-dimensional, self-assembled monolayers; cluster and nanocrystal-based materials; polymeric conductors; organic superconductors and magnets; complex fluids; biomolecular materials; and solid state neutron detectors. The research employs a wide variety of experimental techniques to characterize these materials including x-ray photoemission and other spectroscopies, scanning tunneling and atomic force microscopies, nuclear magnetic resonance (NMR), and x-ray and neutron reflectometry. The program also supports the development of new experimental techniques such as high-resolution magnetic resonance imaging (MRI) without magnets, neutron reflectometry, atomic force microscopy of liquids, nanopatterning with self-assembly of block copolymers, and surface engineering of hybrid living/nonliving systems.

Unique Aspects:

Investigators are world leaders in solid state NMR and MRI, neutron reflectivity of soft matter, organic magnets, organic conductors and superconductors, biomolecular materials, polymers, nanoscience, organic-inorganic composite materials, basic science of tribology, and advanced inorganic materials including quasicrystals.

Investigators in this program have conceived, developed, and exploited novel instrumentation/techniques such as high resolution MRI without magnets (Pines/LBNL), neutron reflectometers (Felcher/ANL and Russell/U. Mass), combinatorial chemistry for new material discovery (Schultz/LBNL (now Scripps Research Institute), the surface force apparatus (Israelachvili/UC Santa Barbara), and spin polarized metastable helium scattering (El-Batanouny/Boston University)

Relationship to Others:

The Materials Chemistry program is a vital component of the materials sciences that interfaces chemistry, physics, biology, and engineering. This interfacing results in very active relationships.

- Within BES, there are jointly funded programs in the National Labs and Universities (about 10 currently), joint program reviews, joint contractor meetings and programmatic workshops.
- Within DOE, there is coordination through the Energy Materials Coordinating Committee (EMaCC) which involves representatives of DP, EE, RE, FE, and EM; laboratory investigators collocated and occasionally co-funded by EE & RE (transportation technologies (batteries and fuel cells), industrial technologies (Green Chemistry), solar energy technologies (hydrogen storage), FE (catalysis and advanced materials research), and DP (nanoscience research).
- Within the federal agencies, the program coordinates through the Federal Interagency Chemistry Representatives (FICR), meets annually; the Interagency Power Working Group, which meets annually to coordinate all federal electrochemical technology (e.g., battery and fuel cell R&D) activity; the interagency polymer working group; and the nanoscience, engineering, and technology committee (NSET), which initially was formed to formulate the National Nanotechnology Initiative (NNI) and is currently a sub-committee of the National Science and Technology Council. This last committee meets monthly to coordinate the federal initiative.
- Very active interactions with NSF and NIH through joint workshops and joint funding of select activities as appropriate (two currently active).
- Industrial interactions: 15 active CRADAs at four DOE laboratories; grant with small business to develop solid state neutron detectors.

Significant Accomplishments:

This program is responsible for the discovery of the first organic magnet (1986) and the first room temperature organic magnet (1991). This work created a new field of research, which has grown substantially since these discoveries and has transformed organic magnets from an impossibility to a thriving new science and potentially new, enabling technologies. The program pioneered the development and use of neutron reflectivity for the study of interfaces, buried interfaces, and interfacial phenomena in magnetic materials, polymers, colloids, biomaterials, and other complex, multicomponent materials. Every neutron scattering facility in the world now has neutron reflectometers in great demand. The program pioneered and developed the use of laser polarized xenon to significantly enhance NMR spectra and MRI images in materials science, in medicine, and in biology.

Mission Relevance:

Materials Chemistry provides support for fundamental research in surface and interfacial chemistry, nanoscience, polymeric and organic materials, solid state chemistry, and development of new tools and techniques to advance the materials sciences. Research in these areas is at the forefront of the synthesis, assembly, and understanding of materials. The research in this portfolio underpins many technological areas such as batteries and fuel cells, catalysis, friction and lubrication, membranes, electronics, and environmental chemistry. New techniques for fabrication of nanocrystals have generated a unique inverse micellar process that makes possible the efficient elimination of dangerous chlorinated organic and phenolic pollutants (e.g., PCP). Similarly, the development of synthetic membranes using biological synthesis may yield materials for separations and energy storage. Research on solid electrolytes is already paying off in new very thin rechargeable batteries that can be recharged many more times than existing commercial cells. Research on polymers may lead to lightweight structural materials that can be used in automobiles and thereby providing substantial savings in energy efficiency. Research in this program on chemical vapor deposition (CVD) continues to impact the electronics industry.

Scientific Challenges:

The increasing complexity and variety of materials offers many opportunities. The challenge is to choose the right directions from among the many combinations. The choices are expected to be abundant in nanoscale science where the “explosion” of exciting activity across a wide spectrum of scientific disciplines has brought about an interagency research initiative, National Nanotechnology Initiative. This initiative, to rapidly expand the ongoing research, will require many choices and the guidance of earlier and future workshops of experts and the peer review community.

Materials Chemistry research is needed to find new solid state materials for advanced neutron and x-ray detectors.

Experimental and theoretical research is needed to explore new approaches to the understanding of the origins of complex and cooperative phenomena in soft materials.

Funding Summary:

	Dollars in Thousands		
	<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
	\$25,353	\$30,808	\$27,823
<u>Performer</u>	<u>Funding Percentage</u>		
DOE Laboratories	72.0%		
Universities	25.0%		
Other	3.0%		

Performers in FY2001 included 37 DOE Laboratory projects and 45 university grants. The ‘Other’ category includes a grant with a small company (Mission Support, Inc., in Utah) that is conducting research to develop new solid state detectors for neutron scattering research and two projects jointly supported with NSF.

Projected Evolution:

Beyond maintaining a healthy core research activity, the program will expand nanoscience research, particularly to explore new techniques with combination of biological, organic, inorganic, and physics approaches. Other areas that will receive additional support will include solid state neutron detectors, high pressure synthetic chemistry, organic lasers, polymer interfaces, and increased theoretical chemistry.

Increased emphasis on new synthetic routes to advanced materials including biologically-inspired, macromolecular, and composite materials and complex fluids research.

Increased multi-investigator, multi-disciplinary team research, to bring appropriate talent to bear on increasingly more complex materials chemistry.

04 February 2001

Research Activity:**Structure and Composition of Materials**

Division:

Materials Sciences and Engineering

Primary Contact(s):

Altaf (Tof) Carim (altaf.carim@science.doe.gov; 301-903-4895)

Team Leader:

Robert J. Gottschall

Division Director:

Iran L. Thomas

Portfolio Description:

Structure and composition of materials includes research on the arrangement and identity of atoms and molecules in materials, specifically the development of quantitative characterization techniques, theories, and models describing how atoms and molecules are arranged and the mechanisms by which the arrangements are created and evolve. Increasingly important are the structure and composition of inhomogeneities including defects and the morphology of interfaces, surfaces, and precipitates. Advancing the state of the art of electron beam microcharacterization methods and instruments is an essential element in this portfolio. Four electron beam user centers are operated at ANL, LBNL, ORNL, and the Frederick Seitz MRL at the University of Illinois.

Unique Aspects:

This activity is driven by the need for quantitative characterization and understanding of materials structure and its evolution over atomic to micron length scales. It is a major source of research in the U.S. that is focused on structure and defects in atomic configurations over all length scales and dimensionalities. The keystone is the operation of four complementary, network-interfaced Electron Beam Microcharacterization Centers. They invent and expand the usability of instrumentation for characterizing the spatial organization of atoms from the angstrom to the micron scale. The portfolio includes characterization and analysis of crystalline defects by atom-probe field ion microscopy, scanning probe microscopy, spin polarized low energy electron microscopy, and other state of the art methods. Unique advances within this CRA include: the ability to image light elements (such as nitrogen) within a matrix of heavy elements; a high resolution method for mapping the spatial distribution of valence electrons in high temperature superconductors, utilizing electron holography to image grain boundary potentials in a dielectric; and development of a three-dimensional atom probe to study impurities and precipitation.

Relationship to Others:

BES:

- Closely linked with activities under Core Research Activities on *Mechanical Behavior and Radiation Effects*, *Physical Behavior and Synthesis and Processing*
- Linked with Center of Excellence for Synthesis and Processing for Advanced Materials
- Linked with Computational Materials Sciences Center
- Linked with Defense Programs via Nanoscience Network

Other Parts of DOE:

- Nuclear Energy Research Initiative
- Energy Materials Coordinating Committee

Interagency:

- MatTec Communications Group on Metals
- MatTec Communications Group on Structural Ceramics
- MatTec Communications Group on Nondestructive Evaluation
- Interagency Working Group on Nanotechnology

Significant Accomplishments:

This activity is responsible for the operation of four user centers for electron beam microcharacterization. They represent the Nation's only facilities in electron beam microcharacterization that are available to outside users from the physical science community in academia, government laboratories, and industry. They have been the location of many world class scientific achievements in characterizing the structure and composition of materials. They represent the leading U.S. capabilities for spatial resolution for structural and compositional characterization, coupled with advances in detectability limits and precision of quantitative analytical measurement. The following breakthroughs have collectively enabled the highest spatial resolution and the lowest limit in elemental detectability to be accomplished in electron beam microcharacterization.

- Developed advanced computer processing methods for a through-focus series of electron microscope images to achieve an "information limit" that exceeds the resolution of the best-ever single optimal image. This new method enabled the first ever imaging of the light non-metallic elements-carbon, nitrogen and oxygen.
- Developed a new interferometric electron beam technique to measure atomic displacements in crystals with unprecedented picometer accuracy.

- Developed and demonstrated new quantitative methods to image and measure the distribution of valence electrons in solids, which have made significant contributions to the understanding of electronic transport in high temperature superconductors.
- Conceived and constructed the first three-dimensional, energy compensated, position sensitive atom microprobe that permits compositional imaging and depth analysis with atomic resolution.
- Refined Atomic Location by Channeling Enhanced Microanalysis in an electron microscope to precisely define locations of various atomic elements and reveal an unprecedented level of information in a variety of technologically important alloys. This world-class achievement has thus far been recognized with the 1998 Burton Award of the Microscopy Society of America and the 2001 Presidential (U.S.A.) Early Career Award.
- Pioneered the application of electron beam holography to image and measure the grain-boundary potentials in vital ceramics such as superconductors, ferroelectrics and dielectrics by exploiting the sensitivity of the electron microscope to highly coherent electron waves to an applied electric field, which has led to unparalleled understanding of these highly complex and technologically significant materials.
- Developed the highest spatial resolution and lowest elemental detectability limit *in-situ* electron energy loss spectroscopy.
- Developed a new electron microscopy technique known as "fluctuation microscopy" that shows atomic arrangements in amorphous and glassy materials better than any alternative method.

Other achievements under this activity include

- Developed the "Embedded Atom Method" that revolutionized the field of computational materials science by permitting large-scale simulations of atomic structure and evolution. It is currently being used by more than 100 groups worldwide and has resulted in over 1100 published works with over 2700 citations to the original work.
- Developed the "Constrained Local Moment" model for electron spin dynamics that won the 1998 Gordon Bell Award, presented at the High Performance Networking and Computing Conference for the fastest real application. These calculations represented major progress towards a first principles understanding of finite temperature and non-equilibrium magnetic structure.
- Developed a new X-ray synchrotron method for directly measuring the ways atoms vibrate in a solid.
- Discovered and developed bulk metallic glasses which exhibit extraordinary mechanical, tribological, corrosion resistant and magnetic behaviors. This work was honored with the 1996 Sir William Hume-Rothery Award presented by the Minerals, Materials and Metals Society, the 1998 Gold Medal presented by the Materials Research Society, and the 1999 election of the scientific investigator to the National Academy of Engineering.

Mission Relevance:

The properties and performance of all materials applied in all areas of energy technology depend upon their structure. Performance improvements for environmentally acceptable energy generation, transmission, storage, and conversion technologies likewise depend upon the structural characteristics of advanced materials. This dependency occurs because the spatial and chemical inhomogeneities in materials (e.g. dislocations, grain boundaries, magnetic domain walls, and precipitates, etc.) determine and control critical behaviors such as fracture toughness, ease of fabrication by deformation processing, charge transport and storage capacity, superconducting parameters, magnetic behavior, and corrosion susceptibility.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$ 34,293	\$ 33,767	\$ 36,292
<u>Performer</u>		<u>Funding Percentage</u>
DOE Laboratories		78.0%
Universities		22.0%

Projected Evolution:

In the near term, program evolution builds upon recent accomplishments that span a wide range of areas including advances in microcharacterization science, the characterization of nano-structured materials, and detailed models of magnetic and structural phenomena. Continuous progress is anticipated in characterizing nanostructured materials. Magnetic materials and bulk magnetic glasses also benefit from these and other research topics in this CRA. Concurrently, new frontiers in characterizing and understanding the structure of materials are being opened with the creation of novel microcharacterization techniques.

The keystone of the Structure of Materials activity is its microcharacterization capabilities in the four electron beam microcharacterization centers. Significant replacement equipment and staff will be required in the coming years to maintain these facilities.

In the mid to long term, development of advanced characterization techniques is planned. The focus will be on aberration-corrected electron microscope designs, which will provide increased experiment volumes within the microscope and consequently greater in-situ analysis capabilities (under perturbing parameters such as temperature, irradiation, stress, magnetic field, chemical environment).

Finally, sophisticated and highly integrated synthesis, characterization, and modeling efforts will lead to development of unique new analysis tools and breakthroughs in materials. We see opportunities to understand how nature produces model materials with desired structures and to utilize this understanding for the biomimetic synthesis of desired atomic arrangements and organizations. Further opportunities are likely to be discovered in the self-assembled nanostructured materials, bulk metallic glasses, and magnetic materials areas. At the same time, we anticipate that a detailed understanding of the mechanisms by which grain boundaries in metals and ceramics influence the properties and behavior of these materials will emerge. This should revolutionize the design of the structure of metals and ceramics in the same way that nanostructure control is currently changing the fundamental principles of materials design.

04 February 2002

Research Activity: Mechanical Behavior of Materials and Radiation Effects

Division: Materials Sciences and Engineering
Primary Contact(s): Yok Chen (yok.chen@science.doe.gov; 301-903-4174)
Team Leader: Robert J. Gottschall
Division Director: Iran L. Thomas

Portfolio Description:

This activity focuses on understanding the mechanical behavior of materials under static and dynamic stresses and the effects of radiation on materials properties and behavior. The objective is to understand the defect-behavior relationship at an atomic level. In the area of mechanical behavior, the research aims to advance understanding of deformation and fracture and to develop predictive models for design of materials having desired mechanical behavior. In the area of radiation effects, the research aims to advance understanding of mechanisms of amorphization (transition from crystalline to a non-crystalline phase), understand mechanisms of radiation damage, predict and learn how to suppress radiation damage, develop radiation-tolerant materials, and modify surfaces by ion implantation.

Unique Aspects:

This activity represents a major fraction of federally supported basic research in mechanical behavior and is the sole source of basic research in radiation damage. In the science of mechanical behavior, cutting-edge experimental and computational tools are bringing about a renaissance, such that researchers are now beginning to develop unified, first-principles models of deformation, fracture, and damage. The compelling need for understanding deformation mechanisms is related to the fact that virtually all structural metals utilized in energy systems are fabricated to desired forms and shapes by deformation processes. The compelling need in radiation effects - for valid predictive models to forecast the long-term degradation of reactor components and radioactive waste hosts - is expected to become increasingly critical over the next decade. Radiation tolerance of structural metals and insulating ceramics is also a matter of great concern for fusion energy systems.

Relationship to Others:

This research activity forms the basis for:

- Several distributed centers for the Synthesis and Processing of Advanced Materials, which promote coordinated, collaborative research partnerships among various institutions.
- The activities of these centers include concerted outreach effort coordinating the science with Small Business Innovation Business (SBIR) program on topics such as surface modification by ion implantation, metal forming, oxide protective films on metals, high-temperature intermetallic alloys, and corrosion.
- This CRA also coordinates with DOE's Office of Defense Programs (DP) on the multi-institutional collaborative Nanscience Network topic entitled "Mechanics and Tribology at the Nanoscale."

Other parts of DOE:

- Nuclear Energy Research Initiative (NERI)
- Energy Materials Coordinating Committee (EMaCC)

Interagency:

- MatTec Communications Group on Metals
- MatTec Communications Group on Structural Ceramics
- MatTec Communications Group on Nondestructive Evaluation
- Interagency Working Group on Nanotechnology

Significant Accomplishments:

Ordered intermetallic alloys based on aluminides and silicides have great potential for structural use at high temperatures because of their excellent mechanical strength and corrosion resistance. However, because they lack ductility, they are generally brittle and impossible to fabricate by conventional techniques such as rolling, forging, extruding, drawing or sheet forming at ambient temperatures. Clear evidence has now been developed over the past twenty years of work under this activity that many intermetallic alloys are intrinsically quite ductile; the observed poor ductility and inability to fabricate them is now understood to arise from moisture-induced embrittlement. The understanding of the embrittlement mechanism has led to the formulation of scientific alloying and processing principles that have now proved to be effective in the design of ductile intermetallic alloys for commercial use. This cumulative work has led to eight commercial licenses and has been recognized by the Department of Energy's E. O. Lawrence Award, the Acta Metallurgica Gold Medal, two Humboldt (Germany) awards and numerous other honors to the investigators that have been involved.

Another effort in this activity is focused on the understanding and development of radiation-tolerant materials, which have critical implications for environmentally acceptable and reliable nuclear-waste storage. Experiments have shown that a class of complex oxides, gadolinium zirconate, will lock plutonium in its structure and remain highly resistant to the radiation damage from the radioactive plutonium for hundred thousands of years. Current materials proposed for plutonium immobilization become unstable in several decades and eventually this plutonium will leach into the environment. In parallel studies, the ability to theoretically predict the composition and structure of radiation-tolerant materials has been formulated on a firm scientific basis.

Combined surface-sensitive synchrotron X-ray diffraction with *in-situ*, real-time electrochemical experiments has revealed the surprising discovery that the passive oxide films that form on pure iron or on stainless steel have a very fine-grained nanocrystalline structure. This startling conclusion overturned the long-term belief that stainless steel derives corrosion resistance from the non-crystalline nature of the film. This result is of critical importance to the development of improved corrosion materials in these widely used materials.

The principal restriction to the widespread use of structural ceramics in high temperature load bearing applications such as turbines, generators, transportation and other engines, and machine cutting tools is their brittleness or susceptibility to undergo brittle fracture under an impact load. A new silicon carbide based structural ceramic was developed as a consequence of a detailed understanding of the relationship of the precise chemical composition and impurity concentrations and processing parameters to the microstructure of the material. This understanding was then used to develop a silicon carbide based ceramic that has the largest resistance to brittle fracture or *fracture toughness* ever achieved for any structural ceramic. It also has mechanical strength at temperatures up to 1300C that exceed that of any commercial material, and excellent resistance to repeated stress-cycle fatigue, which is a critical concern for energy power-plant turbine blades and aircraft engines.

Mission Relevance:

The scientific results of this activity contribute to DOE mission in the areas of fossil energy, fusion energy, nuclear energy, transportation systems, industrial technologies, defense programs, radioactive waste storage, energy efficiency, and environmental management. In an age when economics require life extension of materials, and environmental and safety concerns demand reliability, the ability to predict performance from a fundamental basis is a priority. Furthermore, high energy-conversion efficiency requires materials that maintain their structural integrity at high operating temperatures. It is also necessary to understand the deformation behavior of structural metals so as to fabricate them to desired forms and shapes. This activity seeks to understand the mechanical behavior of materials. It also relates to nuclear technologies including fusion, radioactive waste storage and extending the reliability and safe lifetime of nuclear facilities. For example, a recent study to understand environmental cracking of metallic alloys on the atomic scale has strong implications in pressurized water reactors.

Scientific Challenges:

There are two grand challenges: (a) Understanding the mechanism of amorphization at the atomic scale when oxides are irradiated with neutrons or positive ions. Amorphization degrades a material and adversely affects its physical and chemical properties. By understanding the mechanism and the parameters contributing to radiation tolerance, it will be possible to predict or engineer materials that are less susceptible to amorphization by radiation damage. (b) A unified model covering all length scales that can successfully explain deformation and fracture. Dislocation theory is typically valid for length scales less than 0.1 micron. Continuum elasticity and constitutive equations derived from it are typically limited to macroscopic length scales greater than 10 microns. These models do not converge in the interval often referred to as "mesoscale" between these limits. It is often possible, however, to control or "tune" microstructural features in this mesoscale regime by suitable adjustment of synthesis and processing parameters. Thus a unified model is sought that will quantitatively describe mechanical behavior (including strength, deformation parameters, and fracture toughness) over all length scales. A unified predictive model that is valid in the mesoscale regime could be used to design microstructures that could then be achieved via appropriate selection of synthesis and processing parameters and thus lead to optimized materials properties and behavior. Other challenges are: (a) Many metals and metallic alloys, including common steels, undergo a profound ductile-to-brittle transition over a small temperature interval, without structural or chemical change. The understanding of the origins of this transition remains elusive and represents an on-going challenge. (b) Investigating and understanding nanoscale materials, their response to mechanical stress and radiation damage, will reveal previously inaccessible realms of materials behavior as well as paving the way to novel applications.

Funding Summary:**Dollars in Thousands**

<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$ 16,200	\$ 15,286	\$ 14,617

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	83.0%
Universities	16.0%
Other	1.0%

Projected Evolution:

Predicting the elemental, stoichiometry, and structural combinations that will yield radiation-tolerant materials by design is likely to have made strong progress, thus ending an era of empirical and trial-and-error design. The Network project on “Tribology at the Nanoscale” should be leveraging both BES and DP investments. The materials-by-design approach at the nanoscale level, and the time-and-length scale of the experiments necessary to link with models, will require state-of-the-art microscopies and innovative techniques.

In the long term, we anticipate continued efforts to develop a unified model covering all length scales that will provide significant insights into deformation and fracture. Concurrent advances in microstructural characterization will be exploited to understand the ductile-to-brittle transition and permit this understanding to be exploited for the design of embrittlement-resistant materials. The origins of radiation tolerance will continue to be pursued including exploitation of parameters, which feed into the phenomena of radiation tolerance, such as structure, stoichiometry, and ionic (or atomic) size. Advanced computer simulations for modeling radiation-induced degradation developed during this time will also be essential to progress. During this time, the mesoscale and nanoscale modeling efforts will be extended to include nanoscale materials.

04 February 2002

Another effort in this activity is focused on the understanding and development of radiation-tolerant materials, which have critical implications for environmentally acceptable and reliable nuclear-waste storage. Experiments have shown that a class of complex oxides, gadolinium zirconate, will lock plutonium in its structure and remain highly resistant to the radiation damage from the radioactive plutonium for hundred thousands of years. Current materials proposed for plutonium immobilization become unstable in several decades and eventually this plutonium will leach into the environment. In parallel studies, the ability to theoretically predict the composition and structure of radiation-tolerant materials has been formulated on a firm scientific basis.

Combined surface-sensitive synchrotron X-ray diffraction with *in-situ*, real-time electrochemical experiments has revealed the surprising discovery that the passive oxide films that form on pure iron or on stainless steel have a very fine-grained nanocrystalline structure. This startling conclusion overturned the long-term belief that stainless steel derives corrosion resistance from the non-crystalline nature of the film. This result is of critical importance to the development of improved corrosion materials in these widely used materials.

The principal restriction to the widespread use of structural ceramics in high temperature load bearing applications such as turbines, generators, transportation and other engines, and machine cutting tools is their brittleness or susceptibility to undergo brittle fracture under an impact load. A new silicon carbide based structural ceramic was developed as a consequence of a detailed understanding of the relationship of the precise chemical composition and impurity concentrations and processing parameters to the microstructure of the material. This understanding was then used to develop a silicon carbide based ceramic that has the largest resistance to brittle fracture or *fracture toughness* ever achieved for any structural ceramic. It also has mechanical strength at temperatures up to 1300C that exceed that of any commercial material, and excellent resistance to repeated stress-cycle fatigue, which is a critical concern for energy power-plant turbine blades and aircraft engines.

Mission Relevance:

The scientific results of this activity contribute to DOE mission in the areas of fossil energy, fusion energy, nuclear energy, transportation systems, industrial technologies, defense programs, radioactive waste storage, energy efficiency, and environmental management. In an age when economics require life extension of materials, and environmental and safety concerns demand reliability, the ability to predict performance from a fundamental basis is a priority. Furthermore, high energy-conversion efficiency requires materials that maintain their structural integrity at high operating temperatures. It is also necessary to understand the deformation behavior of structural metals so as to fabricate them to desired forms and shapes. This activity seeks to understand the mechanical behavior of materials. It also relates to nuclear technologies including fusion, radioactive waste storage and extending the reliability and safe lifetime of nuclear facilities. For example, a recent study to understand environmental cracking of metallic alloys on the atomic scale has strong implications in pressurized water reactors.

Scientific Challenges:

There are two grand challenges: (a) Understanding the mechanism of amorphization at the atomic scale when oxides are irradiated with neutrons or positive ions. Amorphization degrades a material and adversely affects its physical and chemical properties. By understanding the mechanism and the parameters contributing to radiation tolerance, it will be possible to predict or engineer materials that are less susceptible to amorphization by radiation damage. (b) A unified model covering all length scales that can successfully explain deformation and fracture. Dislocation theory is typically valid for length scales less than 0.1 micron. Continuum elasticity and constitutive equations derived from it are typically limited to macroscopic length scales greater than 10 microns. These models do not converge in the interval often referred to as "mesoscale" between these limits. It is often possible, however, to control or "tune" microstructural features in this mesoscale regime by suitable adjustment of synthesis and processing parameters. Thus a unified model is sought that will quantitatively describe mechanical behavior (including strength, deformation parameters, and fracture toughness) over all length scales. A unified predictive model that is valid in the mesoscale regime could be used to design microstructures that could then be achieved via appropriate selection of synthesis and processing parameters and thus lead to optimized materials properties and behavior. Other challenges are: (a) Many metals and metallic alloys, including common steels, undergo a profound ductile-to-brittle transition over a small temperature interval, without structural or chemical change. The understanding of the origins of this transition remains elusive and represents an on-going challenge. (b) Investigating and understanding nanoscale materials, their response to mechanical stress and radiation damage, will reveal previously inaccessible realms of materials behavior as well as paving the way to novel applications.

Funding Summary:**Dollars in Thousands**

<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$ 16,200	\$ 15,286	\$ 14,617

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	83.0%
Universities	16.0%
Other	1.0%

Projected Evolution:

Predicting the elemental, stoichiometry, and structural combinations that will yield radiation-tolerant materials by design is likely to have made strong progress, thus ending an era of empirical and trial-and-error design. The Network project on “Tribology at the Nanoscale” should be leveraging both BES and DP investments. The materials-by-design approach at the nanoscale level, and the time-and-length scale of the experiments necessary to link with models, will require state-of-the-art microscopies and innovative techniques.

In the long term, we anticipate continued efforts to develop a unified model covering all length scales that will provide significant insights into deformation and fracture. Concurrent advances in microstructural characterization will be exploited to understand the ductile-to-brittle transition and permit this understanding to be exploited for the design of embrittlement-resistant materials. The origins of radiation tolerance will continue to be pursued including exploitation of parameters, which feed into the phenomena of radiation tolerance, such as structure, stoichiometry, and ionic (or atomic) size. Advanced computer simulations for modeling radiation-induced degradation developed during this time will also be essential to progress. During this time, the mesoscale and nanoscale modeling efforts will be extended to include nanoscale materials.

04 February 2002

Research Activity:**Physical Behavior of Materials**

Division:

Materials Sciences and Engineering

Primary Contact(s):

Robert J. Gottschall (robert.gottschall@science.doe.gov; 301-903-3978)

Team Leader:

Robert J. Gottschall

Division Director:

Iran L. Thomas

Portfolio Description:

Physical behavior refers to the electronic, chemical, microstructural or other response of a material to an applied stimulus. The research in this portfolio aims to understand, predict, and control physical behavior of materials by developing scientifically rigorous models for the response of materials to environmental stimuli such as temperature, electromagnetic field, chemical environment, and proximity of surfaces or interfaces. Basic research topics supported include modeling of materials behaviors, electrochemistry and corrosion, high-temperature materials performance, superconductivity, photovoltaics and fuel cells, and more.

Unique Aspects:

The research in this activity provides the primary support of the fundamental understanding and identification of detailed mechanisms responsible for materials behavior and the incorporation of this knowledge into reliable detailed predictive models. The understanding that has resulted from such modeling work has already led to the design of unique new classes of materials including compound semiconductors, tough structural ceramics, ferroelectrics, and magnetocaloric materials. For example, the predicted magnetic properties of nanoscale clusters have been verified by high fidelity measurements. New compound semiconductors have been developed that can remove excess CO₂ from the atmosphere. Highly desirable phases of ferroelectric materials can be formed using novel processing techniques. Breakthrough understanding of the chemistry of friction now enables the tuning of lubrication layers.

Relationship to Others:

BES:

- Closely linked with activities under Core Research Activities on *Structure and Composition* and *Mechanical Behavior and Radiation Effects*
- Linked with Center of Excellence for Synthesis and Processing of Advanced Materials
- Linked with Computational Materials Sciences Center
- Linked with Defense Programs via Nanoscience Network

Other Parts of DOE:

- Nuclear Energy Research Initiative
- Energy Materials Coordinating Committee

Interagency:

- MatTec Communications Group on Metals
- MatTec Communications Group on Structural Ceramics
- MatTec Communications Group on Nondestructive Evaluation
- Interagency Working Group on Nanotechnology

Significant Accomplishments:

Over the years, this activity has had broad and significant impact in many classes of materials and phenomena. In magnetic materials, continuous fundamental studies of bulk alloys and nanoclusters lead to the following breakthroughs:

- Discovery of the extraordinary giant magnetocaloric phenomena, which has led to the demonstration of high-efficiency refrigeration that does not require freon or any other refrigerant. This technology completely eliminates ozone depleting or other environmental impacts caused by conventional refrigeration, and is now developing a global market.
- Development of ferromagnetic bulk metallic glasses with dramatic reductions in hysteretic energy loss, which has the potential of leading to \$30 billion dollars per year in savings from more energy efficient motors and transformers;
- The prediction and validation of extremely large magnetic moments in nanoclusters, which has the potential of leading to higher density nanomagnetic storage devices.

In semiconductors research, major accomplishments in silicon-based and other compound semiconductors are:

- Research in wide band-gap semiconductors has led to a succession of world records for energy conversion efficiency in solar photovoltaics, and been recognized by the 2001 John Bardeen Award from the American Physical Society.
- Breakthrough work in the understanding of the electronic properties of gallium nitride has led to much brighter and substantially more energy-efficient lighting sources using light emitting diodes. This work was recognized by the 1999 James C. McGroddy Prize from the American Physical Society, and is now being marketed for traffic light and a multitude of other applications by virtue of their greatly extended lifetimes, increased brightness and reduced energy consumption.
- A new dielectric technology for capacitors, based on high dielectric constant ceramic perovskites oxides, has been developed. The new technology overcomes the conventional silicon dioxides thickness limitation of two to three nanometers (i.e. about three to five atomic layers), and thus offers promise of further extending Moore's Law, which predicts the doubling of the performance/cost ratio for silicon-based devices every eighteen months. This breakthrough promises smaller and faster field effect transistors that will in turn lead to faster and more versatile computers.
- A tenfold increase in the electrical conductivity of the semiconductor gallium arsenide was achieved and is now an attracting market interest for application in electronic devices, diode lasers, reading compact discs and ultra-high speed transistors.

Other major accomplishments supported by this activity are:

- Nanocrystals of semiconductor cadmium selenide were demonstrated to successfully remove excess carbon dioxide from the atmosphere. The technology could potentially convert unwanted carbon dioxide into useful organic molecules with major environmental benefits.
- Experimental studies of interfacial forces have resulted in an atomic understanding of interfacial adhesion and the ability to tune frictional forces at the atomic level. The development of instrumentation that enabled this work was recognized by an R&D 100 award.
- Pioneering work in rare earth alloys, which was also recognized by an R&D 100 Award, has led to high performance phosphors that are now marketed in television tubes, and cheaper and more powerful permanent magnets including the development of a new market and the spawning of a private sector company that markets it.
- Discovery of a molecular coating that spontaneously self-assembles and orders into a single layer like the bristles on a brush. The coating permits remarkably low friction as a consequence of the physical waving motion of the oriented "bristles". This discovery could lead to energy savings in the U.S. where frictional energy losses are presently estimated as \$1.9 billion dollars per year.

Mission Relevance:

Research in this activity underpins the mission of DOE in many ways by developing the basic science necessary to improve reliability of materials in mechanical and electrical applications and to improve the generation and storage of energy. With increased demands being placed on materials in real-world environments (extreme temperatures, strong magnetic fields, hostile chemical environments, etc.), understanding how their behavior is linked to their surroundings and treatment history is critical. Research in mission-relevant topics in this activity include corrosion (4.2% of GNP), photovoltaics, fast-ion conducting electrolytes for batteries and fuel cells, novel magnetic materials for low magnetic loss (\$30 billion/year) and high-density storage, and magnetocaloric materials for high-efficiency refrigeration.

Scientific Challenges:

The challenge in this area is to develop the scientific understanding of the mechanisms that control the behavior of materials and to use that understanding to design new materials with desired behaviors. The CRA encompasses efforts aimed at understanding the behavior of materials including control of conductivity, magnetic response, corrosion resistance, and high-temperature performance through first principles modeling leading to *a-priori* design of new materials systems.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$ 14,667	\$ 16,449	\$ 15,832

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	79.0%
Universities	21.0%

Projected Evolution:

In the near term, four central topics define the current program: physical behavior of electronic and magnetic materials, corrosion and electrochemistry science, nano-scale phenomena, and multiscale modeling of materials behaviors. Major efforts in these areas will continue. Increased investment in theory and modeling at universities will be emphasized.

In the mid to long term, in order to understand the macroscopic behavior of materials it is important to understand the relationship between the material's structure and its response to external stimuli. One needs to first study the structure over all length scales and in particular down to the atomic scale and to understand the response of the nanometer and larger features of the material to external stimuli. After studying the response of a single nanometer-scale feature, this has to be related to the macroscopic behavior of the material. This can often be done with modeling but further advances are necessary to fully couple the length scales from atomic to macroscopic. Currently, atomistic simulation methods can be used to study systems containing hundreds of thousands of atoms, but these systems are still orders of magnitude too small to describe macroscopic behavior. Continuum methods, typically using finite element methods, fail to adequately describe many important properties because they use phenomenology that has little connection to the real physical processes that govern physical interactions. Modeling at an intermediate length scale, the *mesoscale*, where many defects can be included and from which predictive models at the continuum scale can be developed is required for advances in materials science. At this intermediate length-scale it is necessary to model the *collective phenomena* that include well over a billions atoms. Developing and applying novel techniques to these problems will be emphasized in coordination with the investment in theory and modeling.

Finally, in order to understand the complex phenomena that are linked to both a material and its local environment, a long-term investment is needed. During this funding period, we anticipate supporting programs that apply advances in both experimental techniques and computational methodologies to understand the macroscopic behavior of materials by studying materials at all length scales. In particular, bridging models covering the *mesoscale* (covering phenomena in the range of 0.1 to 10 microns) will be developed over this time scale. This is vital to linking disparate length scales and creating a scientifically rigorous understanding of materials performance and behavior.

Research Activity:**Synthesis and Processing Science**

Division:

Materials Sciences and Engineering

Primary Contact(s):

Tim Fitzsimmons (Tim.Fitzsimmons@science.doe.gov; 301-903-9830)Bassem Armaly (Bassem.Armaly@science.doe.gov; 301-903-4062)

Team Leader:

Robert Gottschall

Division Director:

Iran Thomas

Portfolio Description:

Synthesis and Processing Science addresses the understanding necessary to extend from synthesis to the preparation of materials with desired structure, properties, or behavior. This includes development of *in situ* measurement techniques and capabilities to quantitatively determine variations in the energetics and kinetics of growth and formation processes on small length scales. It also includes matters related to the shaping and forming of structural metals by deformation processes, the packing and consolidation of ceramic particulates, the preparation of thin films and semiconductor junctions with controlled elemental dopant profiles, coating and surface modification processes including but not limited to those involving charged particle beams plasmas and lasers, and the joining or welding of metals, ceramics, and/or dissimilar materials by plasma, electron beam, laser and other techniques. The Materials Preparation Center (MPC) at the Ames Laboratory is operated to further advance and capitalize on this understanding to fabricate research grade materials and provide these materials to the research community.

Unique Aspects:

- The Materials Preparation Center at the Ames Laboratory is operated for the purposes of understanding and further developing innovative and superior processes and for providing small quantities of unique, research-grade materials that are not otherwise available to academic, governmental, and industrial research communities.
- Through the Center of Excellence for the Synthesis and Processing of Advanced Materials (CESYNPRO), coordinated, collaborative research partnerships related to synthesis and processing of advanced materials are promoted between DOE national laboratories, universities, and the private sector.
- Non-equilibrium processing methods are studied using advanced modeling techniques and experimental methods, including innovative real-time, *in-situ* techniques enabled by synchrotron radiation.

Relationship to Others:

This program refines, further develops, and applies analytical techniques from other BES programs to the needs and opportunities of this research activity. Projects evolve from this CRA to other CRAs, e.g., Physical Behavior of Materials and Mechanical Behavior and Radiation Effects as scientific questions evolve concerning the dependence of the physical and mechanical behavior of materials on the parameters of synthesis and processing. The structure and composition of materials is also supremely dependent upon the parameters of synthesis and processing, this activity is intimately linked with the Structure and Composition CRA.

Through materials supplied by the Ames MPC, linkage is provided to the Office of Biological and Environmental Research, the academic community, the industrial community and international research institutions. In FY 2000 the MPC provided materials to 15 users at DOE laboratories, 4 at other federal laboratories, 38 at universities, 119 at industrial laboratories, and 35 at international universities and institutions. Total orders totaled \$602K in FY2000. The MPC is currently working on a \$150K order for the preparation of 24kg of $\text{LaNi}_{(5-x)}\text{Sn}_x$. This is to assist the Jet Propulsion laboratory in fabricating a Joule-Thompson cryocooler for the joint ESA-NASA PLANCK Mission scheduled for 2007.

Additional linkages within the Department of Energy are provided through the Energy Materials Coordinating Committee and its subcommittees on superconductivity, semiconductors and photovoltaics, structural ceramics and metals. Interagency coordination is provided by participation in the MatTec Communications Group on Metals, the MatTec Communications Group on Structural Ceramics, the MatTec Communications Group on Nondestructive Evaluation, and the Interagency Working Group on Nanotechnology.

Significant Accomplishments:

This program has changed the way people understand and think about the preparation of materials. Experimental, theoretical and computational tools are developed and applied to advance the scientific understanding of complicated thermodynamic and kinetic phenomena underlying processes ranging from self-assembly to welding. In the welding area, a coupled thermodynamic and kinetic model was developed to describe stability of the principal phases in stainless steels. This knowledge has led to the modification of the standard diagram used to choose welding electrode compositions for stainless steels. Additional modeling work utilizing massively parallel computers has permitted the linkage of macro- and microscopic scale phenomena during the melting and solidification of a weld. This permits simulation and visualization of weld microstructure as a function of processing conditions, e.g. during the melting, addition of new compounds, and resolidification that occurs during welding. Experimentally, tracking of real-time phase transformations that occur during weld solidification are made possible using synchrotron radiation and provide invaluable data to support scientific modeling and simulation and leads to better electrode design. The later work received the 2001 Spararagen Award from the American Welding Society. A current application in electrode design is the new understanding of the consequences of "self shielding"-- that is preventing adverse reactions with air through additions of aluminum or other powders to the electrodes on compound (phase) stability leading to understanding of potential changes in electrode composition on properties of welded components. Recognitions include the two recipients of the Warren F. Savage Award from the American Welding Society

In the self-assembly area, developing scientific understanding of surfactant interactions with ceramic compounds and other materials, including biological tissues, has permitted the growth of ordered porous ceramic structures duplicating template structures from the nanoscale to the macro scale. Uses of these templating techniques to prepare ceramic duplicates of complex biological tissues are currently under study.

Specific achievements include:

- Investigation of the physics of multilayer structures and the ability to fabricate artificial semiconductor structures has led unexpectedly to the development of a biological microcavity laser in which a single human cell acts an internal component of the laser. This work was recognized with a 1997 IR&D Award.
- A rapid, efficient self-assembly process for making nanophase composites that mimic the complex construction of seashells was developed and it resulted in a strong and tough (crack resistant on impact loading) material.
- Ceramic substrates were synthesized with tailored and regularly ordered nanoscale pore sizes of controlled shapes and sizes. It was then found that these substrates would remove deadly heavy metals such as mercury, lead and silver from water. Recognition included a 1998 R&D Award. This work was co-funded with the DOE Office of Environmental Management.
- A breakthrough in the fundamental understanding of the processing of ceramic aerogel films led to a new, non-toxic, low temperature and low-pressure process to produce such films in an environmentally benign manner. This discovery overcame the sixty-year barrier to the large-scale commercial utilization of these films, won the prestigious Iler Award of the American Chemical Society and was cited as an important discovery by the Wall Street Journal.
- Established a Materials Preparation Center to provide outside researchers from academia, industry and government laboratories with research quality and quantities of unique, carefully controlled research-grade materials and crystals that would not otherwise be available. The following technologies were enabled by this Center:
 - ◆ Lead free solder
 - ◆ Magnetocaloric gadolinium-silicon-germanium alloys
 - ◆ Recyclable lightweight automotive composite materials
 - ◆ Terfenol-D which is a magnetostrictive alloy containing terbium, dysprosium, and iron that was developed at the Center and led to the spin-off of a new private sector company which now markets this material
- Nanocrystalline neodymium-iron-boron magnet alloys with matching crystallite and magnetic domain sizes that won an IR&D 100 Award in 1997.
- Quasicrystal coatings produced by plasma-arc spray that have superior wear resistance and thermal insulation behavior coupled with reduced surface friction for potential thermal barrier wear resistant coating applications in aircraft-engine components.
- A uniform three-dimensional coating process known as "Plasma Ion Immersion Processing" was improved so as to fabricate hard coating, such as diamond-like carbon, that exhibit low sliding friction and superior wear resistance. This process achieves a uniform implantation rate over a very large surface, a very high rate of implantation, and has the ability to produce a uniform thickness and quality coating over complex three-

dimensional geometries, and is cost-effective. This achievement was recognized with an R&D 100 Award in 1997.

- A nanophase molecular template method was developed to synthesize films that exploit the dielectric properties of air to achieve ultra-low dielectric constants for the next generation of microelectronic devices and computers.

Mission Relevance:

This research supports the Department of Energy's overarching goals for improved energy efficiency and protection of the environment. Specific relevant applications include hard and wear resistant surfaces to reduce friction and wear; high-rate, superplastic forming of light-weight, metallic alloys for fuel efficient vehicles and other structures needed in fuel-efficient land and air transportation applications; high-temperature structural ceramics and ceramic matrix composites for high-speed cutting tools, bearings, engines and turbines (to enable fuel efficiency and low-pollutant emissions); ordered intermetallic alloys for harsh applications (requiring heat, load, wear and corrosion resistance), including engines and turbines (also to enable fuel efficiency and low pollutant emissions); non-destructive analysis for early warning of impending failure and on-line flaw detection and quality assurance during production; response of magnetic materials to applied static and cyclical stress; and plasma, laser, and charged particle beam surface modification to increase corrosion and wear resistance; and welding and joining, including dissimilar and non-metallic materials.

Scientific Challenges:

Understanding the thermodynamics and kinetics of reaction of nanoscale powders and nanoscale structures with each other and the elements of the processing environment are critical to the preparation of larger components. There are significant computational and experimental challenges in understanding what is occurring so that the benefits of nanoscale phenomena can be realized in larger scale components. Derivative questions involving nanoscale powders include reversible passivation, steric interactions during consolidation, and inhibition of grain growth and recrystallization during processing.

While silicon-based structural ceramics are now being used in demanding applications such as turbocharger rotors, fuel ignitors, and high-performance bearings, commercial applications fully exploiting the high-temperature load-bearing capacity and creep resistance of high-temperature structural ceramics are yet to be realized. The scientific challenges include a plethora of fundamental questions concerning the structure and behavior of intergranular films (that are frequently as thin as one atomic layer), the understanding of the microstructures (particularly as influenced by processing), and the mechanisms of toughening (resistance to brittle fracture).

One challenge for non-destructive evaluation is in developing understanding that will enable quantitative and predictive methods that will permit applications such as early warning of impending crack formation, fracture or other failure. Another challenge is on-line *in-situ* diagnostics coupled to a process controller so as to provide absolute manufacturing quality assurance. The scientific challenges lie both in improving the fundamental and quantitative understanding of materials degradation phenomena, and in improving analytical methods to probe changes at scales from atomic to microstructural. Novel methods being explored involve the use of physical acoustics and positron annihilation.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY2002</u>
\$13,820	\$12,801	\$14,781
<u>Performer</u>	<u>Funding Percentage</u>	
DOE Laboratories	86.0%	
Universities	14.0%	

Projected Evolution:

- Increased emphasis on understanding the opportunities and challenges presented by nanoscale materials and by the processing of larger components containing nanoscale materials.
- Science based understanding of advanced synthesis and processing methods such as self-assembly, molecular-directed nanostructure formation, and novel deposition methods will be investigated. This understanding will be applied of to attain new structures and compositions, to fabricate materials with new functionalities, and to reduce the energy and environmental impact of processing.

- Processing research will be extended to include new ceramic, intermetallic, and semiconductor materials and material structures, including nanocrystalline materials, films, coatings, and crystals. Analytical techniques and modeling will be developed and applied to determine and predict the relationship of synthesis and processing parameters to structure, purity, deformability, residual stresses, toughness, adhesion, and electronic and magnetic properties.
- Welding process models will be refined and extended to solidification of aluminum alloys. The relationship of process conditions to microstructure development in various steel welds will be studied by real-time, *in-situ* x-ray diffraction enabled by synchrotron radiation. Follow-on work in supercooling effects in welding. Determination of residual stress distribution in welds and spatial distribution of different phases in different locations of the weld heat-affected-zone.
- Processing capabilities of the Materials Preparation Center will be expanded to provide intelligent process control and modeling and to provide new innovative synthesis and processing techniques. Plans include the use of a plasma-heated skull-melting furnace with capabilities to cast or atomize materials. Follow on efforts in microstructure-sensitive processing and providing real-time monitoring of processing and correlation with process models.
- An understanding of interfacial interactions at the molecular level will be developed, and their influence on molecular conformation and ordering will be shown for evolving nanostructures. An understanding of how short and long-range molecular forces mitigate the formation of ordered amorphous structures will be extended to develop an understanding of how biological systems control the formation of ordered assemblages of crystalline nanoparticles.

04 February 2002

Research Activity:

Division:

Primary Contact(s):

Team Leader:

Division Director:

Engineering Research

Materials Sciences and Engineering

Timothy Fitzsimmons (Tim.Fitzsimmons@science.doe.gov; 301-903-9830)Bassem F. Armaly (bassem.Armaly@science.doe.gov; 301-903-4062)

Robert J. Gottschall

Iran L. Thomas

Portfolio Description:

Engineering Sciences includes research in nanotechnology and microsystems, multi-component fluid dynamics and heat transfer, and non-linear dynamic systems.

Unique Aspects:

The program is intimately linked with the materials and chemical science activities under the Basic Energy Sciences. Engineering Sciences has a unique role to play in National Nanotechnology Initiative on high surface area materials, consolidated nano-particulate material, dispersion and coatings, photonics, nano-devices and molecular machines using nano-scale building blocks.

Relationship to Others:

DOE NE - Nuclear Energy Research Initiative

DOE EM - Environmental Management Science Program

NSF – Exploring the possibilities of a joint initiative on neural electronics

IWGN - NSTC Interagency Working Group on Nanotechnology

DOD, NSF, and NASA – Joint funding of research on Molecular Motor

Represents DOE on the Interagency Quantum Information Science Coordinating Group (QISCOG)

Interacting with the community through workshops, one on nanotechnology and the other on biological information processing.

Significant Accomplishments:

Accomplishments resulting from research on multi-component fluid dynamics and heat transfer:

- Assisted in creating an energy efficient chemical industry by developing databases, estimation techniques, and design models. ASPEN Tech was founded using these tools and now has over 1500 employees worldwide.
- Oil and gas companies are using results of research for more efficient transport and exploration of crude oil and natural gas. The Syncrude pipeline would not have been built without these developments that results in a 97% saving in energy used to transport the crude.
- Research on thermal plasma chemical vapor deposition of advanced materials has led to diamond coated tools and computer components such as hard disks.

Accomplishments resulting from research on micro and nano systems:

- Research in this area has resulted in the developments of nanosize biological motor for use in MEMS and NEMS devices
- Silicon lenses that have 1/10 the diameter of human hair have been fabricated and used in microscopes for measuring infrared light absorption in single cell.
- Research on nanomotion from biomolecular interactions has led to developing instruments for detecting and identifying molecules
- Nanofluids have been created that conduct heat ten times faster than predicted possible
- Dissipating record of heat flux have been achieved with a micro-channel flow

Accomplishments resulting from research on non-linear dynamic systems:

- Research on signal processing in chaos has led to the developments of an electronic circuit that replaces neurons.
- Research on non-linear series has led to developing chaotic mathematical technique for predicting a change in a system
- Results of research on nonimaging optics are being applied in solar energy systems, space and ground telescopes, and other light imaging systems.

Mission Relevance:

New and improved capabilities at the nano and micro scale will improve materials processing and quality, increase computing speed, improve sensing and control capabilities. Together these lead to higher process efficiency and lower energy consumption. Improving the knowledge base on multi-components fluid dynamics and heat transfer will have a major impact on energy consumption, because these phenomena are an integral part of every industrial process. Advances in non-linear dynamics will lead to improved control and predictive capabilities of complex systems, thus resulting in higher efficiency and lower energy consumption.

Scientific Challenges:

Challenges in engineering sciences include identifying those scientific discoveries within the basic energy sciences program that are most appropriate to pursue within the context of the energy and environmental mission needs of the Department, while supporting developments of engineering principles that enable scientific breakthroughs to be used for:

- a) Changing processes so that engineered systems are more energy efficient and environmentally friendly.
- b) Developing mathematical models of systems that can be used to make them better.
- c) Understanding the limitations of systems and extend those limits

Funding Summary:

	Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>	
\$14,024	\$17,352	\$16,577	

The program provides funding for 67 university grants, 7 programs at national laboratories, 2 programs at other government agencies, and 4 programs at industry. Funding demographics is shown below:

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	28.0%
Universities	66.0%
Other	6.0%

Projected Evolution:

The program will continue to refine its core of excellence in nanotechnology and microsystems, multi-component fluid dynamics, heat transfer, and non-linear dynamic systems. The program will increasingly pursue engineering research that is coupled to scientific discoveries and advances in diverse areas such as quantum devices; photonics; sensors; modeling and simulations; magnetocaloric, thermoelectric and thermoacoustic energy conversion; or other evolving scientific areas where there have been recent significant discoveries or advances under the Materials Sciences and Engineering Division.

Core Research Activity:

Division:

Primary Contact(s):

Division Director:

Experimental Program to Stimulate Competitive Research

Materials Sciences and Engineering

Matesh N. Varma (matesh.varma@science.doe.gov; 301-903-3209)

Iran L. Thomas

Portfolio Description:

Basic research spanning the entire range of programmatic activities supported by the Office of Science in states that have historically received relatively less Federal research funding. The DOE designated EPSCoR states are Alabama, Alaska, Arkansas, Hawaii, Idaho, Kansas, Kentucky, Louisiana, Maine, Mississippi, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, South Carolina, South Dakota, Vermont, West Virginia, and Wyoming, and the Commonwealth of Puerto Rico. BES manages EPSCoR for the Department.

Unique Aspects:

The program objective is accomplished by sponsoring two types of grants: 1) Implementation Grants, and 2) Laboratory-State partnership Grants. Implementation grants are for a maximum period of six years with an initial grant period of three years. Maximum funding for these grants is \$750,000 per year. One-to-one state matching funds are required. The Laboratory-State partnership grants are for a period of one to three years. Maximum funding for these grants is \$150,000 per year. Exactly 10% state matching funds are required. DOE/EPSCoR has placed a high priority on integrating the scientific manpower development component with the research component of the program. In addition, it is promoting strong research collaboration and training of students at the DOE national laboratories where unique and world-class facilities are supported by the Department. This program is science-driven and supports the most meritorious proposals based on peer and merit review. Workshops and discussions are regularly held with representative scientists from EPSCoR states to acquaint them with the facilities and personnel at the DOE laboratories.

Relationship to Others:

The core activity interfaces with all other program core activities within the Office of Basic Energy Sciences. In addition, it is responsive to programmatic needs of other program offices within the department.

Significant Accomplishments:

The EPSCoR program funds basic research in support of all programmatic needs of the department. The accomplishments are grouped according to the relevant DOE programmatic office.

- **Basic Energy Sciences:** Direct evidence was demonstrated for the importance of magnetostatic interactions in characterizing novel nanostructured materials. Inclusion of such interactions in the study of new and novel materials should lead to better characterization of these materials. The Interfacial Force Microscope has been used to obtain the elastic modulus for several polymer and polymer matrix composite systems with nanometer spatial resolution. These results reveal surface modulus inhomogeneities in polymers and systematic variations in modulus in the interphase of polymer matrix composites. These studies are important for developing novel lightweight polymer matrix composites. Kirkwood-Buff theory has been successfully applied for the interpretation of thermodynamic solvation effects in terms of the distribution of water and salts around benzene. This successful demonstration holds promise for application to a wide range of research studies using molecular dynamics simulations. Purification of single-walled, shortened, carbon nanotubes by capillary electrophoresis was demonstrated by using UV/visible and real-time Raman spectroscopy. This should pave the way for isolating different sizes of carbon nanotubes.
- **Biological and Environmental Research:** Significant progress is being made in crystallizing and solving the structure of the engrailed homeodomain Q50K mutant for use in developing a novel methodology for pharmaceutical design targeting DNA expression.
- **Environmental Management:** Enzyme-activity dependent probes and inhibitors were used to characterize bacterial isolates from the trichloroethylene (TCE) contaminated site at INEEL. These probes will be very useful in environmental management issues at the DOE sites. Developed unique magnetorestriction based sensor technology for measuring temperature, elasticity, pressure, pH, liquid viscosity, and liquid density. This technology will be very useful for application to environmental cleanup and environmental management issues.

- **Renewable Energy and Efficiency:** A first commercial wind power facility, a 22MW wind turbine utility is being established on the Blackfeet nation's land. This facility is based on the research supported by EPSCoR. A new technology "Resin Transfer Molding" is developed and its application to manufacture of wind turbine blades was demonstrated.
- **Defense Programs:** Optical sensors based on Faraday rotation were developed for monitoring electric and magnetic fields. These sensors are being developed for use in improved operation of the electron beam accelerators and imaging systems that are used in DOE stockpile stewardship program.

Mission Relevance:

The principal objective of the DOE/EPSCoR program is to enhance the abilities of the designated states to conduct nationally competitive energy-related research and to develop science and engineering manpower to meet current and future needs in energy related areas. Most of the research clusters that have graduated from the DOE EPSCoR program after six years of funding have found alternate funding for continuing the research activity. This demonstrates that the research clusters funded by EPSCoR are becoming competitive. In addition, EPSCoR grants are supporting graduate students, undergraduates and postdoctoral fellows, and encouraging them to be trained in world-class research at DOE national laboratories. The work supported by the EPSCoR program impacts all DOE mission areas including research in materials science, chemical science, biological and environmental science, high energy and nuclear physics, fusion energy science, advanced computer science, fossil energy science, and energy efficiency and renewable energy science.

Scientific Challenges:

Initially only nine states were awarded implantation awards, which left many of the designated states without any DOE EPSCoR funding. To accommodate participation from a larger number of states in the program and to leverage the state-of-the-art unique capabilities of the national laboratories, a State-Laboratory partnership program was initiated in FY98. As a result of this program, approximately 28 partnership awards were approved in FY98 and FY99. In FY00 and FY01 twenty additional State-Laboratory partnership awards were funded in response to solicitation number 99-21. In FY00 another solicitation was issued and in response to this solicitation twelve State-Laboratory partnership awards were made in FY01, and it is planned to award an additional ten in FY02. This component of the program has successfully increased the number of states receiving funds from DOE EPSCoR program. The program continues to meet the challenge of providing a balance between the implementation awards and the Laboratory-State partnership awards.

Funding Summary:

Dollars in Thousands

	<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
Total	6,815,000	7,685,000	7,685,000
Alabama	225,000	399,877	814,078
Alaska	0	0	0
Arkansas	100,000	65,000	205,000
Hawaii**	0	0	0
Idaho	162,000	106,508	0
Kansas	749,000	932,279	801,713
Kentucky	560,000	468,160	611,252
Louisiana	151,000	129,577	130,138
Maine	0	0	0
Mississippi	585,000	585,000	535,000
Montana	125,000	514,279	579,734
Nebraska	300,000	480,150	472,113

New Mexico**	0	0	0
Nevada	421,000	614,907	542,466
North Dakota	46,000	67,246	54,242
Oklahoma	100,000	164,995	204,146
Puerto Rico	50,000	450,000	435,000
South Carolina	855,000	1,201,054	558,368
South Dakota	50,000	0	0
Vermont	585,000	585,000	857,457
West Virginia	568,000	794,163	793,865
Wyoming	851,000	59,301	30,537
Technical Support	332,000	67,504	59,891

** Becomes eligible for funding in FY 2002

SBIR	185,000*	315,000*	315,000*
------	----------	----------	----------

04 February 2002

Research Activity: **Atomic, Molecular, and Optical Science**
Division: Chemical Sciences, Geosciences, and Biosciences
Primary Contact(s): Eric A. Rohlfing (eric.rohlfing@science.doe.gov ; 301-903-8165)
Team Leader: Allan Laufer
Division Director: William H. Kirchhoff

Portfolio Description:

The AMOS activity supports experimental and theoretical studies of the fundamental properties of atoms, ions, and small molecules and the interactions between electrons, photons, and ions in collisions with atoms, molecules, and surfaces. Research is aimed at the most complete quantum mechanical description of such properties and interactions. Topics of interest include: studies of the interactions of intense electromagnetic fields, induced by highly charged ions or lasers, with atoms and molecules; coherent control of quantum mechanical processes; development and application of novel x-ray light sources in advance of next generation light sources; theory and experiment on ultracold collisions and quantum condensates.

Unique Aspects:

The underpinning aspect of the AMOS activity gives it a unique relationship with BES activities that utilize photon, electron, neutron, and heavy ion probes at the BES user facilities. The relationship will continue to be exploited, particularly with respect to forefront research into the generation and application of ultrashort, intense x-ray pulses. The AMOS program is the sole supporter of synchrotron-based AMOS studies in the U.S., which includes ultrashort x-ray pulse generation and utilization at the ALS and APS. The AMOS program continues its role as the principal U.S. supporter of research into the properties and interactions of highly charged atomic ions, which is of direct consequence to fusion plasmas. The program supports unique ion source/trap and accelerator facilities to conduct this work.

Relationship to Others:

The AMOS activity funds with BES Materials Science the ultrafast x-ray beamline at the ALS. The program has had substantial participation in the continued development of the scientific case for the Linac Coherent Light Source (LCLS), and several AMOS PIs serve on the LCLS Scientific Advisory Committee. Fundamental insight and data obtained in the AMOS activity are relevant to FES programs in atomic data for fusion modeling and basic plasma physics. This synergy is particularly noticeable at the Multicharged Ion Research Facility at ORNL, which is co-funded by BES and FES. There is overlap in the interactions of intense laser fields with high-energy plasmas relevant to defense programs in DOE. A close working relationship exists with the NSF Atomic, Molecular, Optical and Plasma Physics Program, and these two programs co-fund the NAS/NRC Committee on Atomic, Molecular and Optical Science (CAMOS) and the update of the report on the Future of Atomic, Molecular and Optical Science (FAMOS). In 2001, the AMOS Program provided partial support for the Gordon Conference on Quantum Control of Atomic and Molecular Systems and an International Symposium on Electron-Molecule Collisions and Swarms. The ORNL AMOP group provided extensive logistical support for the XXII International Conference on Photonic, Electronic and Atomic Collisions.

Significant Accomplishments:

During the past five years, the AMOS activity has been a major U.S. supporter of experimental and theoretical studies of the fundamental properties of atoms, ions and small molecules (~40%) and of collisional interactions between atoms, ions, molecules and surfaces (~70%). This has led to the acquisition of a vast database on the properties of atoms, ions and small molecules. This information is now being used to manipulate the quantum behavior of these species. It has also led to the development and application of powerful new methods for momentum imaging of collision fragments in the AMOS Program have seen wide application in atomic, molecular, and chemical physics. More recently, the initiative on Novel X-Ray Light Sources has led to the further development and scientific application of ultrafast x-ray sources using table-top lasers and 3rd generation synchrotrons (ALS and APS). Coherent control of high-harmonic generation for soft x-ray production has been demonstrated and fundamental interactions of intense and controllable laser fields with atoms and small molecules leading to ionization and fragmentation have been examined. Approximately 60% of the senior PIs in the AMOS activity are Fellows of the APS. Prof. Murnane at the University of Colorado received a MacArthur Fellowship in 2000 for her work on the development of ultrafast laser systems and their applications to physics.

Mission Relevance:

AMO Science underpins a wide spectrum of BES research activities and lays the foundation for enhanced future utilization of BES light sources, electron beam microcharacterization centers, and neutron scattering facilities. The knowledge and techniques acquired through the AMOS program have potential impact in the development of new probes of matter in the gas and condensed phases using photons, electrons, and ions; on our understanding of nanostructured materials; and on our ability to model low- and high-temperature plasmas. AMOS contributes at the most fundamental level to the science-based optimization of current energy sources and the development of new ones.

Scientific Challenges:

AMO science is currently undergoing a transition from a field in which the fundamental interactions of atoms and molecules are probed to one in which they are *controlled*. The enormous database of knowledge acquired over the last several decades and the powerful technical innovations in laser technology are the two forces driving this transition. AMOS practitioners can now shape the quantum mechanical wavefunctions of atoms and small molecules using controllable laser fields, trap and cool atoms (and soon molecules) to temperatures near absolute zero where condensation into a single quantum state occurs, create coherent matter waves by manipulating quantum condensates, create novel surface structures using highly charged ion beams, and coherently drive electrons in atoms so that they generate high-harmonic radiation in the soft x-ray region.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$10,765	\$11,428	\$ 11,887
<u>Performer</u>	<u>Funding Percentage</u>	
DOE Laboratories	37.0%	
Universities	62.0%	
Other	1.0%	

The program provides funding for 37 university grants supporting about 50 students and partially supporting about 50 faculty and senior staff. It also funds 3 programs at national laboratories supporting about 15 senior staff and 3 students and postdocs. Programs at the laboratories are multi-investigator efforts focusing on problems that require extensive participation by experienced scientists. These programs usually underscore the user facilities at the SC laboratories, including the Multicharged Ion Research Facility (MIRF) at ORNL, the ALS at LBNL and the APS at ANL. The program supports the J. R. MacDonald Laboratory at Kansas State University: a multi-investigator program and BES Collaborative Research Center devoted to the experimental and theoretical study of collisional processes involving highly charged ions.

Projected Evolution:

Coherent control of nonlinear optical processes and tailoring quantum mechanical wavefunctions with lasers will grow in importance. Such control will be vital to the ultimate realization of laser-controlled chemistry and to our ability to store and read information in quantum systems.

The development and application of novel x-ray light sources using existing synchrotrons or table-top lasers will continue. Topics of interest include the development of high-harmonic generation or its variants as useable soft x-ray sources, development and characterization of femtosecond pulses of x-rays at existing synchrotrons and applications in the chemical and materials sciences.

AMO science should play a strong role in nanoscale science efforts. Opportunities include the development of AMO theory for artificial quantum structures in materials, the utilization of light force trapping and cooling to create ultracold samples of atoms and molecules including quantum condensates, and the manipulation of condensates to

create coherent matter waves. Quantum condensates of bosons and fermions represent novel nanostructures whose properties (superfluidity, Cooper pairing, etc.) increasingly blur the boundary between atomic and condensed matter physics. Coherent matter waves offer dramatic opportunities for atom lithography on the nanoscale.

Fundamental studies of highly charged ions and their interactions with atoms, molecules, and surfaces will continue to further develop the knowledge base important to fusion plasmas. A possible new thrust area related to this effort will be to utilize the experimental and theoretical tools of AMOS in the study of low-energy electron-molecule interactions in the gas and condensed phases. Such interactions play vital roles in determining the subsequent chemistry in low-temperature plasma processing, which is used extensively in the semiconductor industry and in radiation environments such as mixed-waste storage tanks.

04 February 2002

Research Activity:

Division:
Primary Contacts:
Team Leader:
Division Director:

Chemical Physics Research

Chemical Sciences, Geosciences, and Biosciences
William H. Kirchhoff (William.Kirchhoff@science.doe.gov) 301.903.5809
Frank P. Tully (Frank.Tully@science.doe.gov) 301.903.5998
Allan H. Laufer
William H. Kirchhoff

Portfolio Description:

This activity supports experimental and theoretical investigations into the molecular origins of gas phase chemistry and chemistry at surfaces. Gas phase chemistry emphasizes the dynamics and rates of chemical reactions at energies characteristic of combustion with the aim of developing validated theories and computational tools for predicting chemical reaction rates for use in combustion models and experimental tools for validating these models. The study of chemistry at well characterized surfaces and the reactions of metal and metal oxide clusters leads to the development of theories on the molecular origins of surface mediated catalysis. Because of the relevance of gas phase chemistry to combustion, the program manager for chemical physics is also responsible for oversight of the operation of the Combustion Research Facility.

Unique Aspects:

The Department of Energy is the largest supporter of basic research in combustion in the federal government. This program is the principal supporter of high temperature chemical kinetics and gas phase chemical physics in the Nation. This program is strongly coupled to the Combustion Research Facility (CRF), Sandia National Laboratories. The facility, through collocation of BES-, DOE Technology Office-, and industry-supported programs, is an effective force for integration of basic and applied research. The latter includes internal combustion engines, coal and biomass combustion, industrial burners for process heat, and high-temperature materials processing and manufacturing. The CRF houses the Nation's foremost fundamental research program on laser-based optical diagnostics for the measurement of chemical and fluid-mechanical parameters. Similarly, chemical physics research supported at EMSL, an OBER facility at PNNL, is emerging as a premier program in the application of fundamental molecular research to the environmental management and restoration problems of the Department.

Relationship to Others:

Combustion research is also conducted under various research programs within EE and FE. Linkages with this program vary in formality. In addition, combustion-related chemical physics research is conducted by AFOSR, ONR, ARO, NASA, NIST, and NSF. The AFOSR and NASA programs support research in propulsion. NASA and NIST programs investigate fire propagation. ONR and ARO research focuses on organic waste remediation. NSF supports basic research. Surface science is supported through several Federal programs, both applied and basic.

Significant Accomplishments:

Within the last ten years, theories and computer codes for the calculation of chemical properties and, in particular, chemical reaction rates have achieved a high degree of accuracy and reliability for systems of a few atoms. The theoretical developments have been inspired and validated by nearly a quarter of a century of molecular beam, spectroscopy, dynamics and kinetics research on the detailed measurement of reactions as functions of collision energy and internal energies of reactants and products. Research in the DOE chemical physics program has played a prominent role in this development. Professor Y. T. Lee, one of three recipients of the 1986 Nobel Prize in Chemistry for molecular-beam chemical dynamics research, was supported by the chemical physics program for all of his U.S. research career. Continuing laser-based experimental research and computationally intensive theoretical work provide the fundamental basis for developing a predictive capability for chemically reacting flows.

Mission Relevance:

Nearly 85% of the Nation's energy supply has its origins in combustion and this situation is likely to persist for the foreseeable future. Although an ancient technology, the complexity of combustion—the interaction of fluid dynamics with hundreds of chemical reactions involving dozens of unstable chemical intermediates—has provided an impressive challenge to predictive modeling of combustion processes. The chemical physics program supports the development of theories and computational algorithms to predict the rates of chemical reactions at temperatures characteristic of combustion. It supports the development and application of experimental techniques for characterizing gas phase reactions in sufficient detail to develop, test, and validate predictive models of chemical reaction rates. Predicted and measured reaction rates will be used in models for the design of new combustion devices with maximum energy efficiency and minimum, undesired environmental consequences.

The research supported by the chemical physics program for the molecular characterization of chemical dynamics at surfaces is aimed at developing predictive theories for surface mediated chemistry such as is encountered in industrial catalysis or environmental processes. Surface mediated catalysis reduces the energy demands of industrial chemical processes by bypassing energy barriers to chemical reaction. Surface mediated catalysis is used to remove pollutants from combustion emissions. At the molecular level, surface mediated catalysis is not well understood at all. New catalysts are few; improvements come principally from modification of known catalytic materials. There is no body of organized knowledge such as exists for the field of organic chemistry that can be used to find new catalysts for new or existing processes. The knowledge gained from this research program will guide in the development of a predictive capability for surface chemistry.

Scientific Challenges:

The calculation of the electronic structures of open shell systems such as radical reaction intermediates and excited electronic states cannot currently be done with chemical accuracy. This capability is absolutely essential for the calculation of rates of reactions of significance to combustion.

The calculation of the electronic properties of molecules with chemical accuracy scales as the seventh power of the number of electrons. Calculations for molecules with five or more atoms are beyond current and projected computational accuracy. Approximations of proven, reliable accuracy are needed.

Spectra of molecules in high energy states characteristic of combustion are extraordinarily complex and as yet do not yield useful information about the imminent chemical fate of the observed molecule.

The interaction of fluid dynamics with chemistry on the nanoscale is not well characterized enough to provide parameterization of subgrid models.

Molecular dynamics experiments are extraordinarily difficult and yield large amounts of detailed state-to-state reactive and non-reactive data. How can all of these data be made useful?

No equivalent of the Woodward-Hoffmann rules, that have been so useful as predictive tools in organic chemistry, exists for surface chemistry.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$29,656	\$33,338	\$38,851

These funds provide support for ~130 PIs along with their graduate students and postdoctoral associates. Programs at the laboratories are multi-investigator efforts on problems that require extensive participation by experienced scientists. For FY2001, the university and laboratory support by the chemical physics program were \$6,670,000 and \$17,610,000, respectively.

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	72.0%
Universities	27.0%
Other	1.0%

Projected Evolution:

The focus of the chemical physics program is the development of a molecular-level understanding of gas-phase and surface-mediated chemical reactivity of importance to combustion and catalysis. The desired predictive capability spans the microscopic to macroscopic domains – we require the ability to compute the results of individual gas-gas and gas-surface interactions as well as their complex, collective behavior in real-world devices. Currently, we are placing an increased emphasis on theories and computational approaches for structure and dynamics of open shell systems and large molecules and on the interaction of chemistry with fluid dynamics. In surface chemistry, we continue to emphasize the development of a structural basis for gas/surface interactions, encouraging more coupled experimental and theoretical research efforts. Expanding into the future, we plan to initiate efforts on the detailed chemical physics of energy transfer in large molecules, the molecular origins of condensed phase behavior, and the nature and effects of weak interactions including hydrogen bonding. These molecular phenomena impact numerous DOE and national needs.

Research Activity:**Photochemistry and Radiation Research**

Division:

Chemical Sciences, Geosciences, and Biosciences

Primary Contacts:

Mary E. Gress (mary.gress@science.doe.gov; 301-903-5827) and
Biophysics - Walter J. Stevens (walter.stevens@science.doe.gov, 301-903-2046)

Team Leader:

Allan H. Laufer

Division Director:

William H. Kirchhoff

Portfolio Description:

The activity supports fundamental molecular level research on interactions of radiation with matter in the condensed phase.

The photochemistry research effort emphasizes fundamental processes aimed at the capture and conversion of solar energy. Biomimetic models (photochemical and photoelectrochemical) seek to mimic the key aspects of photosynthesis – antenna, reaction center, catalytic cycles, and product separation. The research encompasses organic and inorganic photochemistry, photoinduced electron and energy transfer, photoelectrochemistry, biophysical aspects of photosynthesis, and molecular assemblies for artificial photosynthesis.

The radiation sciences effort supports fundamental studies on chemical effects produced by the absorption of energy from ionizing radiation. The radiation chemistry research encompasses heavy ion radiolysis, models for track structure and radiation damage, characterization of reactive intermediates, radiation yields, and radiation-induced chemistry at interfaces. Accelerator-based electron pulse radiolysis methods are employed in studies of highly reactive transient intermediates, and kinetics and mechanisms of chemical reactions in the liquid phase and at liquid/solid interfaces.

Unique Aspects:

This activity is the dominant supporter (85%) of solar photochemistry in the U.S. and the sole supporter of radiation chemistry. Specialized electron pulse radiolysis facilities at Notre Dame, ANL, and BNL serve the academic research community, industrial users, and other national laboratories. A new laser-driven electron accelerator at BNL features a 5 picosecond pulse width and the capability for synchronized electron pulse-laser pump-laser probe experiments.

Relationship to Others:

The solar photochemistry research effort interfaces with activities in BES, including: Energy Biosciences activities in biochemical aspects of photosynthesis; Chemical Physics in theoretical calculations of excited states; Catalysis and Chemical Transformations on electron transfer reactions in homogeneous and microheterogeneous solutions, and advanced catalytic materials; and Materials Sciences fundamental photovoltaics research. The research is relevant to EE activities in the Office of Solar Energy Technologies on photovoltaics, and in the Office of Hydrogen and Superconductivity Technologies on hydrogen production.

The radiation sciences activity interfaces in BES with Catalysis and Chemical Transformations in reaction kinetics in homogeneous solutions, and Materials Sciences in radiolytic damage to glasses and radiation-induced corrosion of structural materials. There are also important interfaces with EM activities in waste remediation and NE activities on nuclear reactors, and nuclear processing and storage. Radiolytic processes in solution, particularly heavy ion radiolysis, are of interest to the NIH regarding radiation damage to biological systems in medical diagnosis and therapy.

Significant Accomplishments:

Stratospheric ozone depletion by chlorofluorocarbons was predicted by F. Sherwood Rowland of UC, Irvine, in 1974. Professor Rowland's research, solely supported by this activity, involved the chemistry of "hot" chlorine atoms produced by nuclear recoil and complementary photolytic reactions. Rowland was awarded the Nobel Prize in 1995. Radiotracers for nuclear medicine were pioneered by Alfred Wolf at BNL. The "special pair" model for electron donor chlorophyll molecules in photosynthesis was introduced by Joseph Katz and James Norris of ANL. Photosynthetic molecular models for light to chemical energy conversion were developed by Michael Wasielewski

of ANL and by Professors Gust, Moore, and Moore of Arizona State University. The “inverted region” in Marcus electron transfer theory was verified in pulse radiolysis experiments by John Miller at ANL.

Mission Relevance:

Solar photochemical energy conversion is a long-range option for meeting the world’s future energy needs. An alternative to solid-state semiconductor photovoltaic cells, the attraction of solar photochemical and photoelectrochemical conversion is that fuels, chemicals, and electricity may be produced with minimal environmental pollution and with closed renewable energy cycles. A strong interface with EE solar conversion programs exists at NREL, involving shared research, analytical and fabrication facilities, and a jointly shared project on dye-sensitized solar cells.

Radiation chemistry methods are of importance in solving problems in environmental waste management and remediation, nuclear energy production, and medical diagnosis and radiation therapy. Fundamental studies on radiation-induced processes complement collocated NERI and EMSP projects.

Scientific Challenges:

In solar photoconversion, knowledge gained in charge separation and long-distance electron transfer needs to be applied in a meaningful way to activation of small molecules (CO₂, N₂, and H₂O) via photocatalytic cycles. Experimental and theoretical studies on photosynthetic pigment-protein antenna complexes should lead to advances in design of efficient and robust artificial light-collecting molecular assemblies. Computational chemistry methods incorporating recent advances in calculation of excited states should be developed and applied in design of photocatalysts and molecular dynamics simulations in artificial photosynthesis. There are also challenges in fundamental understanding of photoconversion processes – energy transfer and the generation, separation, and recombination of charge carriers – in organic-based molecular semiconductors, which could lead to a new type of inexpensive and flexible solar cell. Fundamental studies on photochemical reaction pathways offer opportunities for less energy intensive and more environmentally benign processing of specialty chemicals and high volume industrial intermediates.

A recent workshop “Research Needs and Opportunities in Radiation Chemistry” has identified new directions, connections, and impacts of radiation chemistry. A common theme is the need to explore radiolytic processes that occur across solid-liquid and solid-gas interfaces, where surface chemistry can be activated and changed by radiolysis. Solid-liquid interfaces abound in nuclear reactors and high level radioactive wastes. Colloidal particles participate in gas production, gas retention, and in organic degradation of high level wastes. In regard to environmental remediation, radiation chemistry is one of the most promising advanced oxidation processes for degradation of organic pollutants. A more fundamental understanding of radiolytic reactions in heterogeneous media is needed in order to predict and control radiation chemical transformations in complex environmental systems. A proposed subpicosecond laser photocathode electron accelerator at ANL would enable investigation of the primary events in radiation chemistry, now virtually unknown except for theoretical models, wherein fundamental processes link physics to the chemistry of radiolysis.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$23,731	\$26,298	\$26,167
<u>Performer</u>	<u>Funding Percentage</u>	
DOE Laboratories	55.0%	
Universities	42.0%	
Other	3.0%	

The program provides funding for 57 university grants supporting about 50 students, 60 postdoctoral research associates, and partially supporting about 60 faculty. There are nine programs at DOE laboratories supporting 51 senior staff and 30 students and postdocs. Programs at the laboratories are multi-investigator efforts on problems that require extensive participation by experienced scientists. In photochemistry, major research groups are supported in inorganic photochemistry and electron transfer at BNL; in photoelectrochemistry at NREL and NDRL; and in photosynthesis at Ames, ANL, and LBNL. Many of the research efforts at the DOE laboratories involve strong collaborative interfaces with university and industrial communities. The radiation chemistry effort is centered at specialized electron pulse radiolysis facilities at Notre Dame, ANL, and BNL. The Notre Dame Radiation Laboratory serves as the primary radiation research user facility, hosting approximately 40 users/year from academia and industry.

Projected Evolution:

In solar photochemistry, artificial photosynthetic systems on the nanoscale will be explored that combine photosensitization, energy/electron transfer to a final charge-separated state stabilized by novel microheterogeneous environments, and photocatalytic half-cycles for activation of small molecules. Photoinduced charge transfer at the semiconductor/liquid interface will be explored in novel single molecule spectroscopic studies at nanocrystal junctions. Nanometer-spaced electrodes will be employed in studies of electron tunneling through solvents and of bridging “molecular insulators” and “molecular wires.” Electronic communication among semiconductor quantum dots will be investigated in nanostructured assemblies comprised of arrays of quantum dots coupled to proteins or carbon nanotubes. Photoconversion processes in molecular semiconductors will be explored in new, self-organized liquid crystalline films. Studies on photophysical aspects of photosynthesis relevant to artificial systems will exploit state-of-the-art single molecule spectroscopy, near-field fluorescence microscopy, and ultrafast absorption spectroscopic methods. Theory and modeling will assume a far more significant role in the program, with the ability to calculate excited states and with new methods and computer capacity to treat complex systems.

Radiation chemistry methods will be applied in studies of radiation-induced chemistry at interfaces, radiolytic intermediates in supercritical fluids, mechanistic analysis of electron transfer, and characterization of excited states in dual pulse radiolysis/photolysis experiments. Effects of ionizing radiation in macromolecules rather than ensembles of molecules will be explored in nanobubbles by atomic force microscopy. ANL will soon demonstrate the feasibility of a tabletop, terawatt laser/electron and X-ray generator for subpicosecond pulse radiolysis and ultrafast X-ray studies. Radiation chemistry groups at ANL, BNL, and NDRL will forge stronger links to environmental management and nuclear energy programs.

04 February 2002

Research Activity:

Division:

Primary Contacts:

Team Leader:

Division Director:

Catalysis and Chemical Transformations

Chemical Sciences, Geosciences, and Biosciences

Raul Miranda (Raul.Miranda@science.doe.gov, 301-903-8014)Julie d'Itri (Julie.d'Itri@science.doe.gov, 301-903-2368)

William S. Millman

William H. Kirchhoff

Portfolio Description:

This activity supports basic research on chemical catalysis and reactivity, aiming to develop mechanistic understanding of chemical reactions that are potentially significant for energy production, storage, and conservation; environmental remediation and pollution prevention; renewable and fossil resource processing; and novel materials synthesis. The portfolio is divided about equally into homogeneous and heterogeneous catalytic systems, according to whether the reactions are catalyzed by soluble compounds (e.g., organometallic complexes for alcohol carbonylation) or by solids in gas or liquid phase (e.g., supported noble metal catalysts for hydrocarbon reforming). This activity funds also the study of molecular processes and structure-activity relationships in chemical systems of large complexity, such as reactions that model petroleum or coal fractions processing, automobile exhaust conversion, fuel cell conversion, specialty chemical synthesis, polymer synthesis, and others. As a consequence of the investigation of the catalysis of chemical transformations, fundamental advances are being made in inorganic, organometallic and microporous material synthesis; surface and physical chemistry; organic chemistry and chemical technology.

Unique Aspects:

This program funds the largest fraction of basic research in catalysis in the Federal Government. In contrast with the NSF and NIH, which support the various aspects of catalysis in a fragmented manner across divisions, this program supports projects in heterogeneous, homogeneous, and bio catalysis in a coordinated manner. This integration promotes synergy among disciplines, leading to innovation in fundamental approaches as well as applications. In terms of instrumentation, this program has helped with the establishment of surface science and inorganic synthesis laboratories at universities and is encouraging the use of large-scale facilities at National Laboratories. Principal investigators are increasingly utilizing synchrotron, neutron and computational tools to significantly advance catalysis research.

Relationship to Others:

Funding for surface science and inorganic synthesis is coordinated with the programs of Materials Chemistry and Chemical Physics in the BES division. Support for the applied aspects of catalysis of oil and coal processing and environmental remediation is provided by FE and EE. At the NSF, heterogeneous catalysis is funded within its Engineering Directorate and is heavily oriented towards reaction kinetics, while homogeneous catalysis is funded within the Math and Physical Sciences Directorate (Organometallic and Inorganic Chemistry program) and is oriented primarily towards organometallic and organic synthesis. Also at the NSF, the surface science and materials aspects of catalysis are spread among three divisions (Chemistry, Materials, and Chemical and Transport Systems). At other agencies, the NIH funds the health-related applications of enzymatic and bio catalysis, the EPA funds the application of catalysis to environmental remediation, and the ONR and ARO support the application of catalysis to soldier protection.

Significant Accomplishments:

The science and practice of catalysis over the last several decades have led to many achievements of fundamental interest. A significant contribution has been made to the current molecular-level understanding of catalytic cracking of hydrocarbons in zeolites, reforming of hydrocarbons over supported bimetallic alloys, and desulfurization of heteroaromatics over supported metal sulfides. Reactions of importance in environmental chemistry, such as NO decomposition, have been studied in detail over model single crystal metals and supported metals. Results of those investigations have dramatically improved the knowledge of catalyst structure-reactivity relationships. This activity has also led to fundamental advances in the catalysts required for the selective oxidation of hydrocarbons for the manufacturing of monomers and fine chemicals. During the past decade, one of the most significant accomplishments in homogeneous catalysis was the development of novel single-site metallocene catalysts for polymerization of alkenes. The control

of polymer tacticity resulted in property enhancement and a largely expanded utilization of polyalkene plastics. Other very significant achievements were the catalytic synthesis of organic acids by alcohol carbonylation and the generation of important monomers by olefin metathesis. More recently, the first catalytic oxidation of methane was achieved with high selectivity both homogeneously and heterogeneously. For their achievements, researchers in this program have been widely honored by scientific societies, as they have received ten of the fifteen awards in Organometallic Chemistry given by the ACS, and eleven of the twelve fundamental catalysis awards given to US academics by the North American Catalysis Society.

Mission Relevance:

The fuel and chemical industry is a primary producer and consumer of energy. Catalysis plays an essential role in both energy production and energy conservation as over 90% of all chemical processes are catalytic. Energy conservation and environmentally benign processing are both consequences of the high selectivity and activity achievable through catalysis. The economic impact of catalysis is outstanding, as the chemical industry is responsible for a significant fraction of the GDP (approximately \$900B in 2000) and is one of the few sectors that historically have had a positive balance of trade for the US (\$20B in 2000).

This program contributes the basic knowledge that relates catalytic structure to chemical functionality and to reaction mechanism. As the demand for greener processing increases, and as the use of more refractory feedstocks or the need for novel materials rises, the motivation to discover new chemical routes and hence new catalysts will also increase. Consequently, the phenomenological knowledge needing reduction to a comprehensive set of scientific principles will continue to augment. Scientific generalization is a continuing task for this program, as it pursues predictive catalyst design.

Scientific Challenges:

The grand challenge for this area of research is to control the reactivity and durability of catalysts with the final aim of predicting the catalytic molecules or materials that enable the conversion of natural resources into energy or desired products in an energetically efficient and environmentally benign manner. The knowledge required to tackle such a challenge requires the coordination of research involving chemical synthesis, structural characterization, mechanistic studies and theoretical interpretation.

The current challenge in inorganic synthesis is the atomistic and molecular control of structure, shape, and functionality, most of which can be facilitated by the development of libraries of modular ligands. For the particular case of biomimetic catalyst development, synthesis and use of peptide ligands must be promoted. Likewise, air- and water-resistant complexes must receive priority. The control of macromolecular shape continues to be a challenge. Secondary structures that produce shape-selective reaction environments must be attained by the use of, for example, dendrimers, polypeptides, zeolites, and imprinted media.

In solid state synthesis, the current frontier is to produce catalytic materials with nanoscale control of composition, homogeneity, shape, and structure. A challenge is to design molecular precursors and convert them to arrive at solid-state structures with desired chemical functionalities that are durable under reaction conditions. Traditional routes of surface chemistry, aqueous-solution chemistry, and high-temperature chemistry need to be complemented by softer routes. For example, coordination chemistry may be used to build nanoparticles that are surface-functionalized with metal compounds. Organic or biological strategies may then be used to arrange the particles into preconceived patterns. These arrangements will provide molecular recognition properties (for example, size, shape, chirality, hydrophobicity, etc.)

The characterization of synthetic catalysts demands higher spatial and time resolution under *ex situ* and *in situ* conditions. Both electronic and atomic structures must be correlated with secondary and macrostructure and their time-resolved evolution. The reacting intermediates must be identified and discriminated from those species or moieties that contribute to selectivity and from those that are merely inactive. This is a particularly crucial need in solid-mediated catalysis and biocatalysis.

The study of mechanism of reactions will be promoted by the synergistic use of theory, simulation and experimentation. In particular, identification and structural characterization of the transition states still remains a challenge for most reactions. Classical labeling, trapping and molecular probe experiments must

be complemented with time-resolved *in-situ* vibrational spectroscopy in order to acquire information on bonding dynamics.

The development of chemo-, regio-, and stereo-selective reactions is of primary importance to the advancement of the science of catalysis, since those reactions present the highest demands on catalysts. Conformers at equilibrium are usually separated by barriers of less than 3 kcal/mol. While high selectivity has been obtained with homogeneous catalysts in selected instances, heterogeneous catalysts require substantially more study, possibly with help from biomimetics.

Catalysis of bond cleavage and reformation has, for the most part, been restricted to hydrocarbons (CC, CH bonds), halogenated compounds (CX bonds), and nitrogen and sulfur containing compounds (CS, CN bonds). Moreover, past and current research has also addressed the selective addition of oxygen, hydroxyl, or nitrogen to hydrocarbon and aromatics. For homogeneous catalysis, the challenge is to carry out these selective reactions under solvent-less conditions or with green solvents such as supercritical CO₂, while maintaining stability. For heterogeneous catalysis, the challenge is to work at low temperature and pressure conditions with high activity and selectivity. For both types of catalysis, a major challenge is to obtain selective conversion for reactants such as short-chain saturated hydrocarbons and other refractory molecules.

Aside from hydrocarbon chemistry, a newer challenge is the elucidation of the catalytic mechanisms for the synthesis of molecular and nanomaterials. For example, the catalytic synthesis of carbon nanotubes is currently being optimized utilizing purely Edisonian approaches. Consequently, chirality control has remained elusive because of lack of understanding of the structure-determining steps. As another example, the nucleation and subsequent growth of silicon nanowires from silane or its derivatives on molten gold nanoparticles proceeds through catalytic pathways that are completely unknown. Finally, the synthesis of compound semiconductors and more complex nanomaterials constitute an excellent challenge for the development of catalytic science and its application to a new area.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$23,125	\$25,464	\$24,929
<u>Performer</u>		<u>Funding Percentage</u>
DOE Laboratories		58.0%
Universities		38.0%
Other		4.0%

The laboratory programs are multi-investigator efforts and make use of specialized facilities at LBNL, BNL, ORNL, NREL, ANL and Ames, usually involving collaborators from universities.

Projected Evolution:

The science of catalytic chemistry is still emerging. A wealth of experimental information has been accumulated relating catalytic structure, activity, selectivity, and reaction mechanisms. However, for phenomenological catalysis to evolve into predictive catalysis, the principles connecting those kinetic phenomena must be more clearly and thoroughly identified.

Better understanding of reactivity of matter will result from more complete integration of experiment and theory, reproducible synthesis of catalysts, and thorough characterization of catalysts and reactions. An effort is needed to promote scientific cooperation among groups with complementary expertise in synthesis, structural characterization, intermediate and transition state characterization, dynamics simulation, and kinetics determination. National laboratories or university centers may serve as focal points for knowledge integration.

Following from the specific scientific challenges outlined above, it has become obvious that the convergence of heterogeneous, homogeneous, and biocatalysis must be promoted. Ideas and approaches motivated by biological reaction systems will be used to derive new biomimetic homo- or heterogeneous analogues. For example, two such particular ideas are the use of long-range or secondary structure to affect not just selectivity but also activity of inorganic catalysts, and the use of tunable structural flexibility to affect reaction pathways and hence selectivity.

Single investigator efforts will be focused on new topics, some of which were mentioned above as scientific challenges, and some of which are mentioned next. (a) Solid synthesis from molecular precursors such as organometallic or cluster compounds or organic-inorganic host-guest complexes will be studied in order to enable the development of hybrid organometallic-heterogeneous catalysts. (b) The synthesis and stability of mixed metal inorganic compounds from nanomaterials will be investigated to facilitate the development of high temperature catalysts consisting of crystalline nanoporous structures with precisely positioned chemical functions. (c) New solids, such as those mentioned in a and b, will be developed to effect highly selective catalysis, such as the selective functionalization of saturated hydrocarbons or the stereoselective functionalization of complex molecules. (d) Development and application of new tools for the characterization of reactive intermediates and catalyst dynamic will be promoted by investment in high spatial and time-resolution and *in situ* spectroscopy, microscopy and diffraction. (e) For a similar reason, utilization of synchrotron and neutron-based techniques and computational facilities at national laboratories by individual investigators will be encouraged. (e) Novel reaction schemes will be developed, including solvent-less homogeneous catalysis, low-temperature heterogeneous reactions, and tandem or programmable catalysis, i.e., precise matching of functionalities among dissimilar catalysts.

04 February 2002

Research Activity:

Division:

Primary Contact(s):

Team Leader:

Division Director:

Separations and Analysis

Chemical Sciences, Geosciences, and Biosciences

Paul H. Maupin (Paul.Maupin@science.doe.gov; 301-903-4355)Henry F. Shaw (Henry.Shaw@science.doe.gov; 301-903-3947)

William S. Millman

William H. Kirchhoff

Portfolio Description:

This activity addresses the scientific principles that underlie energy-relevant chemical separations and analytical methods, capitalizing on the synergistic relationship between these two areas of chemistry.

The portfolio for separations science emphasizes, but is not limited to, the separation of radionuclides and other metal ions, and seeks molecular-level understanding to support advances in both large-scale and analytical-scale separations. Molecular-level understanding is also sought for separation methods that have the potential to significantly impact energy use, such as membrane-based processes.

The analytical research portfolio emphasizes mass spectrometry and seeks to elucidate the chemical and physical principles that underlie ionization and excitation processes and modern approaches to mass discrimination. A second major sector of the portfolio seeks to understand and use the interaction of electromagnetic radiation with matter in phenomena such as molecular fluorescence, laser ablation, surface-enhanced Raman scattering, and magnetic resonance. Research to understand chromatography at the molecular level reflects the synergy between separations and analytical sciences. This activity also contributes to the maintenance of the scientific infrastructure required to meet as-yet-undefined challenges in separations and analysis.

Unique Aspects:

This activity represents the Nation's most significant long-term investment in solvent extraction, ion exchange, and mass spectrometry. The supported research is characterized by a unique emphasis on underlying chemical and physical principles, as opposed to the development of methods and processes for specific applications.

Relationship to Others:

The activity is closely coupled to the Department's stewardship responsibility for actinide and fission product chemistry and to its clean-up mission. It emphasizes the separation and analysis of actinide and fission product elements and their decay products. The basic nature of the research has led to advances in technologies ranging from those that support nuclear non-proliferation efforts to the Human Genome Project

Significant Accomplishments:

This activity is responsible for such notable contributions as the concept of host-guest complexation, for which Professor Donald Cram (UCLA) shared the 1987 Nobel Prize in Chemistry; the use of the inductively coupled plasma (ICP) for emission and mass spectrometry; and, more recently, the concept of bifunctionality in ion-exchange resins and solvent extraction. A Presidential Green Chemistry Award in 1997 was shared by researchers supported by this activity for their contributions to the understanding of processes in supercritical carbon dioxide that enabled the introduction of a chloro-fluorocarbon-free process for the dry-cleaning industry. This new commercial process relies on fundamental understanding developed with the support of this activity.

Mission Relevance:

The success of the Manhattan Project was, in large part, due to our ability to develop industrial-scale processes for separating plutonium from irradiated fuel. Thus began the intense interest of the Department of Energy and its predecessor agencies in the science that underlies separation processes. The missions of the Department have evolved, and it must now face the legacy of accumulated wastes from the cold war era. Knowledge of molecular-level processes is required to characterize and treat these extremely complex mixtures and to understand and predict

the fate of associated contaminants in the environment. In addition, separation science and technology have huge economic and energy impacts. For example, distillation processes in the petroleum, chemical, and natural gas industries annually consume the equivalent of 315 million barrels of oil (~5.4% of total petroleum consumption). It is further estimated that separations processes account for more than 5% of total national energy consumption. Separations are essential to nearly all operations in the processing industries and are necessary for many analytical procedures.

The Department and its predecessors were also driven to develop analytical methodologies to support their early missions. Nuclear and radiochemical analyses were supported and refined by developments in analytical separations, such as solvent extraction and ion exchange. A need for reliable potentiometric titration prompted the first use of operational amplifiers in analytical chemistry and led to a revolution in electrochemistry. Mass separation was required for assay in the form of mass spectrometry and, in the form of the calutron, served as the first method for the production of macroscopic quantities of separated isotopes of uranium and other elements. As with separation science, improved understanding of the underlying science is required to meet the analytical challenges presented by the legacy of the cold war and the future challenges of the Department as its missions and responsibilities continue to evolve.

Scientific Challenges:

Challenges in separation science include the development of a deeper understanding of processes driven by small energy differences. These include self-assembly and molecular recognition, crystallization, dispersion, coalescence, and hysteresis in transport properties of glassy polymer membranes. Improved understanding of solvation in supercritical and other fluids is required, as is the development of fundamental principles to guide ligand design. These, in turn, pose challenges to analysts to generate the understanding required to characterize amorphous materials through analysis of scattering data or other methods. Other analytical challenges include single-molecule detection and direct observation of bimolecular interactions and reactions. A deeper understanding of laser-material interactions as well as ionization and excitation sources for optical and mass spectrometric analyses is also required. Significant challenges are posed by elucidation of principles to underlie diagnostics at interfaces between synthetic materials and biomolecules, at oxide-aqueous interfaces, and to monitor spatial and temporal processes in, and on the surfaces of, living cells. Though understanding at the molecular level is required, there is currently insufficient knowledge to extend that understanding from the molecular level to the nanoscale, to mesoscale, and finally, to macroscale phenomena. Pursuit of that knowledge presents a major challenge to this activity.

Funding Summary:

Dollars in Thousands

<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$12,255	\$14,393	\$13,047

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	53.0%
Universities	47.0%

This activity provides funding for 47 university grants supporting about 57 students, 29 postdocs, and partially supporting about 44 faculty and senior staff and 22 programs at national laboratories supporting numerous senior staff, and additional students and postdocs. Programs at the laboratories are typically multi-investigator efforts on problems that require extensive participation by experienced scientists. These programs act as the focal point for specific research efforts vital to the DOE mission. This BES activity supports research at ORNL, ANL, and PNNL, with smaller efforts at LBNL, BNL, and INEEL. Many of the research efforts at the national laboratories involve collaborations with the university and industrial communities.

Projected Evolution:

Separations research will continue to advance the understanding of multifunction separations media; self-assembly for supramolecular recognition (using designed, multi-molecule assemblies to attract specific target species); synthesis of ionophores (molecules that attract charged species); molecular-level understanding and control of interface properties at the nanoscale; ligand design and synthesis of extractant molecules; mechanisms of transport and fouling in polymer and inorganic membranes; solvation in supercritical fluids; field-enhanced mixing, and drop formation.

Analytical research will pursue characterization of interfacial phenomena, with emphasis on chromatography; second-order phenomena in NMR spectroscopy; elucidation of ionization and excitation mechanisms for optical and mass spectrometry; single molecule detection and characterization; nano- and micro-scale analytical methods; laser-based methods for high-resolution spectroscopy and for presentation of samples for mass spectrometry. Enhanced Raman spectroscopy will be investigated and exploited. The use of quadrupole ion traps to study gas-phase ion chemistry will continue.

An expanded activity would support work to understand the self-assembly process by investigating energetics and rate-controlling steps; increased effort in characterization of the aqueous-oxide interface, as well as general liquid-solid and liquid-liquid interfaces; analysis of scattering and NMR data to characterize amorphous media; extension of solid-state NMR to more elements in the periodic table; enhanced effort in molecular modeling to support ligand design; improved analysis of near-edge x-ray absorption to directly probe electronic states ultimately responsible for chemical reactions; field-enhanced spectroscopy; expand university effort in manpower-intensive organic and inorganic synthesis; provide support to enhance collaboration between universities and national laboratories; and maintenance and upgrade of national laboratory infrastructure. The activity will evolve to meet the challenges in self-assembly, characterization of interfaces, single-molecule detection, and gas-phase ion chemistry. A synthesis of results of analytical research to enable collection of basic data, ligand design to control possible reactions, as well as modeling and computational science, will be required to enable the prediction of macroscopic behavior from known molecular properties.

04 February 2002

Research Activity: **Heavy Element Chemistry**
Division: Chemical Sciences, Geosciences, and Biosciences
Primary Contact(s): Henry Shaw (Henry.Shaw@science.doe.gov) 301-903-3927
 Norman Edelstein (nmedelstein@lbl.gov)
Team Leader: William S. Millman
Division Director: William H. Kirchhoff

Portfolio Description:

This activity addresses the scientific principles that form the basis for the understanding of actinide and fission product chemistry.

Areas of interest include, but are not limited to, aqueous and non-aqueous coordination chemistry; gas-phase, solution, and solid-state speciation and reaction kinetics; measurements of chemical, thermodynamic, and magnetic properties; synthesis of actinide-containing materials; chemical properties of the heaviest actinide and transactinide elements; and theoretical methods for the prediction of heavy element electronic and molecular structure and reactivity.

The actinide elements form a unique chemical series in the periodic table due to the filling of the 5f electron shell. Their nuclear properties, and the resulting use of uranium 235 and plutonium 239 in weapons and as energy sources, make the actinide series an essential industrial material. This activity supports efforts to develop a fundamental understanding of chemical bonding of the actinides, and to determine the similarities and differences between the actinides and the 4f lanthanide series or the 3d, 4d, and 5d transition metal series. There is a close and synergistic relationship between the heavy element chemistry activity and the separations activity that deal with radioactive isotopes. This activity also contributes to the maintenance of the scientific infrastructure required to meet future challenges in heavy element chemistry and to provide unique facilities for the training of students.

Unique Aspects:

This activity represents the only source of funding for basic research in the underlying chemical and physical principles of the actinide and fission product materials in the United States. Its major emphasis is on understanding the underlying chemical and physical principles of the actinide and fission product materials. The activity is primarily based at the national laboratories because of the special licenses and facilities needed in order to obtain and to safely handle these radioactive materials.

Relationship to Others:

This activity provides the fundamental understanding of the properties of the actinides and fission product elements that are necessary for the Department of Energy stewardship responsibilities in its defense programs, nuclear energy, and environmental clean-up missions. The heavy element chemistry activity conducts unclassified basic research on all the actinide and trans-actinide elements, while the applied programs generally limit their investigations to the chemical and material properties of specific elements and systems of strategic, economic, or programmatic interest. This activity also has close ties to the DOE BES separations and analysis activities, which have a major focus on the separation of actinides and fission products.

Significant Accomplishments:

The heavy element chemistry activity had its genesis in the Manhattan project, and it continues today as the nation's only basic research program supporting the exploration of the physical and chemical properties of the transuranium elements and their compounds. The early goal was to determine the basic inorganic chemistry and physical properties of the new elements and their compounds and to discover new elements. The chemical properties of the transuranium elements, especially plutonium, originally were determined from microscale experiments. The bismuth phosphate process, used at Hanford for the separation of plutonium from uranium and fission products on an industrial scale, was developed and scaled up from these results. The completion of the High Flux Isotope Reactor (HFIR) at ORNL in the 1960's provided a stable supply of transcurium elements that continues to the present. The basic inorganic chemistry of the elements through einsteinium (Es, atomic number 100) has been determined with macro quantities of the elements. For the elements past Es in the periodic table, tracer techniques

and one-atom-at-a-time chemistry have been developed and carried out through element 108 to determine chemical properties.

Taken together, the results from this activity have confirmed the Seaborg hypothesis that the actinide elements are best represented in the periodic table as a 5f element series placed under the lanthanide or 4f series. Interpretations of spectroscopic results have provided estimates of thermodynamic quantities such as oxidation-reduction potentials and enthalpies of sublimation. Specific electronic transitions determined in this activity have proven useful in developing processes for laser isotope separation of uranium and plutonium. Structural systematics of the actinide metals, oxides, and halides as a function of atomic number have been determined. Magnetic measurements have shown that the light actinide metals have delocalized 5f orbitals (*i.e.*, the 5f electrons form bands), but the f electrons become localized at americium, element 95 in the periodic table. Thus, the magnetic behavior of the first part of the actinide series resembles that of the d-orbital transition metals but the heavier actinides exhibit behavior similar to the rare earth metals.

Mission Relevance:

Knowledge of the chemistry of the actinide and fission product elements is necessary for the successful conduct of many of DOE's missions. In the defense area, understanding the chemistry and material properties of specific actinides was key to the development of our nuclear deterrent, and now plays a major role in the stewardship of the stockpile. This activity conducts the broadly based unclassified research on actinides that provides the scientific basis for framing the narrower issues facing the DOE's defense programs. In the area of nuclear energy, this activity provides the fundamental understanding of actinide and fission product chemistry that underpins the development of advanced nuclear fuels, as well as the predictions of how spent nuclear fuels degrade and radionuclides are transported under repository conditions. Driven by the necessity to identify possible important species in highly basic solutions found in the waste tanks at the Hanford and Savannah River sites, this activity has had a renewed emphasis on the chemistry of the lighter transuranium elements and fission products. Knowledge of the molecular speciation of actinide and fission products materials under tank conditions is necessary to treat these complex mixtures. Molecular speciation information is also needed to predict the fate of actinide and fission product elements accidentally released to the environment. Finally, the analytical methods developed as part of the basic research funded under this activity have broad application across all the applied missions of DOE that deal with nuclear materials.

Scientific Challenges:

The role of the 5f electrons in bond formation remains the fundamental unanswered question in actinide chemistry, and hence provides the central focus for this activity. For the light actinide metals and some of their alloys, the 5f orbitals participate in the band structure of these materials. Whether the 5f orbitals participate significantly in molecular compounds is still unclear. Molecular-level information on the geometry and energetics of bonding can now be obtained from experiments carried out at the Nation's synchrotron light sources. These new tools are enabling studies of actinides as small clusters and at interfaces such as between solutions and mineral surfaces or other well-defined solids. However, actinide and fission product samples have to be treated with special consideration because of their radioactivity, which has limited the types of experiments that can be safely conducted. For example, in the soft x-ray regime new sample preparation techniques need to be developed so that micro-quantities of well-characterized actinide samples can be measured using high vacuum techniques, or in "wet" cells to study actinide chemistry at liquid-solid interfaces.

Sophisticated quantum mechanical calculations that treat spin-orbit interactions accurately will need further development before they can be used for predicting the properties of molecules that contain actinides. Development and validation of such codes would provide a means for obtaining fundamental information about actinide species that are difficult to study experimentally. Another goal of such codes is the ability to predict the electronic spectra of important species and to correlate the optical spectra with actinide molecular structure.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$6,753	\$8,154	\$7,685
<u>Performer</u>		<u>Funding Percentage</u>
DOE Laboratories		75.0%
Universities		15.0%
Other		10.0%

This activity supports research in heavy element chemistry at universities and encourages collaborations between university and laboratory projects in this area. Graduate and postdoctoral students are trained in this area and provide personnel for the technological challenges associated with the heavy elements. Approximately twenty undergraduate students, chosen from universities and colleges throughout the United States, are given introductory lectures in actinide and radiochemistry each summer in two programs based at BNL and San Jose State University

Projected Evolution:

Kinetic, thermodynamic, and electrostatic effects in separations processes and in synthetic reactions involving the actinides are not well understood. Modern tools brought about by technological innovations can now be brought to bear on these topics. Heavy Element Chemistry research will pursue advances in gas phase actinide ion chemistry that explore new reactivity patterns, high-pressure studies of actinide alloys, and spectroscopic investigations of new actinide materials. Other areas where new advances are expected include: the design, synthesis and effectiveness of preorganized chelating agents for the separations of particular actinide ions; characterization of important actinide and fission product species in separations processes for a more fundamental understanding of why particular separations processes work; effects of temperature on actinide solution structure/property relationships, photophysics and photochemistry of actinide ions in their excited states, actinide organometallic chemistry, and theoretical work on simple actinide molecular compounds.

More sophisticated quantum mechanical calculations of actinide compounds and actinide species in aqueous solution will be undertaken; however, experimental data are needed to develop and test the basis sets used in such calculations. New facilities for safely handling radioactive materials at the synchrotron sources will permit more widespread use of techniques such as XANES, EXAFS, and x-ray scattering on radioactive samples, thus providing more detailed information on actinide speciation in solutions and in crystalline and amorphous solids. These data will complement data from other techniques, and can be used to validate and extend the quantum mechanical calculations.

Improved modeling of actinide transport requires a thorough understanding of the processes describing sorption on surfaces. Many surface complexation models exist, but experimental validation of these models has not been readily available. Technological advances now allow molecular characterization of actinide surface species to be explored. An enhanced program of characterizing and modeling the nature of the interactions of actinides with well-characterized liquid-solid interfaces, including mineral surfaces under environmentally relevant conditions, is needed.

The magnetic and electronic properties of actinide intermetallic systems are not understood. These effects depend on the hybridization of the 5f electrons with conduction electrons. The strength of such hybridization is a direct function of the local metal bond environment around the actinide ion and much work needs to be done, especially on transuranium compounds. Work in this area should provide a much better understanding of the changes in the types of bonding exhibited by the light *versus* the heavy actinides.

Increased emphasis will be placed on encouraging academic investigators to enter this field and to address outstanding questions in heavy element chemistry. Because most academic institutions do not have the facilities necessary to safely handle radioactive materials, it is anticipated that most academic investigators will conduct their experimental work in collaboration with one or more national laboratory. Increased academic involvement is essential for training the next generation of scientists with experience in handling radioactive materials.

Finally, the actinide facilities in the national laboratories are aging. In order to continue to carry out forefront research, infrastructure problems at these laboratories must be addressed.

04 February 2002

Research Activity: **Chemical Energy and Chemical Engineering**
Division: Chemical Sciences, Geosciences, and Biosciences
Primary Contact(s): Paul H. Maupin (Paul.Maupin@science.doe.gov; 301-903-4355)
Team Leader: William S. Millman
Division Director: William H. Kirchhoff

Portfolio Description:

This activity supports fundamental research in areas critical to understanding the underlying limitations in the performance of electrochemical energy storage and conversion systems. Research focuses on the physics and chemistry of anode, cathode, and electrolyte systems and their interactions. The program covers a broad spectrum of fundamental studies of composite electrode structures, failure and degradation of active electrochemical systems, and thin film electrodes, electrolytes, and interfaces to provide fundamental knowledge that will lead to improvements in operating characteristics for electrochemical systems. The program also addresses energy aspects of chemically related engineering topics, including thermodynamics, mixing, and physical and chemical rate processes. Particular attention is given to linked experimental and theoretical aspects of phase equilibria, especially of mixtures, including supercritical phenomena. Also included are fundamental studies of thermophysical and thermochemical properties and the generation of new equations of states. Emphasis is given to improving and/or developing the scientific basis for engineering generalizations and their unifying theories.

Unique Aspects:

This activity is the only federal program that supports fundamental electrochemical research as an interdisciplinary program incorporating the disciplines of physics, chemistry, materials science (metallurgy, ceramics, and polymer science), and chemical engineering targeted at understanding the underlying molecular phenomena in electrochemical energy storage and conversion processes.

Relationship to Others:

Coordination of fundamental and applied research efforts in electrochemistry across the government is accomplished by participation in the Interagency Power Working Group. Close coordination with the Battery and Fuel Cell programs in EE-Office of Transportation Technologies is accomplished through joint program meetings, workshops, and strategy sessions. Coordination in the Chemical Engineering area is primarily with the Chemical Industry Team in the Office of Industrial Technologies in EE through participation in the Chemical Industry Vision 2020 planning activity and the development of joint SBIR topics. Additional interaction with the Chemical and Transport Systems division in the Engineering Directorate at NSF is accomplished through direct contact.

Significant Accomplishments:

Lithium and lithium ion batteries: The most significant accomplishment in electrochemistry research that was supported by the office was a spin off from early research on the electrochemistry of reactive metals in polar aprotic solvents by the late Charles Tobias of LBNL. It is widely acknowledged that this research (circa 1964) led to the first lithium battery. The same electrolyte systems are used today in the current generation of rechargeable lithium and lithium ion batteries. Replacements for Chlorofluorocarbons (CFC's): Research in thermophysical properties led to the development of an equation of state used in identifying replacements for CFC's that were responsible for destroying the ozone in the stratosphere. Hydrogen bonding in water: Research in molecular simulation led to clearing up controversial neutron scattering results on the nature of hydrogen bonding in water under supercritical conditions. Thin film rechargeable lithium batteries: Research in solid state electrolytes led to a new generation of thin film rechargeable lithium batteries that are about the thickness of saran wrap. Room temperature molten salt electrolytes: Research in molten salt electrolytes led to new room temperature systems that are showing promise in reactive metal systems such as sodium and lithium.

Mission Relevance:

Understanding the thermophysical behavior of molecules, mixtures, and solutions under a variety of conditions impacts a large range of energy relevant technologies. In aqueous systems the relevance ranges from steam properties, power production, nuclear reactor technology, geothermal processes, scaling, corrosion, gas hydrates, mineralization, and biochemical processes to industrial processes utilizing aqueous processing. In nonaqueous systems it includes, fuel and chemical processing and manufacturing, natural gas production and utilization, materials processing and synthesis, and green chemistry. In electrochemistry, understanding what controls electrode and electrolyte performance is key to future improvements in electrochemical energy storage and conversion components used in nuclear weapons, remote sensing for nonproliferation applications, electronic devices, telecommunications, satellites, solar and wind energy utilization, electric power production, and electric and hybrid vehicles.

Scientific Challenges:

As yet, we do not have the theory, the computational, or experimental ability to understand the role of interfaces in chemical and electrochemical processes. In the electrochemistry area the limited understanding of electrochemistry at the interface of dissimilar solids and phases and at buried interfaces is hindering progress in achieving high power and low cost systems needed in electric and hybrid vehicles, for effective use of wind and solar energy sources, and for distributed power generation by chemical fuel cells. In the chemical engineering area the challenge is a different type of interface, that is the interface of theoretical and computational methods from the molecular and nanometer scale to the mesoscale where the collective properties of chemical systems impact energy intensive chemical process designs. Efforts to link atomic/molecular properties to colligative properties will continue to be a challenge. In complex liquids the problem is worse. We do not yet have a basic understanding of the liquid state that compares with either the solid or gaseous states.

Funding Summary:

	Dollars in Thousands		
	<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
	\$ 9,891	\$12,679	\$11,020
	<u>Performer</u>		<u>Funding Percentage</u>
	DOE Laboratories		52.0%
	Universities		45.0%
	Other		3.0%

The program provides funding for 37 university grants supporting about 40 students and partially supporting about 45 faculty and senior staff and 14 programs at national laboratories supporting about 27 senior staff and 10 postdocs. Programs at the laboratories are multi-investigator efforts on problems that require extensive participation by experienced scientists. These programs usually underscore the user facilities at the SC laboratories or act as the focal point for specific research efforts vital to the DOE mission. This program supports research of this type in ANL, BNL, LBNL and ORNL. Smaller research efforts are supported at Los Alamos and Sandia. Many of the research efforts at national laboratories involve interfaces with the university and industrial communities and user facilities.

Projected Evolution:

Opportunities deal with the emergence of the ability to control electrode structures on the nanometer scale. Preliminary studies have shown that this has a great impact on the electrochemical efficiency of electrode processes and the rate at which they respond to electrochemical potentials. New funding would capitalize on this new frontier and explore the nature of electrochemical reactions in this new realm. In the chemical engineering focus area, a trend towards greater use of molecular level theory and molecular simulation is increasing the need for increased activities at the interface of computational quantum chemistry and process design in chemical engineering. New funding would address these issues as well and seek to provide a theoretical basis for the incorporation of nanoscale to mesoscale modeling capabilities of importance to the process industries.

Research Activity:

Division:
Primary Contact:
Team Leader:
Division Director:

Geosciences Research

Chemical Sciences, Geosciences and Biosciences
Nicholas B. Woodward (Nick.Woodward@science.doe.gov; 301-903-4061)
William S. Millman
William H. Kirchhoff

Portfolio Description:

Geochemistry research focuses on advanced investigations of mineral-fluid interactions and developing new methods and techniques for investigating them. It includes studies on rates and mechanisms of reaction, coupled reactive fluid flow, surface geochemistry and geochemical reactivity, and isotopic tracking of mineral-fluid interactions. Improved imaging and tracking of geochemical processes at the atomic (angstrom) to system (kilometer) scale is critical for progress in understanding geochemical systems. Geophysics research focuses on developing an improved understanding of rock, fluid, and fracture physical properties and developing new methods and techniques for investigating them. It includes studies on the surface determination of geologic structures and rock property distributions at depth, improved methods of collection, inversion, and analysis of seismic and electromagnetic data, and identification of geophysical signatures of natural and man-made heterogeneities such as fractures, and fluid flow pathways. All of these studies are focused on improving our resolution in understanding multi-phase heterogeneous natural systems, distributions of chemical, mechanical and physical properties and improved approaches to up-scaling of theoretical predictions and experimental measurements to field-scale systems. The improved resolution comes from improvements in scientific understanding of processes, improved analytical and experimental tools, and improved computational approaches to modeling and algorithm development.

Unique Aspects:

This activity has an agency-wide mandate to provide new knowledge as the foundation for targeted applications in energy and environmental quality. Earth science-related problems are recognized as key elements in seven DOE applied activities (FE - Oil program; FE - Gas program; FE - CO₂ sequestration program; NN – Seismology program; EM Science program; RW – Yucca Mountain program; and the EE – Geothermal program). Unique strengths of the program lie in its emphasis on cutting-edge atomic-scale experimental, theoretical, and modeling studies in both geochemistry and geophysics built on the capabilities of DOE National Laboratory facilities and over a hundred university research projects.

Relationship to Others:

The Geosciences Program provides nearly one third (\$21M) of the Nation's support for individual investigator-driven fundamental research (NSF + DOE = \$65M) in solid Earth sciences. The BES Geochemistry activities match the size of the Individual Investigator programs in the NSF petrology and geochemistry areas and the BES Geophysics activities match the size of the Individual Investigator programs of the NSF geophysics and NSF hydrology areas, but BES focuses on a narrower range of fundamental issues critical to DOE's mission.

Significant Accomplishments:

The GSECARS beamline has been built and commissioned (in collaboration with NSF-EAR) as a center for high-resolution analytical geochemistry for the whole Earth sciences community, including multiple DOE applied program users. One of the program's research projects at APS was selected by that institution as one of its top five studies done in 2000. Geosciences research projects and a Geosciences workshop on Terrestrial Sequestration of CO₂ were the foundations for the DOE Carbon Sequestration Roadmap in the area of geological sequestration and remain the basis for identifying research opportunities in this area for the Office of Science and the Office of Fossil Energy.

Importance/Mission Relevance:

The activity contributes to the solution of Earth science-related problems in multiple DOE mission areas by providing a foundation of scientific understanding for applications such as (but not limited to): the potential of seismic imaging for reservoir definition or explosion detection, reactive fluid flow studies to understand contaminant remediation, or geothermal energy production, and coupled hydrologic-thermal-mechanical-reactive transport modeling to predict repository performance. The applied activities all seek fundamental research results as the foundations for their directed research and development efforts, both from the national laboratories and from the university community. In particular, the Geosciences activity provides funding for long-term crosscutting research

efforts at national laboratories, which are directly and immediately transferred to the applied programs when needed. The activity also supports the development of research capabilities and communities within both national laboratories and universities that provide manpower for applied programs. An example is the EM Science Program, which derived over 25% of its subsurface contamination focus area investigators from projects initially supported by BES Geosciences. The Geosciences activity in BES provides the majority of individual investigator basic research funding for the federal government in areas with the greatest impact on unique DOE missions such as high-resolution Earth imaging and low-temperature, low-pressure geochemical processes in the subsurface.

Challenges:

Understanding the natural heterogeneity of geochemical and geophysical properties, processes, and rate laws is critical to managing improved production of the Earth's energy resources and safe disposal of energy related wastes. New investigations are needed at the smallest scales studying electronic properties, geochemical reactivity, solute properties, and isotopic distributions in both inorganic and organic systems. Mineral-fluid-microbe systems are also new targets for systematic examination. Understanding pristine natural systems and DOE-specific sites requires improving our capabilities to make and understand high-resolution geochemical and geophysical measurements experimentally and in the field and to model them. Understanding mineral-fluid interactions are key to predicting the fates of contaminants in the environment or predicting nuclear waste-site performance. Improved high-resolution geophysical imaging will underlie new resource recovery, tracking of contaminants, and predicting and tracking repository performance, whether for nuclear or energy-related wastes such as CO₂. Improved imaging and tracking of geochemical processes at the atomic (angstrom) scale using synchrotron x-rays and neutrons is critical for progress in understanding geochemical systems. In addition, new research on high-pressure/high-temperature mineralogical systems will create new opportunities to study and manipulate fundamental mineral and mineral-fluid properties and interactions. Upgrading national laboratory and university investigator experimental, field instrumentation and computational capabilities with new instrumentation and facilities is a continuing challenge. Even with new improved analytical equipment, technical challenges will continue in mastering data-fusion approaches to multiple-technique measurements, such as combined x-ray and neutron analyses or combined seismic-electromagnetic measurements. Computational capabilities driven by the PC-cluster approach with new higher speed chips (1.8GHz and greater) will enable optimization of clusters for individual molecular dynamics, seismic, electromagnetic, geomechanical and hydrologic modeling techniques and provide unique support to experimental analysis.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$21,615	\$ 21,419	\$21,387

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	52.0%
Universities	44.0%
Other	4.0%

Projected Evolution:

In the near term, geosciences research continues its basic activity in fundamental geochemistry and geophysics, and research related to CO₂ sequestration. It continues a multi-laboratory project led by Oak Ridge on Chemical Interactions at the Metal Oxide Aqueous Solution Interface in collaboration with the NSF funded NIRT university-based program. Two short courses will be held in the Geosciences Education Initiative series, (Stable Isotope Geochemistry, November 2001; Nanophases in the Environment, December 2001). The activity works with the Neutrons for Geosciences group at LANL to develop a research plan for critical Geosciences experiments. The activity works with NSF-Earth Sciences to develop a collaborative approach on fundamental science projects to be conducted at the NSF Earthscope – Plate Boundary Observatory. Planning begun on upgrades to national laboratory experimental and computational facilities.

In the mid-term, the activity initiates new research efforts Imaging of the Earth with attention devoted both to improved small-scale imaging (geochemistry focus) using x-ray sources, neutron sources and scanning microscopy, and large-scale imaging (geophysics focus) of physical properties through understanding intrinsic attenuation within seismic and electromagnetic imaging. University facilities program discussions begin. New high-pressure/high-temperature research activities begin to investigate how physical and chemical properties in the Earth vary with depth and Earth dynamics. The GSECARS at the APS reaches its full operational potential as a national user facility for the Geosciences Community.

In the longer term (3-5 years), collaboration begins with NSF-Earthscope, requiring both facilities support and increased funding for critical scientific investigations. The Neutrons for Geosciences efforts reach their goals of enabling new approaches and new discoveries in the geosciences. There is a broadly increased usage of neutrons within the geosciences – which similarly requires both facility support and funding for scientific investigations. Major upgrades/rebuilding efforts will be required at beamlines supported by the program at the NSLS, and at geochemistry laboratories at ORNL, LANL, and LBNL.

04 February 2002

Research Activity:**Energy Biosciences Research**

Division:

Chemical Sciences, Geosciences, and Biosciences

Primary Contact(s):

Gregory L. Dilworth (Greg.Dilworth@science.doe.gov; 301-903-2873)James E. Tavares (James.Tavares@science.doe.gov; 301-903-6190)Sharlene C. Weatherwax (Sharlene.Weatherwax@science.doe.gov; 301-903-6165)Walter J. Stevens (Walter.Stevens@science.doe.gov; 301-903-2046)

Team Leader:

Gregory L. Dilworth

Division Director:

William H. Kirchoff

Portfolio Description:

The Energy Biosciences program supports fundamental research in the plant and microbial sciences. The mission of the program is to create a science base to inspire future energy-related biotechnologies. This includes:

- Mechanistic studies on solar energy capture by plants and microbes through photosynthesis;
- Research on the mechanisms and regulation of carbon fixation and carbon/energy storage;
- Examination of metabolic pathways for biological synthesis, degradation and molecular interconversions;
- Experimental activities focused on the regulation of plant growth and development;
- Studies on novel biosystems and their potential for material synthesis and catalysis; and
- Coordinate and collaborate with other DOE and federal funding programs to assure rapid scientific advances related to energy-related biotechnologies.

Unique Aspects:

The Energy Biosciences program is the sole federal program devoted to the fundamental science underlying the use of biological systems to produce and conserve energy.

- Prime provider of funding for molecular research on plants without a focus on traditional crops and agricultural bioprocesses.
- Major supporter of research on microbial systems that have broader emphases than model systems currently used in the biomedical community.
- Energy Biosciences occupies an unusual niche within DOE at the interface between the life sciences and physical sciences that can promote multi- and cross-disciplinary research activities to study biological systems.

Relationship to Others:

The program strives to support fundamental research that may influence the directions of the biotechnology-related programs in the Office of Energy Efficiency and Renewable Energy (including Transportation Technologies, Industrial Technologies, and Power Technologies); Office of Fossil Energy; and the Office of Environmental Management. The program collaborates and coordinates its activities with NSF, USDA and NIH in areas of mutual interest where there are multiple benefits.

Significant Accomplishments:

The program has had a significant impact on the scientific disciplines supported. Among the longer term accomplishments are determining the biosynthetic pathway for biological methane production from CO₂ and molecular hydrogen; the elucidation of the biochemistry and genetic regulation of plant lipid synthesis; determining the carbohydrate chemistry and structure of plant cell walls; and providing a central role in developing *Arabidopsis thaliana* as a model plant experimental system. Scientists supported by the program have received numerous awards and prizes including the 1997 Nobel Prize to Dr. Paul Boyer for his work on ATP, the energy currency of living systems.

Mission Relevance:

The program focuses on plants and microbes as biological systems that capture solar energy through photosynthesis, store photosynthetically-fixed carbon into a variety of organic compounds including potential as fuels and chemical feedstocks, or can convert plant-derived or industrial waste materials into useful chemicals and fuels. The program strives for mechanistic understanding that will provide potential technical options to use whole plants and microbes or their components in energy-related processes. New commercial activities in ethanol production, pulp and paper

manufacturing, and *in planta* production of oils are examples of technical options built on the foundations laid by the Energy Biosciences program.

A goal of the Department of Energy by the year 2050 is to dramatically increase the utilization of bioenergy resources. Renewable resources (agricultural, industrial and forestry wastes and specialty energy crops and trees) currently supply three percent of the nation's total current energy consumption. A major increase in bioenergy production is an extremely ambitious goal with anticipated societal benefits of enhanced national energy security, improved environmental protection involving carbon neutral processes, improved rural economic growth, and long-term sustainable global development. There is considerable bipartisan support for expanded use of sustainable and renewable energy resources and it is likely to remain a focal point of the Department's activities in the future. A major role of the Energy Biosciences program is to provide the fundamental knowledge base for achieving these goals.

Scientific Challenges:

Traditionally, mechanistic biology has been summarized and catalogued in relatively simple linear models. Analysis of both spatial and time-dependent dynamics and its subsequent integration in a coherent fashion represents a significant challenge, but also new opportunities. Another enormous scientific challenge facing all biology is to assimilate the vast amounts of genomic-sequence data and associate them with specific biochemical, physiological and developmental processes. Studies specific to energy-related organisms and processes must be rationally integrated with the broader biological efforts. Whole genome analysis of plants and microbes may reveal unknown genetic capacity with relevance to energy-related processes and potential biotechnological applications and thus represents another important challenge. The vast majority of metabolic studies have focused on hydrocarbons and the major nutrient elements nitrogen, sulfur and phosphorous. There are other elements that are metabolized extensively by microbes. Microbial mineral respiration offers unique challenges on the interface of several traditional disciplines.

Funding Summary:

Dollars in Thousands		
<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
\$29,850	\$31,853	\$31,559

<u>Performer</u>	<u>Funding Percentage</u>
DOE Laboratories	7.0%
Universities	83.0%
Other	10.0%

The program is providing support for 270 specific activities in FY2001.

- ◆ 7 percent of the research funds allocated go to the National Laboratories and 93% of the funds are provided to academia and other non-profit institutions.
- ◆ The research programs cooperate with many private companies; however, the only direct financial support provided to the industrial sector is through the SBIR/STTR program.
- ◆ The program provides substantial funding for two dedicated institutes, the Michigan State University/ Department of Energy Plant Research Laboratory and the Complex Carbohydrate Research Center at the University of Georgia.

Projected Evolution:

The plant sciences research supported at DOE has evolved considerably from the late nineteen forties where the emphases were on radiation damage and breeding to demonstrate the peaceful use of the atom. Today, knowledge of the complete sequence of *Arabidopsis* is expected to elicit a number of new research approaches. The traditional

strengths of the program in bioenergetics and biochemistry will likely be greatly influenced by the results of these analyses as new strategies to study and manipulate molecular structures and processes are developed.

The core program activities in the microbial sciences have evolved since inception as scientific opportunities and technical needs change. Currently, the large-scale genome projects in microbiology are providing new ways of easily and quickly identifying appropriate genetic material. Gene identification is critical if one wants to alter the protein produced in order to study the role of the protein in the microbe or to mechanistically study enzyme function. The physical organization of the microbial genome is also providing information about the number and types of genes involved in a particular biochemical and physiological process. This information can provide insights to develop hypotheses on protein processing and assembly, pathway delineation and process regulation. The research supported during the next five years is expected to reflect these new opportunities.

Research activities at the interface between biology and the physical sciences, earth sciences and engineering will continue to be explored based on the philosophy that the best interdisciplinary studies are true partnerships where all participating communities benefit.

04 February 2002

Research Activity:**Nanoscience Centers**

Division:

Materials Sciences and Engineering

Primary Contact:

Pedro A. Montano (Pedro.Montano@science.doe.gov; 301-903-2347)

Team Leader:

William T. Oosterhuis

Division Director:

Iran L. Thomas

Portfolio Description:

This activity supports construction and the subsequent operation of Nanoscale Science Research Centers (NSRCs) at DOE laboratories that already host one or more of the BES major user facilities. Nanotechnology is the creation and use of materials, devices, and systems through the control of matter at the nanometer-length scale, at the level of atoms, molecules, and supramolecular structures. Nanoscience and nanotechnology will fundamentally change the way materials and devices will be produced in the future and subsequently revolutionize the production of virtually every human-made object. Nano-science will explore and develop the rules and tools needed to fully exploit the benefits of nanotechnology. Each NSRC will combine state-of-the-art equipment for materials nano-fabrication with advanced tools for nano characterization. The NSRCs will become a cornerstone of the Nation's nanotechnology revolution, covering the full spectrum of nano-materials and providing an invaluable resource for universities and industries.

Unique Aspects:

Nanoscale Science Research Centers were recommended by the NSTC Interagency Working Group on Nanoscale Science, Engineering, and Technology (IWGN) as part of DOE's contribution to the National Nanotechnology Initiative (NNI). The NNI proposed significant increases in this Nation's investment in nanotechnology in order to ensure a competitive position in this rapidly developing field of science and technology. European nations and Japan are already heavily committed to this field of research, which promises to revolutionize technology in the 21st century. The most recent example is the planned construction of a large center for Micro and Nanotechnology near Grenoble at a projected cost of about \$300M. Grenoble is a major research center in Europe where the European Synchrotron Radiation Facility (ESRF) and the Institut Laue-Langevin (ILL) neutron source are localized. The importance of collocation of NSRCs with facilities for x-ray and neutron scattering was also recognized by the IWGN. Hence, the Basic Energy Sciences program will play a major role in the NNI through the establishment of NSRCs affiliated with major BES scientific user facilities already sited at the DOE national laboratories, particularly the synchrotron radiation light sources, the neutron scattering facilities, and the electron beam microcharacterization facilities..

NSRCs will provide unique scientific and engineering capabilities not available in any of the parallel programs sponsored by other government agencies. For example, the National Science Foundation will sponsor research programs in nanoscience at universities, but such programs will be limited in scope and size and will not be comparable to the large-scale facilities in Europe or Japan. Three NSRCs are being planned by BES to cover the diverse aspects of nanoscience and to leverage existing DOE facilities. These centers were selected after an intense peer-review process. The proposed centers will be located at Lawrence Berkeley National Laboratory, Oak Ridge National Laboratory and Los Alamos National Laboratory / Sandia National Laboratories.

Each Center will combine state-of-the-art equipment for materials nanofabrication with advanced tools for nano characterization. The purposes of NSRCs are as follows:

- Advance the fundamental understanding and control of materials at the nanoscale regime.
- Provide an environment to support research of a scope, complexity, and disciplinary breadth not possible under traditional individual investigator or small group efforts.
- Provide the foundation for the development of nanotechnologies important to the Department of Energy.
- Provide state-of-the-art equipment to in-house laboratory, university and industry researchers and optimize the use of national user facilities for materials characterization employing electrons, photons, and neutrons.
- Provide a formal mechanism for both short- and long-term collaborations and partnerships among DOE laboratory, academic, and industrial researchers.
- Provide training for graduate students and postdoctoral associates in interdisciplinary nanoscale science, engineering, and technology research.

Relationship to Others:

This activity will have strong interaction with all BES programmatic research performed at national laboratories and academic institutions. A significant fraction of the research will use the collocated synchrotron radiation light sources and the neutron scattering facilities. BES continues as a member of the NSTC Interagency Working Group on Nanotechnology to coordinate activities across the government. In addition, individual NSRCs have strong working relationships with academia, industry, state-sponsored nanoscience activities, and one another.

Significant Accomplishments:

This activity is presently in Project Engineering Design stages.

Mission Relevance:

The mission of the Office of Science is “To advance basic research and the instruments of science that are the foundations for DOE’s applied missions, a base for U.S. technology innovation, and a source of remarkable insights into our physical and biological world and the nature of matter and energy.” The Nanoscale Science Research Centers provide a unique opportunity for a major advance in carrying out that mission.

Scientific Challenges:

Scientific Challenges: Preparing for the challenges of this new millennium requires strategic investments that will help our nation develop a balanced R&D nanotechnology infrastructure, advance critical research areas, and nurture the scientific and technical workforce of the new century. The nanotechnology research and development is a top priority for the future. In response, DOE has taken the initiative of constructing three NanoScience Centers at LBNL, ORNL and SNL/LANL with the following project goals: (1) to attain a fundamental scientific understanding of nanoscale phenomena, particularly collective phenomena; (2) to achieve the ability to design and synthesize materials at the atomic level to produce materials with desired properties and functions; (3) to take full advantage of major user facilities, and (4) to develop experimental characterization techniques and theory/modeling/simulation tools necessary to drive the nanoscale revolution.

There are a large number of scientific challenges, all of which involve the collocation of disparate disciplines in order to fabricate and assemble nanosized components. One of the most challenging scientific problems is interfacing hard and soft matter, i.e., the world of electronic and structural materials with the world of biomaterials. These centers will employ advanced experimental and theoretical tools to tailor and control the functionality (e.g., detection ability and sensitivity), compatibility, performance, and integration of materials at this interface.

Construction Challenges: The major challenges are associated with the schedule of design and construction required in order to achieve successful completion of the project. To be most timely, the NSRCs should be completed by FY06.

Funding Summary:

Project Engineering Design Funding for NSRCs

Dollars in Thousands

	<u>FY 2000</u>	<u>FY 2001</u>	<u>FY 2002</u>
LBNL	\$ 0	\$0	\$ 500
ORNL	\$ 0	\$0	\$1,500
SNL/LANL	\$ 0	\$0	\$1,000

Projected Program Evolution:

The initial stages of this program are associated with the design and construction of the Nanocenters at three National Laboratories: LBNL, ORNL and SNL/LANL. In addition, it is necessary to develop a well balanced and fair user program for this new type of National Laboratories facility. Scientific utilization and programmatic integration in the National Laboratories is prerequisite for successful operation in the near future of these Nanoscale Science Research Centers.

04 February 2002