
U.S. Department of Energy

National Virtual Biotechnology Laboratory

Report on Rapid R&D Solutions to the COVID-19 Crisis



U.S. Department of Energy

National Virtual Biotechnology Laboratory

Report on Rapid R&D Solutions to the COVID-19 Crisis

DOE Office of Science

Executive Oversight: Harriet Kung, Harriet.Kung@science.doe.gov Michelle Buchanan, Michelle Buchanan@science.doe.gov Ashley Predith, Ashley.Predith@science.doe.gov

Co-Directors

Stephen Streiffer, Argonne National Laboratory Marianne Walck, Idaho National Laboratory

Project Leads


Materials and Manufacturing of Critical Supplies: Lonnie Love, Oak Ridge National Laboratory Molecular Design for COVID-19 Therapeutics: Martha Head, Oak Ridge National Laboratory

COVID-19 Testing: Patrick Fitch, Los Alamos National Laboratory

Epidemiological Modeling: Budhendra Bhaduri, Oak Ridge National Laboratory **Viral Fate and Transport:** Katrina Waters, Pacific Northwest National Laboratory



DISCLAIMER: This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government.



Contents

Executive Summary	iii
1. NVBL Contributions to the COVID-19 Response: An Introduction	1
2. Materials and Manufacturing of Critical Supplies	2
3. Molecular Design for COVID-19 Therapeutics	6
4. COVID-19 Testing	9
5. Epidemiological Modeling	
6. Viral Fate and Transport	16
7. Future Directions	19
Appendix A: Publications and Research Output	21
Appendix B: Research Team	25
Appendix C: Acronyms and Abbreviations	41

Executive Summary

With funding from the CARES Act, the U.S Department of Energy (DOE) established the National Virtual Biotechnology Laboratory (NVBL) in March 2020 to address key challenges associated with the COVID-19 crisis. NVBL brought together the broad scientific and technical expertise and resources of DOE's 17 national laboratories to help tackle medical supply shortages, discover potential drugs to fight the virus, develop and validate COVID-19 testing methods, model disease spread and impact across the nation, and understand virus transport in buildings and the environment. National laboratory resources leveraged for this effort include a suite of world-leading user facilities broadly available to the research community, such as light and neutron sources, nanoscale science research centers, sequencing and biocharacterization facilities, and high-performance computing facilities.

Within months, NVBL teams produced innovations in materials and advanced manufacturing that mitigated shortages in test kits and personal protective equipment (PPE), creating nearly 1,000 new jobs. They used DOE's high-performance computers and light and neutron sources to identify promising candidates for antibodies and antivirals that universities and drug companies are now evaluating. NVBL researchers also developed new diagnostic targets and sample collection approaches, and supported U.S. Food and Drug Administration (FDA), Centers for Disease Control and Prevention (CDC), and U.S. Department of Defense (DoD) efforts to establish national guidelines used in


administering millions of tests. Researchers used artificial intelligence and high-performance computing to produce near-real-time data analysis to forecast disease transmission, stress on public health infrastructure, and economic impact, which supported decision-makers at the local, state, and national levels. NVBL teams also studied how to control indoor virus movement to minimize uptake and protect human health.

NVBL's accomplishments demonstrate not only the powerful resource represented by DOE's national laboratories working together to meet national needs, but also the effectiveness of the integrated NVBL framework for rapidly responding to emergencies with research and development (R&D) solutions. As the fight against COVID continues, sustained efforts are needed to confront this pandemic as well as future threats. Examples include:

- Establishing "supply chains on demand" to meet emergency production needs by leveraging the materials and manufacturing expertise of DOE national laboratories and developing advances in electronics, sensing, robotics, and automation capabilities.
- Improving the speed and robustness of drug discovery by integrating experimental platforms with DOE's computational and experimental user facilities, which provide unique resources to support the discovery of high-potential therapeutic agents.

- Protecting public, environmental, and animal health by developing new testing protocols and instrumentation adaptable to diverse sample types (both physiological and environmental) to quickly detect a wide range of pathogens and monitor other biorisks.
- Supporting near-real-time data needs of decision-makers at the local, regional, state, and national levels by advancing data curation, analysis, and modeling using artificial intelligence and new data science tools for managing and evaluating large diverse datasets.
- Harnessing DOE's expertise in environmental modeling to design rooms and air handling for offices, classrooms, restaurants, and other structures to minimize biorisk transmissions.

Going forward, NVBL is poised to apply the unique capabilities and expertise of the national laboratory complex to future national and international emergencies, both natural and engineered. Through this framework, the Office of Science will continue to be an integral component of agencywide efforts to prepare for and respond to biorisks and other crises.



n March 2020, DOE quickly marshaled the unique expertise and resources of its national laboratories to provide R&D solutions to critical challenges posed by the global pandemic. With funding from the CARES Act, DOE established the National Virtual Biotechnology Laboratory, a consortium of 17 DOE national laboratories, each with core scientific and technical capabilities for confronting the COVID-19 crisis. These capabilities include world-leading user facilities, such as light and neutron sources, nanoscale science research centers, sequencing and biocharacterization facilities, and high-performance computing facilities, all broadly available to the research community.

As part of the NVBL framework, DOE rapidly assembled five project teams to (1) address supply chain bottlenecks by harnessing extensive additive manufacturing capabilities, (2) identify new targets for medical therapeutics, (3) develop innovations in testing capabilities, (4) provide epidemiological and logistical support, and (5) understand viral fate and transport in the environment. Each research team was charged with defining high-impact projects that could be completed in a 6-month sprint while coordinating their developments with academia, other government agencies, and the private sector.

Within months, NVBL teams produced innovations in materials and advanced manufacturing that mitigated shortages in test kits and PPE, creating nearly

1,000 new jobs. They used DOE's high-performance computers and light and neutron sources to identify promising candidates for antibodies and antivirals that universities and drug companies are now evaluating. Teams of biochemistry experts developed new diagnostic targets and sample collection approaches while supporting national guidelines used in millions of tests. NVBL researchers used state-of-the-art methods in artificial intelligence (AI) and high-performance computing to produce near-real-time data analysis to forecast disease transmission, stress on public health infrastructure, and economic impact, supporting decision-makers at the local, state, and national levels. They also studied how to control indoor virus movement to minimize uptake and protect human health.

Through its NVBL framework, DOE has contributed significantly to the nation's COVID response, demonstrating in only a few months the critical impact of its national laboratories. NVBL serves as an outstanding model for developing and sustaining capabilities to prepare for and respond to future national needs or emergencies.

The chapters that follow outline key accomplishments of NVBL's five project teams—Materials and Manufacturing of Critical Supplies, Molecular Design for COVID-19 Therapeutics, COVID-19 Testing, Epidemiological Modeling, and Viral Fate and Transport—and identify critical R&D areas essential for future biorisk preparedness.



3 million masks and N95 respirators per day (partnering with Cummins Filtration and DemeTech), and 250,000 nasal swabs per day by additive manufacturing. The team's accomplishments also led to the commercialization of a BioMedInnovations ventilator (which received FDA Emergency Use Authorization) and creation of two factories with over 1,000 new jobs.

To address specific supply chain bottlenecks, the Manufacturing team formed three subgroups: Personal Protection Equipment (e.g., N95 masks and face shields), Consumables (e.g., test tubes and swabs for test kits), and Ventilators. Each subgroup drew upon extensive expertise in materials science, materials characterization, manufacturing, and computation at the national laboratories to identify new approaches for producing and validating the performance of manufactured items. These activities heavily leveraged DOE user facilities, such as light and neutron sources, nanoscale science research centers, and high-performance computing facilities. In many cases, the subgroups found that the most critical component required for expanding manufacturing was the tooling required to establish a production line. With conventional tooling approaches, establishing production lines can take months. However, with advanced manufacturing methods, molds and other components



Fig. 1. New N95 respirator (left) produced at DemeTech factory (right). [Courtesy DemeTech]

can be produced in hours, enabling production lines to launch in a matter of weeks. In all cases, the subgroups established strategic industry partnerships for deploying developed capabilities.

Outcomes and Impact

Personal Protective Equipment

One of the first areas PPE researchers addressed was to relieve the critical shortages of N95 masks used by medical professionals. The 3M Company typically manufactures 100 million of these masks per month, far short of the demand during the COVID-19 pandemic. To help meet demand, the Carbon Fiber Technology Facility at Oak Ridge National Laboratory was converted to produce the filter media used in N95 masks. The PPE subgroup also teamed with Dr. Peter Tsia, inventor of the nonwoven filtration fabric used in N95 masks, to generate an open-source design for the charging system needed for N95 mass production. N95 filter media uses the charge placed on the fabric to capture small virus particles more effectively than simple physical filtration of the media alone. To assure their effectiveness, the produced materials

were extensively tested at DOE's light sources and nanoscale science research centers.

Additionally, the subgroup partnered with Cummins Filtration (Nashville, Tenn.) to convert an oil filter production line to one for N95 filter media, enabling production of material for over 3 million masks per day. The subgroup also partnered with Deme-Tech (Miami Lakes, Fla.) to convert N95 material to medical masks and N95 respirators, which received certification from the National Institute of Occupational Safety and Health in September 2020 (see Fig. 1, this page). As a result, DemeTech established a new production facility that created 600 new manufacturing jobs, and the masks are commercially available.

The PPE subgroup also partnered with DeRoyal Industries (Powell, Tenn.) to develop new capabilities for high-throughput production of face shields. The partners used extensive capabilities in metal additive manufacturing to rapidly produce metal injection molds using 3D printing (see Fig. 2a, p. 4). These molds enabled production of 40,000 new face shields per day, per machine (see Fig. 2b and c, p. 4).








Fig. 2. The Manufacturing team partnered with DeRoyal Industries on **(a)** 3D-printed tooling for **(b)** injection molds used to produce **(c)** face shields. [Courtesy Oak Ridge National Laboratory (a, b) and Getty Images (c)]

Consumables for Test Kits

The Consumables subgroup partnered with the U.S. Department of Health and Human Services (HHS) to rapidly scale up production of consumables for test kits. These consumables included multi-well sample trays and nasal swabs (see Fig. 3, this page), along with sample collection tubes.

A critical shortage of test tubes used to collect nasal swabs emerged early in the pandemic. Working with The Coca-Cola Company, the Consumables subgroup identified bottle preforms (capped tubes that are blown with hot air into familiar drink bottles) as an excellent surrogate for these sample tubes. To evaluate the viability of using these preforms as collection tubes, the subgroup partnered with Coca-Cola (which produces 2 billion preforms per week), HHS, and five different testing companies. From this collaboration, Longhorn Therapeutics, a testing company based in Bethesda, Md., began taking delivery of 2 million preforms in April 2020.

In parallel, the subgroup designed and rapidly prototyped a mechanism to 3D print the tooling needed to mass produce the original sample collection tube by injection mold processes, working










Fig. 3. Mold design for **(a)** 96-well sample plate. **(b)** 3D-printed mold used to form sample plates. **(c)** 3D-printed swabs and **(d)** closeup of a printed swab tip. [Courtesy Oak Ridge National Laboratory (a, b), and Lawrence Livermore National Laboratory (c, d)]

with Thermo Fisher Scientific. In August 2020, Thermo Fisher opened a factory in Lenexa, Kan., creating more than 300 domestic medical manufacturing jobs (see Fig. 4, p. 5). In early 2021, this



Fig. 4. Thermo Fisher Scientific facility in Lenexa, Kan., that manufactures COVID-19 sample collection products. [Courtesy Thermo Fisher Scientific]

factory produced about 8 million test kits per week, with plans to scale to over 20 million per week.

Ventilators


During the early phases of the pandemic, national needs required the immediate production of an additional 400,000 to 600,000 ventilators. To meet this challenge, the Ventilator subgroup focused on materials and manufacturing processes that would assist industry in rapidly accelerating the manufacture of domestically producible FDA-approved ventilator technologies. The subgroup developed a new low-cost ventilator with BioMedInnovations, LLC (Denver, N.C.) that was commercialized and approved by the FDA. This ventilator required no existing ventilator supply chain components and thus circumvented anticipated shortages for traditional components (see Fig. 5, this page).

The subgroup also performed high-fidelity modeling of human lungs to better understand ventilator control and accelerate mucus removal from the lungs. Finally, collaborating with Percussionaire (Sandpoint, Idaho), the subgroup explored



Fig. 5. Production-level ventilator developed with Bio-MedInnovations, LLC. [Courtesy BioMedInnovations, LLC]

transformative ventilation methods and developed prototype systems for next-generation Intrapulmonary Percussive Ventilation. One of these prototype developments includes a variant that replaces air with an oxygenated liquid perfluorocarbon in a process that the collaboration named Intrapulmonary Percussive Liquid Ventilation.



¹ DOE's light sources were accessed as part of the development process for all three COVID-19 vaccines authorized or approved for use in the United States: Pfizer-BioNTech, Moderna, and Johnson & Johnson's Janssen.




Fig. 6. Integrated computational and experimental platform for designing COVID-19 therapeutics. [Courtesy Oak Ridge National Laboratory]

simulation and AI methods, along with structureand sequence-driven models, to iteratively design,
make, and test new molecules. Data from experimental assays and structural characterization are
then fed back into the computational methods for
multiple design rounds. Platform outputs include
identification of small molecules and antibodies
with confirmed inhibition of a viral protein and
predicted probability for good physical and safety
parameters (see Fig. 6, this page). All project data
will be made public, and team members are partnering with public and private organizations to further advance these discoveries along the pathway
to clinical impact.

Outcomes and Impact


Antibody Discovery

The starting points for antibody design involved three antibodies known to bind to the spike protein of SARS-CoV-1 (the virus that caused the 2003 SARS outbreak) but *not* to the spike protein of SARS-CoV-2. The Molecular Design team's goal was to modify these existing antibody scaffolds to create new antibodies that effectively bind to and

neutralize SARS-CoV-2. The team used AI methods to sample more than 10⁴⁰ possible antibody variations, from which about 300 designed antibodies were generated and experimentally screened. Using this combined computational and experimental approach, the team identified experimentally confirmed hits for all three antibody scaffolds. All hits bind to the SARS-CoV-2 spike protein and block it from binding to the human ACE2 receptor. Additionally, some of these hits can block a pseudovirus (a harmless virus modified to include the SARS-CoV-2 spike on its surface) from entering human cells, demonstrating that these antibodies have the potential to block the first step in the infection process.

Inhibitors of Viral Cysteine Proteases

Two viral proteases, 3 chymotrypsin-like protease (3CLpro) and papain-like protease (PLpro), are essential for SARS-CoV-2 replication and thus are important targets for pharmaceutical drug design and discovery. Both belong to the cysteine protease family, a structural family not amenable to traditional docking-based modeling pipelines, which use computational approaches to characterize and






Fig. 7. The Molecular Design team identified two small-molecule inhibitors for the viral proteases PLpro and 3CLpro. Shown here are the PLpro inhibitor (gray, left) and 3CLpro inhibitor (multicolor, right). [Courtesy Oak Ridge National Laboratory]

predict the atomic-level interactions of small molecules in a target protein's binding site. To identify small molecules that can inhibit the activity of these proteases, the Molecular Design team therefore needed to create an integrated, multipronged, comprehensive workflow that combined docking, molecular dynamics, and quantum mechanical simulation approaches. They used this workflow to identify, design, and optimize small-molecule protease inhibitors for both 3CLpro and PLpro that have been experimentally confirmed (see Fig. 7, this page).

The identified PLpro inhibitor binds to the PLpro protein and then reacts to form a chemical bond with its cysteine residue, which is vital for enzyme activity. In addition to the experiments confirming that the designed molecule is a potent PLpro inhibitor, further experiments have characterized the chemical reaction with cysteine and used structural biology and X-ray crystallography to reveal atomic-level details of the interaction between PLpro and the inhibitor. Moreover, partners at the University of Tennessee Health Sciences Center Regional Biocontainment Laboratory have experimentally confirmed that the designed molecule inhibits viral infection in a cell-based assay.

The 3CLpro inhibitor, identified using computational docking studies, binds to the 3CLpro protein but does not form a chemical bond with

its cysteine. An X-ray crystal structure revealed important atomic-level details of how the molecule interacts with the protein. Based on this structural information, the team used the computational workflow to design molecules with improved properties. A set of about 50 closely related molecules have been ordered for experimental testing, and the team is synthesizing and experimentally validating additional new molecules.

Computational Antiviral Screening

Using the power of DOE's Leadership Computing Facilities for computational docking calculations and AI methods, the Molecular Design team computationally screened tens of millions of small molecules against more than 100 binding sites of the SARS-CoV-2 viral proteins. They also docked larger databases (on the order of 50 to 100 million molecules) against a subset of these binding sites. From these computational screens, the team acquired more than 2,000 small molecules for experimental validation in an antiviral screen. Of these molecules, 56 show some inhibition of viral infection in a cell-based assay. The team is using an independent antiviral screen to confirm the 56 hits and conducting ongoing experiments to understand which parts of the viral life cycle each confirmed hit is inhibiting.

CHAPTER 4

COVID-19 Testing

Objectives and Approach

The beginning of the COVID-19 pandemic prompted numerous challenges to providing analytical tests for clinical and environmental virus detection and characterization. To address these challenges, NVBL formed the COVID-19 Testing team, composed of experts in genomics, biotechnology, biochemistry, nanoscience, and synthetic biology from 10 DOE national laboratories. The Testing team identified priority R&D gaps by gathering input from end-users and decision-makers and collecting first-hand experiences from several DOE national laboratories initiating in-house testing capabilities. Based on this information, the team developed an R&D roadmap to address the need to increase the availability of validated, effective, and reliable COVID-19 tests.

Key elements of the R&D roadmap were to reduce dependencies on reagents and materials for the limited approved tests by (1) identifying new diagnostic targets; (2) demonstrating new chemistries and instruments; (3) providing experimental data to support federal guideline decisions; and (4) experimentally validating new approaches for virus collection, storage, and detection. Drawing on team expertise and DOE resources, including the DOE Joint Genome Institute, the team worked to enable access to alternative testing methods and reagents to meet near-term needs while preparing for future outbreaks with new approaches and technologies. These approaches included using RNA sequence data to identify new strains and employing computer validation to rapidly evaluate diagnostic efficacy. Moreover, the team's efforts provided critical data that supported national guideline decisions used in administering millions of tests.

Outcomes and Impact

Identifying New Diagnostic Targets

The key to designing molecular detection assays for SARS-CoV-2 is identifying regions in its RNA genome that distinguish it from all other











Fig. 8. The nucleic acid testing process involves five phases, outlined above. [Courtesy Los Alamos National Laboratory]

viruses. The Testing team designed 78 DNA signatures from conserved regions of 41,540 SARS-CoV-2 genomes. These signatures are 60-mer in length with less than 20% probability of mapping to other viral genomes. They were incorporated into the Lawrence Livermore Microbial Detection Array (LLMDA) for detecting SARS-CoV-2 and other co-infecting pathogens and showed excellent sensitivity. The signatures can also be used in other multiplexed assays to rapidly detect SARS-CoV-2.

Using LLMDA, a technology that can detect more than 12,000 microbial species in a single test, the Testing team analyzed archived nasal pharyngeal, nose, and throat swabs to determine co-infections that could contribute to disease severity. Of all tested swabs, 91% of the COVID-19 positive samples were also positive for *Streptococcus pneumonia* compared to 18% of COVID-19 negative samples. *Streptococcus pyogenes* was detected in 82% of the COVID-19 positive samples and 25% of the COVID-19 negative samples. Additional studies are underway to correlate other COVID-19 co-infections.

The Testing team developed several analysis tools to maintain awareness of the evolution of the SARS-CoV-2 RNA genome as it relates to nucleic acid-based assays. For example, a platform for COVID-19 genome analytics (covid19.edgebioinformatics.org) offers an automatic *in silico*, or simulated, evaluation of diagnostic assays used around the world. In December

2020, this web application provided comparisons for 17 assays using 44,224 SARS-CoV-2 genomes.

Nucleic acids, such as RNA in SARS-CoV-2, are one target for diagnostic tests and are used in reverse transcription polymerase chain reaction (RT-PCR) tests. Virus proteins provide complementary targets for identification and can often be used in less expensive and simpler-to-use test formats, such as lateral flow assays. These strip tests, similar to home pregnancy test kits, require an antibody that recognizes a viral protein target. The Testing team developed an affinity reagent pipeline to screen libraries for highly specific antibodies that recognize key domains of the SARS-CoV-2 spike protein.

Providing Data Underpinning National Guidelines

In an effort launched by the Diagnostics sub-group of the White House Coronavirus Task Force, the Testing team collaborated with DoD, CDC, and FDA to provide experimental data in support of national guidelines throughout all phases of the nucleic acid testing process (see Fig. 8, this page). The team's contributions included:

- Identifying and characterizing potential contamination in commercial kits.
- Evaluating sample pooling approaches to assess those with the potential to reduce per-test costs by a factor of 10.




Fig. 9. The COVID Whistle Breath Collector traps breath in a removable hydrogel insert for ease of testing. [Courtesy Oak Ridge National Laboratory]

- Assessing multiple viral transport media and protocols to assure test accuracy, even after less-than-desirable shipping or storage.
- Evaluating virus inactivation and extraction for test efficacy and protection of frontline health care workers.


Using Novel Approaches for Virus Collection and Detection

To simplify breath collection and virus extraction, the Testing team developed a simple COVID Whistle Breath Collector with a hydrogel insert (see Fig. 9, this page). After breath is collected with the whistle, the hydrogel containing the sample can be removed for testing. The additively manufactured whistle can be readily modified to optimize collection parameters. In addition, a phone or web application can provide users with audio cues and help monitor patient variation. A university clinical partner is evaluating whistle prototypes.



Fig. 10. Reveal-CoV uses Reverse Transcription Loop-mediated isothermal AMPlification (RT-LAMP) to rapidly detect SARS-CoV-2. An initial inactivation step is performed at 95°C followed by amplification of the target sequence at 65°C and visual detection of color change. Total time from sample to answer is less than 1 hour. [Courtesy Lawrence Livermore National Laboratory]

The Testing team also developed the Reveal-CoV, a small, rapid nucleic acid test instrument for detecting SARS-CoV-2 (see Fig. 10, this page). The assay replaces the two step RT-PCR amplification process with a one-step amplification process called Reverse Transcription Loop-mediated isothermal AMPlification (RT-LAMP). This one-step process enables the Reveal-CoV test to provide more timely and sensitive nucleic acid detection: sample heat inactivation and lysis are performed in 5 minutes, followed by approximately 30 minutes to detect a red-to-yellow color change for a SARS-CoV-2 positive sample.



Objectives and Approach

To assist decision-makers in understanding COVID-19 spread and impact across the nation, NVBL's Epidemiological Modeling team brought together experts in spatial demography and human dynamics research; agent-based modeling systems; and transportation, infrastructure, economic, and risk modeling. Comprising researchers from six national laboratories, the team coupled its extensive expertise with DOE's powerful supercomputers and data capabilities. Building on prior work with CDC, NIH, DoD, and the Federal Emergency Management Agency (FEMA), they created a data platform that forecasts (1) disease transmission, (2) stress on public health infrastructure, and (3) U.S. economic outlook. The following accomplishments illustrate team-developed capabilities that provided unrivaled understanding of COVID-19 impacts.

- Officials in Chicago, New York City, Illinois, New Mexico, and Tennessee, among others, used the team's data and modeling efforts to illustrate county-level trends and forecasts, pinpoint locations (such as bars and restaurants) significant to transmissions, and identify the importance of contact tracing.
- The Chicago Transit Authority and New York Metropolitan Transit Authority used the team's transportation modeling to forecast ridership under various economic reopening scenarios.
- Decision-makers at DOE, the National Nuclear Security Administration, and FEMA used results from the team's data platform, and the team shared its findings from economic impact modeling with the U.S. Bureau of Economic Analysis.
- The CDC's modeling group used the team's ensemble dashboard to visualize output data from forecast models. In addition, the CDC




Fig. 11. Bivariate choropleth map showing the changes in COVID-19 velocity and acceleration rates at the U.S. county level from one week in September 2020 to the next (as opposed to total number of cases). [Courtesy Oak Ridge National Laboratory]

Minority and Rural Health groups benefitted from the team's efforts to (1) identify communities most vulnerable to K-12 school reopening disruptions (including specific geographic locations); (2) determine states with high vs. low COVID burden; and (3) compare urban vs. rural COVID mobility and burden.

Outcomes and Impact

Near-Real-Time Situational Awareness

One strategy for describing the state of a public health crisis involves using a pair of easily understood values to map the conditions in a more complex region, such as a state or country, based on collective measurements from its constituent regions (e.g., counties). Using this data science approach, the Epidemiological Modeling team developed a bivariate choropleth map to simultaneously show two variables—COVID-19 velocity and acceleration rates—at the U.S. county level.

For every county, the map's 2D color legend indicates the rate at which the number of new COVID-19 cases increases over a week (velocity) and how this rate changes over that same period (acceleration). This approach to mapping velocity and acceleration provided a unique perspective on transmission dynamics and daily criticality of the COVID-19 pandemic (see Fig. 11, this page).

National Data Resource for Pandemic Modeling

The unprecedented nature of the COVID-19 pandemic has highlighted the need for a data infrastructure that supports disease-tracing models with robust calibration and validation. To address this challenge, the team developed a data collection and curation platform to collect and curate disease data (600,000 data records per week for 12 weeks) on the many attributes influencing response outcomes. Compared to most public sites, the resulting NVBL platform includes far

more attributes and has created the foundation for a unique national data resource to support future epidemiological and pandemic modeling.

Predictive Models of COVID-19 Dynamics

For short-term forecasts, the team developed datadriven statistical models that predict new case counts at state, county, and metropolis scales, enabling short-term planning for contact tracing staff and testing capacity needs. For long-term forecasts, the team advanced existing epidemiological modeling capabilities with platforms known as EpiGrid, EpiCast, and CityCOVID.

EpiGrid is a model of disease progression that predicts geographic spread based on classifying populations as susceptible, exposed, infectious, or recovered. It produces results at 5-km resolution that cover the entire United States. EpiCast and CityCOVID are agent-based models that simulate the actions and interactions of autonomous characters, or "agents," following rule-based behaviors to assess their individual effects on the collective behavior of the entire system. EpiCast, originally designed to simulate community-level influenza transmission across the country, predicts COVID outcomes at the census-tract level. CityCOVID modeled hourly activities of ~3 million people across 1.2 million locations for the greater Chicago metropolitan area (see Fig. 12, this page).

Together these models perform scenario-based analysis and mitigation planning and provide local, regional, and state-level decision-makers with information on intervention effects before they are implemented. Such information includes (1) experiments to understand stay-at-home and reopening order effects and timing; (2) comparison of the impacts of bar and school reopenings on COVID spread; and (3) effects of increased holiday gatherings and interactions on COVID spread. Additionally, these models enable simulations of various vaccination protocols to forecast effects on COVID spread.




Fig. 12. The CityCOVID model simulates how the virus moves through populations. It generates mobility patterns based on the actions and interactions of individual people (agents). The above simulation forecasts hourly activities of 2.7 million people across 1.2 million locations in the greater Chicago metropolitan area. [Courtesy Argonne National Laboratory]

Resource, Economic, and Vaccination Modeling

Using output from epidemiological models, the team calculated demand for practitioner types as well as committed and consumable resources for each U.S. county in multiple scenarios. They also applied models to forecast COVID-19 economic impact under multiple scenarios for virus progression and to estimate the cumulative economic impacts of shutdowns and potential recovery strategies. In addition, the team developed a new epidemiological modeling approach to quantify contact tracing, testing, and vaccination strategies in resource-constrained environments and to help




Fig. 13. Cellular phone–based movement data provided assessment of social gatherings and explained consequent changes in COVID cases. For example, this data helped explain and validate a sixfold increase in COVID cases in Sturgis, S.D. (inside the red circle) following an August 2020 motorcycle rally. [Courtesy Oak Ridge National Laboratory]

identify optimal vaccination strategies for states and large metropolitan areas.


Mobility Modeling

Team members developed approaches to assess mobility behavior changes, for personal and freight movements, in response to SARS-CoV-2 and variants across the United States. Analysis of commercial vehicle and cellular phone-derived mobility data revealed travel patterns for commercial activity by type and across industries, including bars and restaurants as well as passenger, fleet, and heavy-duty vehicles (see Fig. 13, this page). Three different agent-based transportation modeling and simulation systems-POLARIS, BEAM, and CommuterSim-provided scenario-based transportation analysis. Scenarios were developed and assessed for the greater Chicago and New York City areas, with emphasis on public transit impact. The models provided ridership forecasts

for various degrees of economic reopening with aversion to shared mobility such as public transit.

COVID-19 Data and Visualization Platform

The Epidemiological Modeling team developed a comprehensive data access and visualization platform that can process multimodal and multisource data, enabling informed decision-making and monitoring of potential recovery efforts. In addition to showing current infection spread, the platform also captures the impact of human dynamics on disease spread and location and the availability of critical infrastructure. The platform can support epidemiological and pandemic modeling and simulations driven by high-performance computing, and it is extensible, allowing third-party integration and services to use the curated data and analytics in near-real time.






Fig. 14. (a) Computational fluid dynamic simulation of the airflow and distribution of expelled respiratory particles within a classroom or office configuration. **(b)** Experimental setup to measure particle distribution in a classroom or office configuration. [Courtesy Sandia National Laboratories (a) and Lawrence Berkeley National Laboratory (b)]

Outcomes and Impact

Airborne Viral Transport and Fate Indoors

Leveraging highly instrumented, configurable facilities and computational capabilities available at DOE national laboratories, the Viral Fate and Transport team uncovered robust and quantitative information about how behavioral, environmental, and operational conditions affect airborne transmission risk. For example, the team used computational fluid dynamic models to learn about airborne virus transport and how to reduce risk of indoor transmission in spaces like classrooms and conference rooms. Simulations are based on experimental results obtained using carbon dioxide gas and different particle sizes released in a manner mimicking respiratory gas and fluid emissions into the air (see Fig. 14, this page).

Surface Chemistry and Material Science Solutions

The Viral Fate and Transport team designed new antiviral materials with low potential toxicity to humans. One class of materials is based on composites of a transition metal oxide (component A) combined with a copper-based virucidal agent (component B) that can adsorb SARS-CoV-2, trapping it in a thin film on the material's surface

and thereby deactivating it. When tested individually, the A and B components demonstrate little to no virucidal properties, but their combination, A x B, produces strong antiviral activity against SARS-CoV-2 (see Fig. 15, this page). This research examined binding of surrogate virus systems, as well as the SARS-CoV-2 spike protein, to nonbiological surfaces. Supporting this research, the team also conducted direct imaging of virus-surface interactions using a range of imaging techniques available at DOE scientific user facilities.




Fig. 15. Antiviral activities of studied material systems vs. pure constituents (A) and (B) are shown in the graph. The image at right, taken using energy-dispersive X-ray spectroscopy (STEM-EDS), illustrates distribution of the materials (A, green) and (B, blue) on the surface of the developed composite antiviral materials (A)x(B). [Courtesy Ames Laboratory and Iowa State University]

Viral Transport and Emergence from Environmental Reservoirs

The Viral Fate and Transport Team analyzed datasets to produce validated models for SARS-CoV-2 fate and transport in wastewater and groundwater. Scenarios of particular interest were sewer water or septic tank seepage into groundwater and associated subsurface transport, potential exposure routes, and risks to the population. The team also determined the effects of climate conditions on viral environmental transport and compared viral DNA sequences from wastewater and groundwater sites to analyze SARS-CoV-2 fate and infectivity associated with genomic change. The primary result from both groundwater and wastewater modeling is development of 1D and 3D models using literature data for other viruses. Important transport-related model parameters are advection, diffusion, colloid facilitated processes, adsorption/desorption, and inactivation. Scenarios run with these parameters show that in unconsolidated subsurface environments, 200 m from origin, viral concentrations are 10% of the concentration found at the source.

CHAPTER 7

Future Directions

OE's National Virtual Biotechnology Laboratory has proven to be an exceptionally effective contributor to the nation's COVID-19 response. NVBL accomplishments demonstrate not only the game-changing resource represented by DOE's 17 national laboratories working together to meet national needs, but also the framework's effectiveness in rapidly responding to emergencies with R&D solutions. Because the COVID-19 fight is far from over, a continuing, sustained effort is needed to meet pandemic challenges, as well as future natural or manmade biorisks. The NVBL framework can effectively integrate the project areas described in this document, as well as define new projects to support scalable biosurveillance and prediction capabilities. The following sections outline major R&D areas essential to preparing for future national threats and challenges.

Materials and Manufacturing of Critical Supplies

DOE's extensive expertise and capabilities in materials and manufacturing are critical to the discovery of new materials important in fighting infectious agents. New fabric that combines improved filtering and antimicrobial or antiviral agents is necessary for reducing the volume of face masks or other essential PPE. Moreover, new materials are needed to improve the ability to sterilize and reuse consumables. The supply chain shortages experienced early in the COVID-19 pandemic revealed the need for advanced manufacturing

approaches for rapid tooling to enable industries to pivot quickly and ramp up supply production. Also required are capabilities to rapidly and resiliently establish supply chains to meet emergency needs (i.e., "supply chains on demand"). The COVID crisis also demonstrated major bottlenecks in assembly processes. Although parts could be mass produced during the pandemic, assembly lagged, illustrating the need for new electronics, sensing, robotics, and automation capabilities to facilitate rapid assembly.

Molecular Design for Medical Therapeutics

NVBL made major advances in not only understanding the structure and function of biological threats, but also in supporting the development of molecular therapeutics for COVID-19 and other biorisks. Underpinning these achievements are the unparalleled capabilities of DOE's highperformance Leadership Computing Facilities, combined with structural biology studies at its light, neutron, and nanoscale science research center user facilities. However, the job is not finished. New computational approaches are needed to improve the rapid screening of millions of test molecules against virus and bacterial targets to quickly converge on high-potential therapeutic agents. Integrating these computational tools with experimental platforms available at DOE user facilities would vastly improve the robustness of effective drug selection.

Pathogen Testing

Future protection of public, environmental, and animal health through rapid detection and monitoring of viral and bacterial agents requires fast, patientfriendly, and cost-effective testing protocols along with new types of instrumentation. Such testing approaches are needed to address the evolution of the SARS-CoV-2 virus (or other viruses or bacteria) and provide early warning of future pandemics. These new tests should be adaptable to a range of sample types—both physiological (nasal, saliva, blood, urine, and feces) and environmental (air, surfaces, and wastewater or groundwater). Advanced testing approaches that use multiple pathogen and host-response signatures to detect a wide array of pathogens are needed to, for example, understand the role of co-infections in patient outcomes.

Epidemiological Modeling

The COVID-19 pandemic underscored the challenge of managing huge amounts of data to support decisions at the local, regional, state, and national levels. Advances are needed to integrate data from new physiological and environmental tests with myriad other types of monitored data. Also, a new framework is needed for data curation, analysis, and modeling that will respond to the near-real-time requirements of decision-makers during public health emergencies. Such a framework could foster epidemic surveillance through development of a critically needed national public health data and reporting standard. Further, new data science and advanced AI approaches to biosurveillance and data fusion are needed to evaluate diverse mobility and demographic datasets. These approaches could be used to generate not only "early warning" alerts, but also impactful modelderived assessments of outbreak potential. DOE's scalable data and high-performance computing capabilities would enable the synthesis of dynamic, accurate, and multimodal operations frameworks to parameterize epidemiological models on human

mobility and interactions. Such an approach would (1) greatly improve both the accuracy and granularity of predictive epidemiological models; (2) reduce uncertainties associated with prior approaches to contact network simulation; and (3) establish a modeling approach to rapidly quantify contact tracing, testing, and vaccination strategies in resource-constrained environments. These frameworks would also serve as essential tools to help identify optimal vaccination strategies for states and large metropolitan areas.

Viral Fate and Transport

Designing engineered solutions that mitigate disease spread requires enhanced understanding of how infecting agents are transported in the environment, both indoors and outdoors in air and water sources. DOE's expertise in building technologies and computational modeling can provide the knowledge needed to effectively design rooms and air handling for offices, classrooms, restaurants, and other structures to minimize biohazard transmission. In addition, DOE's vast experience in understanding contaminant transport in the environment can reveal how viruses and bacteria are spread in these settings.

Conclusion

Through the integrated NVBL framework, DOE has demonstrated the power of bringing together the unique expertise and capabilities of its national laboratories to meet the challenges of an international pandemic. Since March 2020, NVBL advancements in manufacturing, therapeutics, testing, modeling, and viral fate and transport have illuminated the importance of essential, effective R&D in bioemergency preparedness and response. Going forward, NVBL can serve as a critical component of DOE's integrated response to future biorisks and other emergencies, both natural and engineered.



Chapter 2: Materials and Manufacturing of Critical Supplies

Publications

DeAngelis, H. E.; Grillet, A. M.; Nemer, M. B.; Wasiolek, M. A.; Hanson, D. J.; Omana, M. A.; Sanchez, A. L.; Vehar, D. W.; Thelen, P. M. Gamma Radiation Sterilization of N95 Respirators Leads to Decreased Respirator Performance. *PLoS One* **2021**, *16* (4), e0248859. DOI: 10.1371/journal.pone.0248859

Larsen, G. S.; Cheng, Y.; Daemen, L. L.; Lamichhane, T. N.; Hensley, D. K.; Hong, K.; Meyer, H. M.; Monaco, S. J.; Levine, A. M.; Lee, R. J.; Betters, E.; Sitzlar, K.; Heineman, J.; West, J.; Lloyd, P.; Kunc, V.; Love, L.; Theodore, M.; Paranthaman, M. P. Polymer, Additives, and Processing Effects on N95 Filter Performance. ACS Appl. Polym. Mater. 2021, 3 (2), 1022–1031. DOI: 10.1021/acsapm.0c01294

Nikitin, V.; Andrade, V. D.; Slyamov, A.; Gould, B. J.; Zhang, Y.; Sampathkumar, V.; Kasthuri, N.; Gürsoy, D.; De Carlo, D. Distributed Optimization for Nonrigid Nano-Tomography. *IEEE Transactions on Computational Imaging* **2021**, *7*, 272–287. DOI: 10.1109/TCI.2021.3060915

Wang, P. L.; Roschli, A.; Paranthaman, M. P.; Theodore, M.; Cramer, C. L.; Zangmeister, C.; Zhang, Y.; Urban, J. J.; Love, L. Recent Developments in Filtration Media and Respirator Technology in Response to COVID-19. *MRS Bull.* **2021**, *46*, 822–831. DOI: 10.1557/s43577-021-00173-6

Patents

Zhang, Y.; Powers, D. J.; Pupek, K. Z.; Hryn, J. N.; Krumdick, G. K.; Chaudhuri, S. Nanofiber Filter Medium for Reusable Facemask and Filtering Facepiece Respirator. ANL IN-20-055.

Chapter 3: Molecular Design for COVID-19 Therapeutics

Publications

Bhati, A. P.; Wan, S.; Alfè, D.; Clyde, A. R.; Bode, M.; Tan, L.; Titov, M.; Merzky, A.; Turilli, M.; Jha, S.; Highfield, R. R.; Rocchia, W.; Scafuri, N.; Succi, S.; Kranzlmüller, D.; Mathias, G.; Wifling, D.; Donon, Y.; Di Meglio, A.; Vallecorsa, S.; Ma, H.; Trifan, A.; Ramanathan, A.; Brettin, T.; Partin, A.; Xia, F.; Duan, X.; Stevens, R.; Coveney, P. V. Pandemic Drugs at Pandemic Speed: Infrastructure for Accelerating COVID-19 Drug Discovery with Hybrid Machine Learning- and Physics-Based Simulations on High Performance Computers. *Interface Focus* **2021**, *11* (6), 20210018. DOI: 10.1098/rsfs.2021.0018

Chai, J.; Cai, Y.; Pang, C.; Wang, L.; McSweeney, S.; Shanklin, J.; Liu, Q. Structural Basis for SARS-CoV-2 Envelope Protein Recognition of Human Cell Junction Protein PALS1. *Nat. Commun.* **2021**, *12* (1), 3433. DOI: 10.1038/s41467-021-23533-x

Clyde, A.; Galanie, S.; Kneller, D. W.; Ma, H.; Babuji, Y.; Blaiszik, B.; Brace, A.; Brettin, T.; Chard, K.; Chard, R.; Coates, L.; Foster, I.; Hauner, D.; Kertesz, V.; Kumar, N.; Lee, H.; Li, Z.; Merzky, A.; Schmidt, J. G.; Tan, L.; Titov, M.; Trifan, A.; Turilli, M.; Van Dam, H.; Chennubhotla, S. C.; Jha, S.; Kovalevsky, A.; Ramanathan, A.; Head, M. S.; Stevens, R. High Throughput Virtual Screening and Validation of a SARS-CoV-2 Main Protease Non-Covalent Inhibitor. *J. Chem. Inf. Model.* **2021**. DOI: 10.1021/acs.jcim.1c00851 (accessed 2021-12-07).

Joshi, R. P.; Gebauer, N. W. A.; Bontha, M.; Khazaieli, M.; James, R. M.; Brown, B.; Kumar, N. 3D-Scaffold: Deep Learning Framework to Generate 3D Coordinates of Drug-like Molecules with Desired Scaffolds. *J. Phys. Chem. B* **2021**, 125 (44), 12166–12176. DOI: 10.1021/acs.jpcb.1c06437

Kneller, D. W.; Li, H.; Galanie, S.; Phillips, G.; Labbé, A.; Weiss, K.L.; Zhang, Q.; Arnould, M. A.; Clyde, A.; Ma, H.; Ramanathan, A.; Jonsson, C. B.; Head, M. S.; Coates, L.; Louis, J. M.; Bonnesen, P. V.; Kovalevsky, A. Structural, Electronic, and Electrostatic Determinants for Inhibitor Binding to Subsites S1 and S2 in SARS-CoV-2 Main Protease. *J. Med. Chem.* **2021**. DOI: 10.1021/acs.jmedchem.1c01475 (accessed 2021-12-07).

Koenig, P.-A.; Das, H.; Liu, H.; Kümmerer, B. M.; Gohr, F. N.; Jenster, L.-M.; Schiffelers, L. D. J.; Tesfamariam, Y. M.; Uchima, M.; Wuerth, J. D.; Gatterdam, K.; Ruetalo, N.; Christensen, M. H.; Fandrey, C. I.; Normann, S.; Tödtmann, J. M. P.; Pritzl, S.; Hanke, L.; Boos, J.; Yuan, M.; Zhu, X.; Schmid-Burgk, J. L.; Kato, H.; Schindler, M.; Wilson, I. A.; Geyer, M.; Ludwig, K. U.; Hällberg, B. M.; Wu, N. C.; Schmidt, F. I. Structure-Guided Multivalent Nanobodies Block SARS-CoV-2 Infection and Suppress Mutational Escape. *Science* **2021**, *371* (6530), eabe6230. DOI: 10.1126/science.abe6230

Lee, H.; Merzky, A.; Tan, L.; Titov, M.; Turilli, M.; Alfe, D.; Bhati, A.; Brace, A.; Clyde, A.; Coveney, P.; Ma, H.; Ramanathan, A.; Stevens, R.; Trifan, A.; Van Dam, H.; Wan, S.; Wilkinson, S.; Jha, S. Scalable HPC and Al Infrastructure for COVID-19 Therapeutics. In *PASC '21: Proceedings of the Platform for Advanced Scientific Computing Conference*, Geneva, Switzerland, 2021; Association for Computing Machinery: New York, NY, USA, **2021**; Article 2, pp 1–13. DOI: 10.1145/3468267.3470573

Merzky, A. T. M.; Titov, M; Saadi, A. A.; Jha, S. Design and Performance Characterization of RADICAL-Pilot on Leadership-Class Platforms. *IEEE Transactions on Parallel and Distributed Systems* **2022**, 33 (4), 818–829. DOI: 10.1109/TPDS.2021.3105994

Reese, J. T.; Unni, D.; Callahan, T. J.; Cappelletti, L.; Ravanmehr, V.; Carbon, S.; Shefchek, K. A.; Good, B. M.; Balhoff, J. P.; Fontana, T.; Blau, H.; Matentzoglu, N.; Harris, N. L.; Munoz-Torres, M. C.; Haendel, M. A.; Robinson, P. N.; Joachimiak, M. P.; Mungall, C. J. KG-COVID-19: A Framework to Produce Customized Knowledge Graphs for COVID-19 Response. *Patterns* **2021**, *2* (1), 100155. DOI: 10.1016/j.patter.2020.100155

Saadi, A. A.; Alfe, D.; Babuji, Y.; Bhati, A.; Blaiszik, B.; Brace, A.; Brettin. T.; Chard, K.; Chard, R.; Clyde, A.; Coveney, P.; Foster, I.; Gibbs, T.; Jha, S.; Keipert, K.; Kranzlmüller, D.; Kurth, T.; Lee, H.; Li, Z.; Ma, H.; Mathias, G.; Merzky, A.; Partin, A.; Ramanathan, A.; Shah, A.; Stern, A.; Stevens, R.; Tan, L.; Titov, Trifan, A.; M.; Tsaris, A.; Turilli, M.; Van Dam, H.; Wan, S.; Wifling, D.; Yin, J. IMPECCA-BLE: Integrated Modeling PipelinE for COVID Cure by Assessing Better LEads. In *ICPP 2021: Proceedings of the 50th International Conference on Parallel Processing*, Chicago, IL, USA, 2021; Association for Computing Machinery: New York, NY, USA, **2021**; Article 40, pp 1–12. DOI: 10.1145/3472456.3473524

Stefan, M. A.; Light, Y. K.; Schwedler, J. L.; McIlroy, P. R.; Courtney, C. M.; Saada, E. A.; Thatcher, C. E.; Phillips, A. M.; Bourguet, F. A.; Mageeney, C. M.; McCloy, S. A.; Collette, N. M.; Negrete, O. A.; Schoeniger, J. S.; Weilhammer, D. R.; Harmon, B. Development of Potent and Effective Synthetic SARS-CoV-2 Neutralizing Nanobodies. *mAbs* **2021**, *13* (1), 1958663. DOI: 10.1080/19420862.2021.1958663

Zhang, K.; Zheludev, I. N.; Hagey, R. J.; Haslecker, R.; Hou, Y. J.; Kretsch, R.; Pintilie, G. D.; Rangan, R.; Kladwang, W.; Li, S.; Wu, M. T.-P.; Pham, E. A.; Bernardin-Souibgui, C.; Baric, R. S.; Sheahan, T. P.; D'Souza, V.; Glenn, J. S.; Chiu, W.; Das, R. Cryo-EM and Antisense Targeting of the 28-kDa Frameshift Stimulation Element from the SARS-CoV-2 RNA Genome. *Nat. Struct. Mol. Biol.* **2021**, *28* (9), 747–754. DOI: 10.1038/s41594-021-00653-y

Chapter 4: COVID-19 Testing

Publications

Hodge, C. D.; Rosenberg, D. J.; Grob, P.; Wilamowski, M.; Joachimiak, A.; Hura, G. L.; Hammel, M. Rigid Monoclonal Antibodies Improve Detection of SARS-CoV-2 Nucleocapsid Protein. *mAbs* **2021**, *13* (1), 1905978. DOI: 10.1080/19420862.2021.1905978

Jha, R. K.; Yankey, A.; Shabazz, K.; Naranjo, L.; Shin, S.-M.; Velappan, N.; Bradbury, A. R. M.; Strauss, C. E. M. Engineered pH-Sensitive Protein G/IgG Interaction. *ACS Chem. Biol.* **2021**, *16* (7), 1142–1146. DOI: 10.1021/acschembio.0c00943

Kim, Y.; Wower, J.; Maltseva, N.; Chang, C.; Jedrzejczak, R.; Wilamowski, M.; Kang, S.; Nicolaescu, V.; Randall, G.; Michalska, K.; Joachimiak, A. Tipiracil Binds to Uridine Site and Inhibits Nsp15 Endoribonuclease NendoU from SARS-CoV-2. *Commun. Biol.* **2021**, No. 4, 193. DOI: 10.1038/s42003-021-01735-9 (Article in collection "Advances in SARS-CoV-2 Biology".)

Kneller, D. W.; Galanie, S.; Phillips, G.; O'Neill, H. M.; Coates, L.; Kovalevsky, A. Malleability of the SARS-CoV-2 3CL Mpro Active-Site Cavity Facilitates Binding of Clinical Antivirals. *Structure* **2020**, *28* (12), 1313–1320.e3. DOI: 10.1016/j.str.2020.10.007

Kneller, D. W.; Phillips, G.; Kovalevsky, A.; Coates, L. Room-Temperature Neutron and X-ray Data Collection of 3CL M(pro) from SARS-CoV-2. *Acta Crystallogr., Sect. F: Struct. Biol. Commun.* **2020**, *76* (Pt. 10), 483–487. DOI: 10.1107/S2053230X20011814

Kneller, D. W.; Phillips, G.; O'Neill, H. M.; Tan, K.; Joachimiak, A.; Coates, L.; Kovalevsky, A. Room-Temperature X-ray Crystallography Reveals the Oxidation and Reactivity of Cysteine Residues in SARS-CoV-2 3CL M(pro): Insights into Enzyme Mechanism and Drug Design. *IUCrJ* **2020**, 7 (Pt. 6), 1028–1035. DOI: 10.1107/S2052252520012634

Kneller, D. W.; Phillips, G.; Weiss, K. L.; Pant, S.; Zhang, Q.; O'Neill, H. M.; Coates, L.; Kovalevsky, A. Unusual Zwitterionic Catalytic Site of SARS–CoV-2 Main Protease Revealed by Neutron Crystallography. *J. Biol. Chem.* **2020**, *295* (50), 17365–17373. DOI: 10.1074/jbc.AC120.016154

Moehling, T. J.; Choi, G.; Dugan, L. C.; Salit, M.; Meagher, R. J. LAMP Diagnostics at the Point-of-Care: Emerging Trends and Perspectives for the Developer Community. *Expert Rev. of Mol. Diagn.* **2021**, *21* (1), 43–61. DOI: 10.1080/14737159.2021.1873769

Ngo, V. A.; Jha, R. K. Identifying Key Determinants and Dynamics of SARS-CoV-2/ACE2 Tight Interaction. *PLoS One* **2021**, *16* (11), e0259705. DOI: 10.1371/journal.pone.0259705

Omberg, K.; Engelmann, Hutchison, J.; Melville, A.; Oxford, K.; Victry, K. Evaluation of Three Extraction Kits with a 2019-n-CoV Assay, PNNL-3008. **2020**. DOI: 10.2172/1833861

Osipiuk, J.; Azizi, S.-A.; Dvorkin, S.; Endres, M.; Jedrzejczak, R.; Jones, K. A.; Kang, S.; Kathayat, R. S.; Kim, Y.; Lisnyak, V. G.; Maki, S. L.; Nicolaescu, V.; Taylor, C. A.; Tesar, C.; Zhang, Y.-A.; Zhou, Z.; Randall, G.; Michalska, K.; Snyder, S. A.; Dickinson, B. C.; Joachimiak, A. Structure of Papain-Like Protease from SARS-CoV-2 and Its Complexes with Non-Covalent Inhibitors. *Nat. Commun.* **2021**, *12* (1), 743. DOI: 10.1038/s41467-021-21060-3

Wilamowski, M.; Hammel, M.; Leite, W.; Zhang, Q.; Kim, Y.; Weiss, K. L.; Jedrzejczak, R.; Rosenberg, D. J.; Fan, Y.; Wower, J.; Bierma, J. C.; Sarker, A. H.; Tsutakawa, S. E.; Pingali, S. V.; O'Neill, H. M.; Joachimiak, A.; Hura, G. L. Transient and Stabilized Complexes of Nsp7, Nsp8, and Nsp12 in SARS-CoV-2 Replication. *Biophys. J.* **2021**, *120* (15), 3152–3165. DOI: 10.1016/j. bpj.2021.06.006

Wilamowski, M.; Sherrell, D. A.; Minasov, G.; Kim, Y.; Shuvalova, L.; Lavens, A.; Chard, R.; Maltseva, N.; Jedrzejczak, R.; Rosas-Lemus, M.; Saint, N.; Foster, I. T.; Michalska, K.; Satchell, K. J. F.; Joachimiak, A. 2'-O Methylation of RNA Cap in SARS-CoV-2 Captured by Serial Crystallography. *Proc. Natl. Acad. Sci. U. S. A.* **2021**, *118* (21), e2100170118. DOI: 10.1073/pnas.2100170118

Patents and Invention Disclosures

Non-provisional patent filed 15639: Highly Effective SARS-CoV-2 Neutralizing Humanized Nanobodies.

Provisional patent for entire suite of 18 antibodies. EIDR \$133918.

Joint invention disclosure submitted for COVID Whistle.

Chapter 5: Epidemiological Modeling Publications

Beyeler, W.; Acquesta, E.; Klise, K.; Makvandi, M.; Finley, P. Adaptive Recovery Model: Designing Systems for Testing, Tracing, and Vaccination to Support COVID-19 Recovery Planning; SAND2020-11014; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1684646

Beyeler, W.; Frazier, C.; Krofcheck, D.; Swiler, L. P.; Portone, T.; Klise, K. *Uncertainty Analysis Framework for the Hospital Resource Supply Model for COVID-19*; SAND2020-5569; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1763544

Blonigan, P.; Ray, J.; Safta, C. Forecasting Multi-Wave Epidemics Through Bayesian Inference. *Arch. Computat. Methods Eng.* **2021**, *28*, 4169–4183. DOI: 10.1007/s11831-021-09603-9

Castro, L. A.; Shelley, C. D.; Osthus, D.; Michaud, I.; Mitchell, J.; Manore, C. A.; Del Valle, S. Y. How New Mexico Leveraged a COVID-19 Case Forecasting Model to Preemptively Address the Health Care Needs of the State: Quantitative Analysis. *JMIR Public Health Surveill.* **2021**, *7* (6), e27888. DOI: 10.2196/27888

Fair, J. M.; LeClaire, R. J.; Dauelsberg, L. R.; Ewers, M.; Pasqualini, D.; Cleland, T.; Rosenberger, W. Systems Dynamics and the Uncertainties of Diagnostics, Testing and Contact Tracing for COVID-19. *Methods* **2021**, *195*, 77–91. DOI: 10.1016/j.ymeth.2021.03.008

Frazier, C. R.; Krofcheck, D. J.; Gearhart, J. L.; Beyeler, W. E. Integrated Resource Supply-Demand-Routing Model for the COVID-19 Crisis; SAN D2020-5277; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1763531

Kaligotla, C.; Ozik, J.; Collier, N. T.; Macal, C. M.; Stevens, A.; Mucenic, B.; Hutton, A.; Choe, K. Development of Large-Scale Synthetic Population to Simulate COVID-19 Transmission and Response. In *Proceedings of the 2020 Winter Simulation Conference*, Virtual, December 14–8, 2020; Bae, K.-H., Feng, B., Kim, S., Lazarova-Molnar, S., Zheng, Z., Roeder, T., Thiesing, R., Eds. 2020. https://informs-sim.org/wsc20papers/088.pdf (accessed 2021-11-16).

Klise, K. A.; Bynum, M. L. Facility Location Optimization Model for COVID-19 Resources; SAND-2020-4693R; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1617839

Klise, K.; Beyeler, W.; Finley, P.; Makvandi, M. Analysis of Mobility Data to Build Contact Networks for COVID-19. *PLoS One* **2021**, *16* (4), e0249726. DOI: 10.1371/journal.pone.0249726

Lin, Y. T.; Neumann, J.; Miller, E.; Posner, R.; Mallela, A.; Safta, C.; Ray, J.; Thakur, G.; Chinthavali, S.; Hlavacek, W. Daily Forecasting of Regional Epidemics of Coronavirus Disease with Bayesian Uncertainty Quantification, United States. *Emerging Infect. Dis.* **2021**, *27* (3), 767–778. DOI: 10.3201/eid2703.203364

Macal, C. M.; Ozik, J.; Collier, N. T.; Kaligotla, C.; MacDonell, M. M.; Wang, C.; LePoire, D. J.; Chang, Y.-S.; Martinez-Moyano, I. J. CityCOVID: A Computer Simulation of COVID-19 Spread in a Large-Urban Area. In *Proceedings of the 2020 Winter Simulation Conference*, Virtual, December 14–8, 2020; Bae, K.-H., Feng, B., Kim, S., Lazarova-Molnar, S., Zheng, Z., Roeder, T., Thiesing, R., Eds. 2020. https://informs-sim.org/wsc20papers/087.pdf (accessed 2021-11-16).

Makvandi, M.; Wallis, L. D.; West, C. N.; DeAngelis, H. E.; VanWinkle, Z.; Halkjaer-Knudsen, V.; Acquesta, E.; Beyeler, W. E.; Klise, K. A.; Finley, P. D. *Modeling Efficient and Equitable Distribution of COVID-19 Vaccines*; SAND2020-11973; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1718986

Martinez, C.; Jones, J. E.; Levin, D.; Trask, N. A.; Finley, P. D. *Physics-Informed Machine Learning for Epidemiological Models*; SAND2020-11933R; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1706217

Ozik, J.; Wozniak, J. M.; Collier, N.; Macal, C. M.; Binois, M. A Population Data-Driven Workflow for COVID-19 Modeling and Learning. *The International Journal of High Performance Computing Applications* **2021**, *35* (5), 483–499. DOI: 10.1177/10943420211035164

Piburn, J.; Kaufman, J.; Sorokine, A.; Axley, E. *DOE COVID-19 Data Curation Effort: An Initial Analysis of the Data*; Oak Ridge National Laboratory: Oak Ridge, TN, 2020.

Reinicke, N.; Borlaug, B.; Moniot, M. *Changes in When and Where People are Spending Time in Response to COVID-19*; NREL/TP-5400-78473; National Renewable Energy Laboratory: Golden, CO, 2021. DOI: 10.2172/1808276

Swiler, L.; Portone, T.; and Beyeler, W. *Uncertainty Analysis of Hospital Resource Demand Model for COVID-19*; SAND2020-4900; Sandia National Laboratories: Albuquerque, NM, 2020. DOI: 10.2172/1630395

Software Disclosures

Argonne National Laboratory. *The Chicago Social Interaction Model (ChiSIM) Framework*. Revision 0.3 for chi_sim, Ver. 0.4.2; https://qithub.com/Repast/chiSim (accessed 2021-11-16).

Argonne National Laboratory. *CityCOVID*. SF-21-101. September 13, 2021.

Argonne National Laboratory. *Repast for High-Performance Computing (RepastHPC)*. Ver. 2.3.1. https://github.com/Repast/repast.hpc (accessed 2021-11-16).

Sandia National Laboratories. PRIME. Ver. 1. https://sandialabs.github.io/PRIME/ (accessed 2021-12-01).

Chapter 6: Viral Fate and Transport

Publications

Bueno de Mesquita, P. J.; Delp, W. W.; Chan, W. R.; Bahnfleth, W. P.; Singer, B. C. Control of Airborne Infectious Disease in Buildings: Evidence and Research Priorities. *Indoor Air* **2021**. DOI: 10.1111/ina.12965

Chien, C. H.; Cheng, M. D.; Im, P.; Nawaz, K.; Fricke, B.; Armstrong, A. Characterization of the Indoor Far-Field Aerosol Transmission in a Model Commercial Office Building. *Int. Commun. Heat Mass Transfer* **2021**, 105744. DOI: 10.1016/j. icheatmasstransfer.2021.105744

Chien, C. H.; Cheng, M. D.; Im, P.; Nawaz, K.; Fricke, B.; Armstrong, A. Characterization of the Indoor Near-Field Aerosol Transmission in a Model Commercial Office Building. *Int. Commun. Heat Mass Transfer* **2021**, 105745. DOI: 10.1016/j. icheatmasstransfer.2021.105745

Dillon, C. F.; Dillon, M. B. Multiscale Airborne Infectious Disease Transmission. *Appl. Environ. Microbiol.* **2021**, *87* (4), e02314-20. DOI: 10.1128/AEM.02314-20

Dillon, M. B.; Dillon, C. F. Regional Relative Risk, a Physics-Based Metric for Characterizing Airborne Infectious Disease Transmission. *Appl. Environ. Microbiol.* **2021**, *87* (21), e01262-21. DOI: 10.1128/AEM.01262-21

Dillon, M. B.; Sextro, R. G.; Delp, W. W. Protecting Building Occupants against the Inhalation of Outdoor-Origin Aerosols. *Atmos. Environ.* **2022**, *268*, 118773. DOI: 10.1016/j. atmosenv.2021.118773

Domino, S. P. A Case Study on Pathogen Transport, Deposition, Evaporation and Transmission: Linking High-Fidelity Computational Fluid Dynamics Simulations to Probability of Infection. *International Journal of Computational Fluid Dynamics* **2021**. DOI: 10.1080/10618562.2021.1905801

Fabregat, A.; Gisbert, F.; Vernet, A.; Dutta, S.; Mittal, K.; Pallarès, J. Direct Numerical Simulation of the Turbulent Flow Generated during a Violent Expiratory Event. *Phys. Fluids* **2021**, *33* (3), 035122. DOI: 10.1063/5.0042086

Fabregat, A.; Gisbert, F.; Vernet, A.; Ferré, J. A.; Mittal, K.; Dutta, S.; Pallarès, J. Direct Numerical Simulation of Turbulent Dispersion of Evaporative Aerosol Clouds Produced by an Intense Expiratory Event. *Phys. Fluids* **2021**, *33* (3), 033329. DOI: 10.1063/5.0045416

Fierce, L.; Robey, A. J.; Hamilton, C. Simulating Near-Field Enhancement in Transmission of Airborne Viruses with a Quadrature-Based Model. *Indoor Air* **2021**, *31* (6), 1843–1859. DOI: 10.1111/ina.12900

Ho, C. K.; Binns, R. Modeling and Mitigating Airborne Pathogen Risk Factors in School Buses. *Int. Commun. Heat Mass Transfer* **2021**, 129, 105663. DOI: 10.1016/j.icheatmasstransfer.2021.105663


O'Callahan, B.; Qafoku, O.; Balema, V.; Negrete, O. A.; Passian, A.; Engelhard, M.; Waters, K. M. Atomic Force Microscopy and Infrared Nanospectroscopy of COVID-19 Spike Protein for Quantification of Adhesion to Common Surfaces. *Langmuir* **2021**, *37* (41), 12089–12097. DOI: 10.1021/acs.langmuir.1c01910

Pease, L. F.; Salsbury, T. I.; Anderson, K. K.; Underhill, R. M.; Flaherty, J. E.; Vlachokostas, A.; Burns, C. A.; Wang, N.; Kulkarni, G.; James; D. P. Size Dependent Infectivity of SARS-CoV-2 via Respiratory Droplets Spread through Central Ventilation Systems. *Int. Commun. Heat Mass Transfer* **2021**, 105748. DOI: 10.1016/j.icheatmasstransfer.2021.105748 (Article in special issue "Numerical and Experimental Investigation of Airborne Pathogen Transmission, and Associated Heat and Mass Transfer Processes," accessed 2021-12-07).

Pease, L. F.; Wang, N.; Salsbury, T. I.; Underhill, R. M.; Flaherty, J. E.; Vlachokostas, A.; Kulkarni, G.; James. D. P. Investigation of Potential Aerosol Transmission and Infectivity of SARS-CoV-2 through Central Ventilation Systems. *Building and Environment* **2021**, *197*, 107633. DOI: 10.1016/j.buildenv.2021.107633

Singer, B. C.; Zhao, H.; Preble, C. V.; Delp, W. W.; Pantelic, J.; Sohn, M. D.; Kirchstetter, T. K. Measured Influence of Overhead HVAC on Exposure to Airborne Contaminants from Simulated Speaking in a Meeting and a Classroom. *Indoor Air* **2021**. DOI: 10.1111/ina.12917

Thacher, E.; Carlson, T.; Castellini, J.; Sohn, M. D.; Variano, E.; Mäkiharju, S. A. Droplet and Particle Methods to Investigate Turbulent Particle Laden Jets. *Aerosol Sci. Technol.* **2021**, *55* (12), 1359–1377. DOI: 10.1080/02786826.2021.1959019



Materials and Manufacturing of Critical Supplies

Samantha Adikari

Los Alamos National Laboratory

Daniel Akerib

SLAC National Accelerator Laboratory

SLAC National Accelerator Laboratory

Marie Arrowsmith

Sandia National Laboratories

Shaine Athey

Lawrence Livermore National Laboratory

Celeste Atkins

Oak Ridge National Laboratory

William Bachman

Sandia National Laboratories

Teresa Barnes

National Renewable Energy Laboratory

Abby Barnes

Oak Ridge National Laboratory

Todd Barrick

Sandia National Laboratories

Katherine Barrick

Sandia National Laboratories

Andy Beasley

Idaho National Laboratory

Clint Bedick

National Energy Technology Laboratory

Bryan Bellaire

Ames Laboratory

Donald Benza

Savannah River National Laboratory

John Bernardin

Los Alamos National Laboratory

Emma Betters

Oak Ridge National Laboratory

Randy Bewley

Idaho National Laboratory

Beth Boardman

Los Alamos National Laboratory

John Bobbitt

Savannah River National Laboratory

David Bock

Brookhaven National Laboratory

Yannick Bomble

National Renewable Energy Laboratory

Martin Breidenback

SLAC National Accelerator Laboratory

Michael Bressack

SLAC National Accelerator Laboratory

SLAC National Accelerator Laboratory

Kevin Byerly

National Energy Technology Laboratory

Rafael Campos

SLAC National Accelerator Laboratory

James Carney

Sandia National Laboratories

Alberta Carpenter

National Renewable Energy Laboratory

Eric Charles

SLAC National Accelerator Laboratory

Santanu Chaudhuri

Argonne National Laboratory

Victor Chavez

Sandia National Laboratories

Phillip Chesser

Oak Ridge National Laboratory

Wah Chiu

SLAC National Accelerator Laboratory

Josef Christ

Pacific Northwest National Laboratory

Steven Chu

SLAC National Accelerator Laboratory

Peter Ciesielski

National Renewable Energy Laboratory

Kyle Cluff

Los Alamos National Laboratory

Bruce Cohen

Lawrence Berkeley National Laboratory

Adam Cook

Sandia National Laboratories

Cody Corbin

Sandia National Laboratories

Andres Cortez

Los Alamos National Laboratory

Corson Cramer

Oak Ridge National Laboratory

Jun Cui

Ames Laboratory

Yi Cui

SLAC National Accelerator Laboratory

Jeremy Danielson

Los Alamos National Laboratory

Nitin Daphalapurkar

Los Alamos National Laboratory

Panos Datskos

National Renewable Energy Laboratory

Jack Dean

Lawrence Livermore National Laboratory

Vincent DeAndrade

Argonne National Laboratory

Haedi Deangelis

Sandia National Laboratories

Ryan Dehoff

Oak Ridge National Laboratory

Patrick Dempsey

Lawrence Livermore National Laboratory

Alexander Dudchenko

SLAC National Accelerator Laboratory

Eric Duoss

Lawrence Livermore National Laboratory

Steve Eglash

SLAC National Accelerator Laboratory

Jeffrey Elam

Argonne National Laboratory

Amy Elliott

Oak Ridge National Laboratory

Ken Enstrom

Lawrence Livermore National Laboratory

Rebecca Erikson

Pacific Northwest National Laboratory

Tom Feldhausen

Oak Ridge National Laboratory

Michelle Fenn

Pacific Northwest National Laboratory

Don Ferguson

National Energy Technology Laboratory

Patrick Finnegan

Sandia National Laboratories

Matthew Folsom

Savannah River National Laboratory

Dennis Freeman

Lawrence Livermore National Laboratory

William Fuger

Idaho National Laboratory

Nathan Fuller

Sandia National Laboratories

Jon Fulton

National Energy Technology Laboratory

David Gaga

SLAC National Accelerator Laboratory

Kumkum Ganguly

Los Alamos National Laboratory

Randall Gentry

National Energy Technology Laboratory

Kevin Gervais

Pacific Northwest National Laboratory

Jeremy Gleick

Lawrence Livermore National Laboratory

Andrew Glen

Sandia National Laboratories

John Greenhall

Los Alamos National Laboratory

Lisa Gribble

Sandia National Laboratories

Anne Grillet

Sandia National Laboratories

Lorenzo Gutierrez

Sandia National Laboratories

Steven Guzorek

Lawrence Livermore National Laboratory

Ryan Haggerty

Sandia National Laboratories

Michael Ham

Los Alamos National Laboratory

Razi Hague

Lawrence Livermore National Laboratory

Jennifer Harris

Los Alamos National Laboratory

Marcus Hays

Argonne National Laboratory

Rvan Herbst

SLAC National Accelerator Laboratory

Chris Hershey

Oak Ridge National Laboratory

Michael Himmel

National Renewable Energy Laboratory

Andrew Honeycutt

Oak Ridge National Laboratory

Nick Horvath

Oak Ridge National Laboratory

Peter Hosemann

Lawrence Berkeley National Laboratory

Peter Hsieh

National Energy Technology Laboratory

Christina Ignarra

SLAC National Accelerator Laboratory

Ralph James

Savannah River National Laboratory

Todd Jankowski

Los Alamos National Laboratory

Dale Jenne

National Renewable Energy Laboratory

Jing Jin

SLAC National Accelerator Laboratory

Joel Johnson

Idaho National Laboratory

Robert Johnston

Sandia National Laboratories

Mike Kirka

Oak Ridge National Laboratory

Matthew Koetting

Kansas City National Security Campus

Jeffrey Koplow

Sandia National Laboratories

Jack Kotovsky

Lawrence Livermore National Laboratory

Gary Krugger

Los Alamos National Laboratory

Gregory Krumdick

Argonne National Laboratory

Wendy Kuhne

Savannah River National Laboratory

Ian Ladner

Lawrence Livermore National Laboratory

Justin Laioie

Ames Laboratory

Candace Langan

Savannah River National Laboratory

Greg Larsen

Oak Ridge National Laboratory

Matthew Lee

Los Alamos National Laboratory

Thomas Lewis

Idaho National Laboratory

John Lindahl

Oak Ridge National Laboratory

Peter Lloyd

Oak Ridge National Laboratory

Thomas Lograsso

Ames Laboratory

Lonnie Love

Oak Ridge National Laboratory

Steffen Luitz

SLAC National Accelerator Laboratory

Leah Luian

Los Alamos National Laboratory

Therese Lujan

Los Alamos National Laboratory

Monear Makvandi

Sandia National Laboratories

Dan Manha

Lawrence Livermore National Laboratory

Ruben Manzanares

Los Alamos National Laboratory

Alex Marchi

Los Alamos National Laboratory

Amy Marschilok

Brookhaven National Laboratory

Adam Martinez

Los Alamos National Laboratory

Mathew Mate

SLAC National Accelerator Laboratory

Chris Matranga

National Energy Technology Laboratory

Michael Maxwell

Savannah River National Laboratory

Sean McGaughey

Pacific Northwest National Laboratory

Eric Miller

SLAC National Accelerator Laboratory

Doug Modlin

Lawrence Livermore National Laboratory

Marwan Mohamed

Los Alamos National Laboratory

Arvind Mohan

Los Alamos National Laboratory

Brian Mong

SLAC National Accelerator Laboratory

Patrick Moo

Idaho National Laboratory

Murray Moore

Los Alamos National Laboratory

Robert Morgan

Los Alamos National Laboratory

Monica Moya

Lawrence Livermore National Laboratory

Elvin Munoz

Pacific Northwest National Laboratory

Du Nguyen

Lawrence Livermore National Laboratory

Greg Norton

Lawrence Livermore National Laboratory

David Nuttall

Oak Ridge National Laboratory

Andrzej Nycz

Oak Ridge National Laboratory

Austin Nye

Lawrence Livermore National Laboratory

Robert O'Brien

Idaho National Laboratory

Michael Omana

Sandia National Laboratories

Scott Paap

Sandia National Laboratories

Cristian Pantea

Los Alamos National Laboratory

Parans Paranthaman

Oak Ridge National Laboratory

Phil Paul

Lawrence Livermore National Laboratory

Jeremy Payton

Los Alamos National Laboratory

Martin Perraglio

Los Alamos National Laboratory

Matt Pharr

Lawrence Livermore National Laboratory

Brian Post

Oak Ridge National Laboratory

Krzysztof Pupek

Argonne National Laboratory

Samantha Reese

National Renewable Energy Laboratory

Steve Richardson

National Energy Technology Laboratory

Bryce Ricken

Sandia National Laboratories

Jacob Riglin

Los Alamos National Laboratory

Jason Roadman

National Renewable Energy Laboratory

Larry Rodriguez

Los Alamos National Laboratory

Mohammad Roni

Idaho National Laboratory

Alex Roschli

Oak Ridge National Laboratory

Alexander Rose

Los Alamos National Laboratory

Michael Sabo

Sandia National Laboratories

Bradley Salzbrenner

Sandia National Laboratories

Andres Sanchez

Sandia National Laboratories

Daniel Schabacker

Argonne National Laboratory

Andrew Schmalzer

Los Alamos National Laboratory

Patrick Scholl

Lawrence Livermore National Laboratory

Eric Shaner

Sandia National Laboratories

Maxim Shusteff

Lawrence Livermore National Laboratory

Randall Schunk

Sandia National Laboratories

Tom Shutt

SLAC National Accelerator Laboratory

Graham Simmons

SLAC National Accelerator Laboratory

Michael Sinclair

Sandia National Laboratories

Julie Slaughter

Ames Laboratory

Denver Smith

Los Alamos National Laboratory

Scott Smith

Oak Ridge National Laboratory

Brittnee Smith

Pacific Northwest National Laboratory

David Soscia

Lawrence Livermore National Laboratory

Christopher Spadaccini

Lawrence Livermore National Laboratory

Dusan Spernjak

Los Alamos National Laboratory

Aaron Sperry

Lawrence Livermore National Laboratory

Mike Steinzig

Los Alamos National Laboratory

Christopher Takacs

SLAC National Accelerator Laboratory

Deepti Tanjore

Lawrence Berkeley National Laboratory

Bryce Tappan

Los Alamos National Laboratory

Antionette Taylor

Los Alamos National Laboratory

Paul Thelen

Sandia National Laboratories

Merlin Theodore

Oak Ridge National Laboratory

Angela Tooker

Lawrence Livermore National Laboratory

Katherine Tremba

Sandia National Laboratories

Michael Triplett

Lawrence Livermore National Laboratory

Jacob Trueblood

Lawrence Livermore National Laboratory

Charles Turick

Savannah River National Laboratory

Jeffrey Urban

Lawrence Berkeley National Laboratory

Victor Vargas

Lawrence Livermore National Laboratory

Vanessa Vargas

Sandia National Laboratories

Joshua Vaughan

Oak Ridge National Laboratory

Eliel Villa-Aleman

Savannah River National Laboratory

Lei Wang

Brookhaven National Laboratory

Peter Wang

Oak Ridge National Laboratory

Scott Weaver

SLAC National Accelerator Laboratory

Nina Weisse-Bernstein

Los Alamos National Laboratory

Dora Wiemann

Sandia National Laboratories

Brian Wihl

Lawrence Livermore National Laboratory

Zachary Wilson

Sandia National Laboratories

Edward Winrow

Sandia National Laboratories

Matthias Wittgen

SLAC National Accelerator Laboratory

Shan Yan

Brookhaven National Laboratory

Allison Yorita

Lawrence Livermore National Laboratory

Qinghui Yuan

Argonne National Laboratory

Yuepeng Zhang

Argonne National Laboratory

Molecular Design for COVID-19 Therapeutics

Paul Adams

Lawrence Berkeley National Laboratory

Nanda Aduri

SLAC National Accelerator Laboratory

Chase Akins

Argonne National Laboratory

Jonathan Allen

Lawrence Livermore National Laboratory

Marc Alvarez

Los Alamos National Laboratory

Lindsey Anderson

Pacific Northwest National Laboratory

Babak Andi

Brookhaven National Laboratory

Gyorgy Babnigg

Argonne National Laboratory

Yadu Babuji

Argonne National Laboratory

Alexander Batyuk

SLAC National Accelerator Laboratory

Kellon Belfon

Stony Brook University

Debsindhu Bhowmik

Oak Ridge National Laboratory

Benjamin Blaiszik

Argonne National Laboratory

Swen Boehm

Oak Ridge National Laboratory

Peter Bonnesen

Oak Ridge National Laboratory

Jim Brase

Lawrence Livermore National Laboratory

Tom Brettin

Argonne National Laboratory

James Brown

Lawrence Berkeley National Laboratory

Garry Buchko

Pacific Northwest National Laboratory

Seth Carbon

Lawrence Berkeley National Laboratory

Kyle Chard

University of Chicago

Ryan Chard

Argonne National Laboratory

Andrew Chen

Lawrence Berkeley National Laboratory

Julian Chen

Los Alamos National Laboratory

Samuel Chen

Brookhaven National Laboratory

Wah Chiu

SLAC National Accelerator Laboratory

Nicholas Choma

Lawrence Berkeley National Laboratory

Austin Clyde

Argonne National Laboratory

Leighton Coates

Oak Ridge National Laboratory

Matthew (Matt) Coleman

Lawrence Livermore National Laboratory

Connor Cooper

Oak Ridge National Laboratory

Abbigayle (Abby) Cuomo

Stony Brook University

Andy DeGiovanni

Lawrence Berkeley National Laboratory

Thomas Desautels

Lawrence Livermore National Laboratory

Emily Dietrich

Argonne National Laboratory

Peng Ding

Argonne National Laboratory

Mitchel Doktycz

Oak Ridge National Laboratory

Xiaotian Duan

University of Chicago

Chris Ellis

Oak Ridge National Laboratory

Aidan Epstein

Lawrence Livermore National Laboratory

Daniel Faissol

Lawrence Livermore National Laboratory

Lucy Fallon

Stony Brook University

Yichong Fan

Oak Ridge National Laboratory

Song Feng

Pacific Northwest National Laboratory

William Fischer

Los Alamos National Laboratory

Nicholas (Nick) Fischer

Lawrence Livermore National Laboratory

Ian Foster

Argonne National Laboratory

Magdalena (Magda) Franco

Lawrence Livermore National Laboratory

Stephanie Galanie

Oak Ridge National Laboratory

Carlos Gamboa

Brookhaven National Laboratory

Umamaheswari Ganapathy

Brookhaven National Laboratory

Cornelius Gati

SLAC National Accelerator Laboratory

Sandrasegaram Gnanakaran

Los Alamos National Laboratory

Jose Guerra

Stony Brook University

Mikhail Hameedi

SLAC National Accelerator Laboratory

Brooke Harmon

Sandia National Laboratories

Nomi Harris

Lawrence Berkeley National Laboratory

Darin Hauner

Pacific Northwest National Laboratory

Stewart He

Lawrence Livermore National Laboratory

Martha (Marti) Head

Oak Ridge National Laboratory

Dean Hidas

Brookhaven National Laboratory

Elijah Hoffman

Lawrence Berkeley National Laboratory

Kunlun Hong

Oak Ridge National Laboratory

Zhi Hong

University of Chicago

Naoki Horikoshi

SLAC National Accelerator Laboratory

Kim Hoshin

Pacific Northwest National Laboratory

Mark Hunter

SLAC National Accelerator Laboratory

Stephan Irle

Oak Ridge National Laboratory

Srinivas Iver

Los Alamos National Laboratory

Daniel Jacobson

Oak Ridge National Laboratory

Rhema James

Pacific Northwest National Laboratory

Songhao Jiang

Argonne National Laboratory

Marcin Joachimiak

Lawrence Berkeley National Laboratory

Jessica Johnson

Argonne National Laboratory

Rajendra Joshi

Pacific Northwest National Laboratory

Ai Kagawa

Brookhaven National Laboratory

Richard Keith

Lawrence Berkeley National Laboratory

Michael Kent

Sandia National Laboratories

Vilmos Kertesz

Oak Ridge National Laboratory

Kerstin Kleese van Dam

Brookhaven National Laboratory

Daniel Kneller

Oak Ridge National Laboratory

Bette Korber

Los Alamos National Laboratory

Andrii Kovalevskyi

Oak Ridge National Laboratory

Kristen (Kris) Kulp

Lawrence Livermore National Laboratory

Neeraj Kumar

Pacific Northwest National Laboratory

Audrey Labbé

Oak Ridge National Laboratory

Joshua Ladau

Lawrence Berkeley National Laboratory

Edmond Lau

Lawrence Livermore National Laboratory

Joseph Laureanti

Pacific Northwest National Laboratory

Wellington Leite

Oak Ridge National Laboratory

Zhouzhao Li

University of Chicago

Felice Lightstone

Lawrence Livermore National Laboratory

Xuefeng Liu

Argonne National Laboratory

Heng Ma

Argonne National Laboratory

Carla Mann

Argonne National Laboratory

Irimpan Mathews

SLAC National Accelerator Laboratory

Stefan Maxwell

Sandia National Laboratories

Sean McCorkle

Brookhaven National Laboratory

Jason McDermott

Pacific Northwest National Laboratory

Kevin McLoughlin

Lawrence Livermore National Laboratory

Sean McSweeney

Brookhaven National Laboratory

Ryszard Michalczyk

Los Alamos National Laboratory

Chris Mungall

Lawrence Berkeley National Laboratory

Daniel Murphy-Olson

Argonne National Laboratory

Oscar Negrete

Sandia National Laboratories

Peter Nugent

Lawrence Berkeley National Laboratory

Carlos Olivares-Reboredo

University of Chicago

Hugh O'Neill

Oak Ridge National Laboratory

Swati Pant

Oak Ridge National Laboratory

Jerry Parks

Oak Ridge National Laboratory

Alexander Partin

Argonne National Laboratory

Jose Pereira

Lawrence Berkeley National Laboratory

Gwndalyn Phillips

Oak Ridge National Laboratory

Sai Venkatesh Pingali

Oak Ridge National Laboratory

Martin Purschke

Brookhaven National Laboratory

Emily Purvine

Pacific Northwest National Laboratory

Shuo Oian

Oak Ridge National Laboratory

Xiaohui Qu

Brookhaven National Laboratory

Lauren Raguette

Stony Brook University

Maksim Rakitin

Brookhaven National Laboratory

Arvind Ramanathan

Argonne National Laboratory

Simone Raugei

Pacific Northwest National Laboratory

Justin Reese

Lawrence Berkeley National Laboratory

Yihui Ren

Brookhaven National Laboratory

Andria Rodrigues

Lawrence Berkeley National Laboratory

Nickolaus Saint

Argonne National Laboratory

Kenneth Sale

Sandia National Laboratories

Brian Sanders

Oak Ridge National Laboratory

Anthony Savushkin

Argonne National Laboratory

Jurgen Schmidt

Los Alamos National Laboratory

Joe Schoeniger

Sandia National Laboratories

Ashka Sha

University of Chicago

Carlos Simmerling

Stony Brook University

Suhas Somnath

Oak Ridge National Laboratory

Chris Stanley

Oak Ridge National Laboratory

Darya (Dasha) Stepanenko

Stony Brook University

Rick Stevens

Argonne National Laboratory

Jacob Sumner

Oak Ridge National Laboratory

Li Tan

Brookhaven National Laboratory

Oleg Tchoubar

Brookhaven National Laboratory

Marisa Torres

Lawrence Livermore National Laboratory

Anda Trifan

Argonne National Laboratory

Deepak Unni

Lawrence Berkeley National Laboratory

Hubertus van Dam

Brookhaven National Laboratory

Van Vuong

Oak Ridge National Laboratory

Rick Wagner

University of California San Diego

Soichi Wakatsuki

SLAC National Accelerator Laboratory

Yuzhang Wang

Stony Brook University

Logan Ward

Argonne National Laboratory

Katrina Waters

Pacific Northwest National Laboratory

Amber Webb

Oak Ridge National Laboratory

Bobbie-Jo Webb-Robertson

Pacific Northwest National Laboratory

Kevin Weiss

Oak Ridge National Laboratory

Kelly Willams

Sandia National Laboratories

Sergio Wong

Lawrence Livermore National Laboratory

Yulun Wu

Lawrence Berkeley National Laboratory

Yue Yang

Lawrence Livermore National Laboratory

Hyunseung Yoo

Argonne National Laboratory

Qiu Zhang

Oak Ridge National Laboratory

Mowei Zhou

Pacific Northwest National Laboratory

Fanggiang Zhu

Lawrence Livermore National Laboratory

Ying Zhu

Pacific Northwest National Laboratory

COVID-19 Testing

Rebecca Abergel

Lawrence Berkeley National Laboratory

Paul Adams

Lawrence Berkeley National Laboratory

Dion Antonopoulos

Argonne National Laboratory

Gyorgy Babnigg

Argonne National Laboratory

Scott Baker

Pacific Northwest National Laboratory

Daniel Bedinger

Carterra

Monica Borucki

Lawrence Livermore National Laboratory

Steven B. Bradfute

University of New Mexico

Thomas Bunt

Lawrence Livermore National Laboratory

Chris Daum

Lawrence Livermore National Laboratory

Patrick Fitch

Los Alamos National Laboratory

Vince Gerbasi

Pacific Northwest National Laboratory

Paul Gilna

Oak Ridge National Laboratory

David Graham

Oak Ridge National Laboratory

Michael Guarnieri

National Renewable Energy Laboratory

Sally Hall

Lawrence Livermore National Laboratory

Nathan Hillson

Lawrence Berkeley National Laboratory

Elizabeth Hong-Geller

Los Alamos National Laboratory

Greg Hura

Lawrence Berkeley National Laboratory

Crystal Jaing

Lawrence Livermore National Laboratory

Ramesh Jha

Los Alamos National Laboratory

Andrzej Joachimiak

Argonne National Laboratory

Bishoy Kamel

Lawrence Berkeley National Laboratory

Jeff Kimbrel

Lawrence Livermore National Laboratory

Antonietta M. Lillo

Los Alamos National Laboratory

Betty Mangadu

Sandia National Laboratories

Robert Meagher

Sandia National Laboratories

Joseph Moon

Lawrence Livermore National Laboratory

Nigel Mouncey

Lawrence Berkeley National Laboratory/DOE Joint

Genome Institute

Michael Morrison

Lawrence Livermore National Laboratory

Nisha Mulakken

Lawrence Livermore National Laboratory

Hau Nguyen

Los Alamos National Laboratory

Marit Nilsen-Hamilton

Ames Laboratory

Kristin Omberg

Pacific Northwest National Laboratory

Hugh O'Neal

Oak Ridge National Laboratory

Jerry Parks

Oak Ridge National Laboratory

Lili Pasa-Tolic

Pacific Northwest National Laboratory

Christa Pennacchio

Lawrence Berkeley National Laboratory

Dave Rakestraw

Lawrence Livermore National Laboratory

Scott Retterer

Oak Ridge National Laboratory

Marc Salit

SLAC National Accelerator Laboratory

Blake Simmons

Lawrence Berkeley National Laboratory

Anup Singh

Sandia National Laboratories, now Lawrence Livermore National Laboratory

Jess Sustarich

Sandia National Laboratories

James Thissen

Lawrence Livermore National Laboratory

Nileena Velappan

Los Alamos National Laboratory

Geoff Waldo

Los Alamos National Laboratory

Kelly Williams

Sandia National Laboratories

Jesse Wilson

Pacific Northwest National Laboratory

Chunyan Ye

University of New Mexico

Malin Young

Pacific Northwest National Laboratory

Yuko Yoshinaga

Lawrence Berkeley National Laboratory

Mowei Zhou

Pacific Northwest National Laboratory

Epidemiological Modeling

Erin Acquesta

Sandia National Laboratories

James Ahrens

Los Alamos National Laboratory

Joshua Auld

Argonne National Laboratory

Paula Austin

Sandia National Laboratories

Ryan Aydelott

Argonne National Laboratory

Andrew Bartlow

Los Alamos National Laboratory

Joshua Bergerson

Argonne National Laboratory

Anne Berres

Oak Ridge National Laboratory

Walter Beyeler

Sandia National Laboratories

Budhendra Bhaduri

Oak Ridge National Laboratory

Alec Biehl

Oak Ridge National Laboratory

Patrick Blonigan

Sandia National Laboratories

Brennan Borlaug

National Renewable Energy Laboratory

Christa Brelsford

Oak Ridge National Laboratory

Benjamin Brodsky

Sandia National Laboratories

Lauren Castro

Los Alamos National Laboratory

Youngsoo Chang

Argonne National Laboratory

Supriya Chinthavali

Oak Ridge National Laboratory

Blair Christian

Oak Ridge National Laboratory

Timothy Cleland

Los Alamos National Laboratory

Nicholson Collier

Argonne National Laboratory

Scott Collis

Sandia National Laboratories

Jessica Conrad

Los Alamos National Laboratory

Elton Cranfill

Oak Ridge National Laboratory

Leticia Cuellar-Hengartner

Los Alamos National Laboratory

Chad Davis

Sandia National Laboratories

Lori Dauelsberg

Los Alamos National Laboratory

Rich Davies

Oak Ridge National Laboratory

Haedi DeAngelis

Sandia National Laboratories

Sean DeRosa

Sandia National Laboratories

Sara Del Valle

Los Alamos National Laboratory

Bradley Dickerson

Sandia National Laboratories

Andrew Duvall

National Renewable Energy Laboratory

Samantha Erwin

Oak Ridge National Laboratory

Mary Ewers

Los Alamos National Laboratory

Jeanne Fair

Los Alamos National Laboratory

Geoffrey Fairchild

Los Alamos National Laboratory

John Farrell

National Renewable Energy Laboratory

Kyle Feffer

Argonne National Laboratory

Paul Fenimore

Los Alamos National Laboratory

Melissa Finley

Sandia National Laboratories

Patrick Finley

Sandia National Laboratories

Joseph Fish

National Renewable Energy Laboratory

Michael Ford

Sandia National Laboratories

Christopher Frazier

Sandia National Laboratories

Venu Garikapati

National Renewable Energy Laboratory

Jared Gearhart

Sandia National Laboratories

Timothy German

Los Alamos National Laboratory

Dax Gerts

Los Alamos National Laboratory

Phwey "Danny" Gil

Argonne National Laboratory

Morgan Gorris

Los Alamos National Laboratory

Josh Grant

Oak Ridge National Laboratory

Ann Hammer

Sandia National Laboratories

Desmond Harmon

Sandia National Laboratories

Nicolas Hengartner

Los Alamos National Laboratory

Michael Hilliard

Oak Ridge National Laboratory

William Hlavacek

Los Alamos National Laboratory

Rossitza Homan

Sandia National Laboratories

John Hummel

Argonne National Laboratory

Aundre Huynh

Sandia National Laboratories

Ho-Ling Hwang

Oak Ridge National Laboratory

Brian Ingram

Argonne National Laboratory

Dean Jones

Sandia National Laboratories

Jessica Jones

Sandia National Laboratories

Kyungsoo Jeong

National Renewable Energy Laboratory

Chaitanya Kaligotla

Argonne National Laboratory

Jason Kaufman

Oak Ridge National Laboratory

Thomas Kirchstetter

Lawrence Berkeley National Laboratory

Katherine Klise

Sandia National Laboratories

Daniel Krofcheck

Sandia National Laboratories

Haitam Laarabi

Lawrence Berkeley National Laboratory

Diane Lauderdale

Argonne National Laboratory

Rene Leclaire

Los Alamos National Laboratory

David LePoire

Argonne National Laboratory

Drew Levin

Sandia National Laboratories

Lawrence Paul Lewis

Argonne National Laboratory

Yen Ting Lin

Los Alamos National Laboratory

Charles Macal

Argonne National Laboratory

Margaret MacDonell

Sandia National Laboratories

Monear Makvandi

Sandia National Laboratories

Carrie Manore

Los Alamos National Laboratory

Carianne Martinez

Sandia National Laboratories

Ignacio Martinez-Moyano

Argonne National Laboratory

Taylor McKenzie

Sandia National Laboratories

Benjamin McMahon

Los Alamos National Laboratory

Isaac Michaud

Los Alamos National Laboratory

Mike Mills

Lawrence Berkeley National Laboratory

Jacob Miner

Los Alamos National Laboratory

Jessica Moehl

Oak Ridge National Laboratory

Matthew Moniot

National Renewable Energy Laboratory

Judith Mourant

Los Alamos National Laboratory

Aaron Myers

Oak Ridge National Laboratory

Zach Needell

Lawrence Berkeley National Laboratory

David Osthus

Los Alamos National Laboratory

Jonathan Ozik

Argonne National Laboratory

Byung Park

Oak Ridge National Laboratory

Nidhi Parkh

Los Alamos National Laboratory

Alina Peluso

Oak Ridge National Laboratory

Jordan Perr-Sauer

National Renewable Energy Laboratory

Sinem Perk

Argonne National Laboratory

Frederic Petit

Argonne National Laboratory

Jesse Piburn

Oak Ridge National Laboratory

Teresa Portone

Sandia National Laboratories

Julia Potter

Sandia National Laboratories

Rosalyn Rael

Los Alamos National Laboratory

Phillip Rauscher

Argonne National Laboratory

Srinath Ravulaparthy

Lawrence Berkeley National Laboratory

Jaideep Ray

Sandia National Laboratories

Nicholas Reinicke

National Renewable Energy Laboratory

Sara Rimer

Argonne National Laboratory

Mark "Danny" Rintoul

Sandia National Laboratories

Amy Rose

Oak Ridge National Laboratory

William Rosenberger

Los Alamos National Laboratory

Aymeric Rousseau

Argonne National Laboratory

Angelika Saeger

Los Alamos National Laboratory

Cosmin Safta

Sandia National Laboratories

Erik Schmidt

Oak Ridge National Laboratory

Scott Schlueter

Argonne National Laboratory

Courtney Shelley

Los Alamos National Laboratory

Anup Singh

Sandia National Laboratories

Nagendra Singh

Oak Ridge National Laboratory

Braeton Smith

Argonne National Laboratory

Asael Sorensen

Sandia National Laboratories

Alex Sorokine

Oak Ridge National Laboratory

Tina Sowers

Oak Ridge National Laboratory

Kevin Sparks

Oak Ridge National Laboratory

Pamela Spetz

Argonne National Laboratory

Anna Spurlock

Lawrence Berkeley National Laboratory

Abby Stevens

Argonne National Laboratory

Robert Stewart

Oak Ridge National Laboratory

Bingrong Sun

National Renewable Energy Laboratory

Laura Swiler

Sandia National Laboratories

Varisara Tansakul

Oak Ridge National Laboratory

Robert Taylor

Sandia National Laboratories

Kirsten Taylor-McCabe

Los Alamos National Laboratory

Gautam Thakur

Oak Ridge National Laboratory

Katherine Tremba

Sandia National Laboratories

Lawrence Trost

Sandia National Laboratories

Majbah Uddin

Oak Ridge National Laboratory

Vanessa Vargas

Sandia National Laboratories

Omer Verbas

Argonne National Laboratory

Sarah Voter

Los Alamos National Laboratory

Amanda Wagner

Argonne National Laboratory

Laurie Wallis

Sandia National Laboratories

Cheng Wang

Argonne National Laboratory

Ross Wang

Oak Ridge National Laboratory

Rashid Waraich

Lawrence Berkeley National Laboratory

Chrysm Watson

Los Alamos National Laboratory

Eric Webber

Oak Ridge National Laboratory

Tom Wenzel

Lawrence Berkeley National Laboratory

Celine West

Sandia National Laboratories

Matthew Whitehead

Oak Ridge National Laboratory

Kristen Wilding

Los Alamos National Laboratory

Alana Wilson

National Renewable Energy Laboratory

Murray Wolinsky

Los Alamos National Laboratory

Justin Wozniak

Argonne National Laboratory

Fei Xie

Oak Ridge National Laboratory

Haowen Xu

Oak Ridge National Laboratory

Stanley Young

National Renewable Energy Laboratory

Zijia Zhong

National Renewable Energy Laboratory

Viral Fate and Transport

Jesse Ahlquist

Lawrence Livermore National Laboratory

Allison Aiken

Los Alamos National Laboratory

Kevin Anderson

Pacific Northwest National Laboratory

Ramesh Balakrishnan

Argonne National Laboratory

Viktor Balema

Ames Laboratory

Bryan Bellaire

Iowa State University

Robin Brigmon

Savannah River National Laboratory

Michael J. Brown

Los Alamos National Laboratory

Carolyn Burns

Pacific Northwest National Laboratory

Jules Cacho

Argonne National Laboratory

Jack Cahill

Oak Ridge National Laboratory

Andrew Costinett

Pacific Northwest National Laboratory

Richard Daniel

Pacific Northwest National Laboratory

William Delp

Lawrence Berkeley National Laboratory

Armand Dichosa

Los Alamos National Laboratory

Michael Dillon

Lawrence Livermore National Laboratory

Liz Dobitz

SLAC National Accelerator Laboratory

Stefan Paul Domino

Sandia National Laboratories

Mavendra Dubey

Los Alamos National Laboratory

Som Dutta

Utah State University

Anne Marie Erler

Lawrence Livermore National Laboratory

Yan Feng

Argonne National Laboratory

Laura Fierce

Brookhaven National Laboratory, now Pacific Northwest National Laboratory

Paul Fischer

University of Illinois at Urbana-Champaign

Julia Flaherty

Pacific Northwest National Laboratory

Erika Fong

Lawrence Livermore National Laboratory

Laura Forde

Lawrence Livermore National Laboratory

Matthias Frank

Lawrence Livermore National Laboratory

Brian Fricke

Oak Ridge National Laboratory

Brad Fritz

Pacific Northwest National Laboratory

Jamie George

Pacific Northwest National Laboratory

Andrew Glen

Sandia National Laboratories

Kyle Gorkowski

Los Alamos National Laboratory

Larry Hamm

Savannah River National Laboratory

Ihor Hlova

Ames Laboratory

Clifford Ho

Sandia National Laboratories

Dan James

Pacific Northwest National Laboratory

Staci Kane

Lawrence Livermore National Laboratory

Thomas Kirchstetter

Lawrence Berkeley National Laboratory

Rao Kotamarthi

Argonne National Laboratory

Gourihar Kulkarni

Pacific Northwest National Laboratory

Brady Lee

Savannah River National Laboratory

Patricia Lee

Savannah River National Laboratory

Robert Lutes

Pacific Northwest National Laboratory

Naila Mahdi

Argonne National Laboratory

Simo Makiharju

University of California, Berkeley

Bob McGraw

Brookhaven National Laboratory

Richard Mills

Argonne National Laboratory

Kashif Nawaz

Oak Ridge National Laboratory

Oscar Negrete

Sandia National Laboratories

Cristina Negri

Argonne National Laboratory

Ralph Nichols

Savannah River National Laboratory

Aleks Obabko

Argonne National Laboratory

Brian O'Callahan

Pacific Northwest National Laboratory

Ronald Ott

Oak Ridge National Laboratory

Aaron Packman

Northwestern University

Jovan Pantelic

University of California, Berkeley

Ali Passian

Oak Ridge National Laboratory

Leonard Pease

Pacific Northwest National Laboratory

Kruttika-Suhas Phadke

Iowa State University

Chelsea Preble

University of California, Berkeley

Tanya Prozorov

Ames Laboratory

Odeta Qafoku

Pacific Northwest National Laboratory

John Quinn

Argonne National Laboratory

Edwin Saavedra

Northwestern University

Anne Sakdinawat

SLAC National Accelerator Laboratory

Timothy Salsbury

Pacific Northwest National Laboratory

Andres Lorenzo Sanchez

Sandia National Laboratories

Callen Schwefler

Lawrence Livermore National Laboratory

Brett Singer

Lawrence Berkeley National Laboratory

Rajesh Singh

Pacific Northwest National Laboratory

Michael Sohn

Lawrence Berkeley National Laboratory

Eric Thacher

University of California, Berkeley

Bill Thompson

SLAC National Accelerator Laboratory

Ronald Underhill

Pacific Northwest National Laboratory

Evan Variano

University of California, Berkeley

Brian Viner

Savannah River National Laboratory

Alex Vlachokostas

Pacific Northwest National Laboratory

Nora Wang

Pacific Northwest National Laboratory, now American Council for an Energy-Efficient Economy

Katrina Waters

Pacific Northwest National Laboratory

David Werth

Savannah River National Laboratory

Elizabeth Wheeler

Lawrence Livermore National Laboratory

Annmarie Wood-Zika


Lawrence Livermore National Laboratory

Eugene Yan

Argonne National Laboratory

Haoran Zhao

Lawrence Berkeley National Laboratory



1D, 2D, 3D one-, two-, three-dimensional
 3CLpro 3 chymotrypsin-like protease
 ACE2 angiotensin-converting enzyme 2

Al artificial intelligence

CARES Act Coronavirus Aid, Relief, and Economic Security Act

CDC Centers for Disease Control and Prevention

COVID-19 Coronavirus disease 2019

DARPA Defense Advanced Research Projects Agency

DOD U.S. Department of Defense
U.S. Department of Energy
EUA Emergency Use Authorization
FDA U.S. Food and Drug Administration

FEMA Federal Emergency Management Agency
HHS U.S. Department of Health and Human Services
LLMDA Lawrence Livermore Microbial Detection Array

ML machine learning

NIH National Institutes of Health

NVBL National Virtual Biotechnology Laboratory

PLpro papain-like protease

PPE personal protective equipment

QC quality control

R&D research and development

RT-LAMP Reverse Transcription Loop-mediated isothermal AMPlification

RT-PCR reverse transcription polymerase chain reaction **SARS-CoV-2** severe acute respiratory syndrome coronavirus 2

STEM-EDS scanning transmission electron microscopy—energy-dispersive X-ray spectroscopy